

Ministry
of the
Environment

Water Resources
Bulletin 2-101
Ground water series

DATA FOR
OBSERVATION WELLS
IN ONTARIO
1974

MOE WRB GWS 2-101

c.1 a aa Copyright Provisions and Restrictions on Copying:

This Ontario Ministry of the Environment work is protected by Crown copyright (unless otherwise indicated), which is held by the Queen's Printer for Ontario. It may be reproduced for non-commercial purposes if credit is given and Crown copyright is acknowledged.

It may not be reproduced, in all or in part, for any commercial purpose except under a licence from the Queen's Printer for Ontario.

For information on reproducing Government of Ontario works, please contact ServiceOntario Publications at copyright@ontario.ca

WATER RESOURCES
BULLETIN 2-101
Ground water series

DATA FOR OBSERVATION WELLS IN ONTARIO 1974

ISSN 0701-7499

MINISTRY OF THE ENVIRONMENT

Water Resources Branch

ONTARIO

107: 6 ps 6-12/ ADP/

TABLE OF CONTENTS

F	Page
Acknowledgements	iv vii viii viii ix ix ix ix x x x x x x
Inst. Min	xii xii
	xiv
- West-Central Region	ΧV
	xvi
- Southestern Region	xvii
- Douchestern Region	xvii
- NOI CHEASCEIL REGION	xvii

OBSERVATION WELL DATA

Southwestern	Region	 ٠			 	•	•	•	 •	٠			•	٠	•	• •		٠	•	•	•	•		•
West-Central																								
Central Regio																								
Southeastern																								
Northeastern	Region			 •		•	•	•	 ٠	٠	•	• •	٠			• •		•	•	•	•	•	• •	•
Northwestern	Region				 																			•

ACKNOWLEDGEMENTS

This bulletin was prepared by staff of the Water Resources Branch who were ably assisted by staff of the Administrative Services Branch.

INTRODUCTION

On April 1, 1974 the Ontario Ministry of the Environment reorganized its working structure from a centralized Toronto-based organization, to a decentralized structure having major Ministry offices in six regional centres across Ontario. With this reorganization, the responsibility for data collection fell to the Ministry's Regional Offices, while data assimilation, processing and publication remained the responsibility of Head Office.

The ground-water regime that exists in any area is a result of the geology, topography, drainage and climate of that area. Water which enters the soil and percolates downward into the zone of saturation, where all the voids and openings of the materials in the ground are filled with water, is commonly referred to as ground water. The top of this zone of saturation or ground-water system is called the water table and in Ontario is often found a few feet below the ground surface.

Precipitation in the form of rain and snow is the main source of ground water. In general, approximately 40% of all precipitation becomes surface runoff and infiltration. The rest is returned to the atmosphere by evaporation from the soil from open bodies of water and from transpiration from vegetation. Precipitation averages over 30 inches (76 cm) annually in most parts of southern Ontario. percent of this amounts to 174 million gallons on each square mile of land surface, or 212 million litres on each Generally, less than one half of this square kilometer. volume of water will infiltrate and move through the groundwater system before being discharged into streams or lakes. Because of the physical nature of the materials, the rate of infiltration is higher in sand than clay and consequently, ground-water recharge is correspondingly higher in sandy areas.

Materials that will hold, transmit and yield ground-water in usable quantities are termed aquifers. The capacity of any material to absorb, hold or yield water depends on the porosity and permeability of the material. The porosity is the volume of all the openings or pore spaces between the grains comprising the material through which the ground water moves. The interconnection of these voids is the permeability. Thus, a high porosity material such as shale or clay will not yield large quantities of water because of the poor interconnection of pore spaces (low permeability). Generally, these materials are not considered to be good aquifers.

The amount of water that can be extracted from any area depends on the character of the aquifers and the amount of recharge. Fine-grained overburden materials such as clays and silts are generally poor sources of water supply. Wells developed in such materials may not meet normal household requirements (100 gals/capita/day) if adequate storage is not provided. Coarse overburden materials such as sands and gravel have high permeabilities and are usually very good sources of ground water. Bedrock materials with adequate permeabilities resulting from fractures, solution cavities or intergranular porosity are also good sources of ground water.

Numerous factors such as the amount and intensity of rainfall, nature of the soil and vegetation, slope of land surface, and wind and temperature conditions also have a bearing on the amount of precipitation that becomes ground water. Before large withdrawals of ground water are planned in an area, a reliable estimate should be made of the average annual recharge to the aquifer. If this is done, the depletion of ground water stored in the aquifer can usually be avoided, and pumping installations can be designed for long, economical use.

GROUND WATER LEVELS

One of the keys to the availability of ground water in a particular area is the actual ground-water level as measured in wells. These levels may be a reflection of static or equilibrium ground-water conditions, or they may reflect artificial drawdown conditions caused by local withdrawals. A continuous record of water-level fluctuation reveals numerous factors concerning both the ground-water regime and the characteristics of a particular water-bearing formation. The continuous record, or hydrograph, is useful in analysing natural long-term fluctuations in ground-water levels which are related to precipitation and seasonal factors.

In addition to monitoring natural ground-water level fluctuations, observation wells are established to determine the effect of large ground-water withdrawals from aquifers, to show the effect of natural and artificial recharge on aquifers, to assist in drainage basin analyses by providing data to show recharge and discharge areas, and to show regional and local ground-water flow patterns. Together with data on pumping rates, pumping levels and other aquifer characteristics, the water levels in observation wells are utilized in the calculation of the potential yield of aquifers and high-capacity production wells.

The water level in an unpumped observation well is referred to as the static level. Fluctuations in this level result either from natural causes such as precipitation, evaporation and ground-water discharge, or from artificial causes such as pumping or artificial recharge. A static level that follows a downward trend may forecast serious problems resulting from overpumping, reduced recharge due to changed soil or vegetational cover, or a combination of these and other factors. A knowledge of ground-water levels is a prerequisite to good ground-water management. Problems of water shortages and complaints about well interference cannot be fully understood or resolved without reliable data on water-level fluctuations.

In Ontario, ground-water levels normally rise during the fall, early winter and spring snowmelt periods when transpiration and evaporation are minimal. Throughout the warmweather growth period, the amount of water infiltrating is greatly decreased by evaporation and transpiration processes. As a result, recharge to the ground-water system is minimized and ground-water levels generally drop during this period.

OBSERVATION WELL NETWORK

The observation well network in the Province of Ontario dates back to 1946 when the initial step in establishing the network was taken by the Ontario Department of Mines. of the original wells are still being used for observation purposes. Although the majority of network wells are operated by the Ministry of the Environment, a few are maintained by Ontario Hydro and the Ministry of Transportation and Communications for their own specific study purposes. The observation wells within the Ministry of the Environment's network consist of drilled wells, bored wells and piezometers (small Water levels are measured either manually diameter wells). by tape or by automatic water-level recorders. Abandoned wells are ideally suited for observation purposes because the water-level fluctuations will not be affected by withdrawals of ground water from the wells. Observation wells in some cases have been acquired over the years in co-operation with private individuals or municipalities. Other wells have been constructed by the Ministry of the Environment specifically for water management and interference studies, and for river New wells are regularly being incorporated basin studies. into the network as new studies or water management problems Older wells are phased out as sufficient data are gathered to satisfy the original intended use, or if a particular property owner wishes to use the well for other purposes.

OBSERVATION WELL DISTRIBUTION

As of December 31, 1974 the distribution of observation wells within each Region of the Ministry was as follows:

Reg	ion	Recording	Wells Ma	inually	Measured	Wells
1) 2) 3) 4) 5)	Southwest West Central Central Southeast Northwest Northeast	29 26 30 14 7			35 20 40 14 -	
		-				
	TOTA	AL 107			109	

Observation wells in this publication are indexed in the following order.

- MOE Region All observation wells located in one particular region are grouped together.
- 2) County The wells are indexed by county, then by township.
- 3) Numerically Where there is more than one well in a particular township they are listed by their observation-well numbers.

The Regional maps show the approximate locations of the recording wells and can be used as a guide to the distribution of the wells in each region.

OBSERVATION WELL INFORMATION

The recorder charts are forwarded to Head Office where the chart data is processed using the computer digitizing method. After processing the data a variety of output options are available:

- Daily mean water-level tabulation;
- Daily instantaneous maximum water-level tabulation;
- Daily instantaneous minimum water-level tabulation;
- 4. Annual hydrograph in either "Feet Above Sea Level" or "Feet Below Ground Surface" (plotted from daily mean values);
- 5. A plot of the chart from the digitized points;
- A card output from the digitized points;
- 7. Any combination of the above.

EXPLANATION OF WELL SPECIFICATIONS

OBSERVATION WELL NUMBER

The observation well number is assigned in numerical sequence at the time of the establishment of each observation well.

WELL REC. #

Each observation well is assigned a well record number to identify it within Ontario's water-well record system. Each well record is assigned a unique number after it is filed with the Ministry.

CONC.

The majority of townships in Ontario are surveyed into a regular pattern of concessions and lots; however, in some areas, geographical or historical factors may have created surveys of irregular shapes or patterns. This has resulted in many survey descriptions which are unique to certain areas.

SEE: Abbreviations Used to Describe Surveys and Tracts.

UTM CO-ORD.

(Universal Transverse Mercator Coordinates in Metres) This location system makes use of a square grid, 1000 x 1000 metres, which is superimposed on maps of the National Topographic System. The vertical grid lines are called Eastings and the horizontal lines Northings.

The Easting represents the distance of a well in an easterly direction from a given north-south reference line. The Easting is the figure immediately following the letter E.

The Northing represents the distance of a well in a northerly direction from a given east-west reference line. The Northing is the figure immediately following the letter N.

The zone number which follows the letter Z is also a part of the UTM co-ordinates.

LAT & LONG

Latitudes and Longitudes were determined from plotted locations on topographic maps and are given to the nearest minute.

REC. METHOD

The recording method describes the manner in which the data were obtained, i.e., automatic water-level recorder, manual measurement.

The following automatic recorders are currently in use by the Ministry of the Environment:

- Stevens A35 Recorder (Float actuated)

 Stevens 'F' type Recorder (Weekly/Monthly; Float actuated)

 Brott Recorder (Nitrogen gas actuated)

REC. COMMCD

Water-level recording was commenced on the date listed.

MEASURE PT.

The measuring point is the reference point, either above or below ground level, from which measurements are taken for each observation well. This figure is subtracted or added to the recorder chart measurement to obtain water levels in feet below ground surface.

WELL TYPE

This describes the method of construction of the well, i.e., drilled, bored or dug.

DIAMETER OF WELL

Casing diameters are shown to the nearest inch. Where several sizes of casings are used, the diameter of the lowermost casing only is given.

GND ELEV.

The ground elevation at the well site is given in feet above mean sea level. The majority of the elevations are determined from plotted locations on the National Topographic maps and are therefore related to the accuracy of the locations and the scale of the maps.

LENGTH OF CASING

The length of casing is measured from ground level to the end of the cased section of the well.

LENGTH OF SCREEN

This is the length of well screen, sand point or slotted pipe section.

PUMP RATE

This is the rate (in Imperial gallons per minute) at which the well was test pumped. Where no pump test was performed, the letters N.A. (Not Applicable) appear.

SPEC. CAP.

The specific capacity is determined using information obtained during the pumping test. It is calculated by dividing the pumping rate by the drawdown, which is the difference between the static water level before the test and the maximum pumping level measured during the test. Where no pumping test was performed, the letters N.A. appear.

AQUIFER

The geological material of the main water-bearing formation.

QUALITY

After the construction of each well, the driller evaluates the water for taste and smell. The kind of water is shown by the following: Fresh

Salty Sulphur Mineral

WELL LOG

This is a verbatim description of the well log as it was written on the well record. Each formation is followed by a number which indicates the distance to the bottom of the formation. The last number generally indicates the total depth of the well.

MONTHLY SUMMARY

Monthly summaries are printed only for those months in which there are data for every day in that month.

MEAN

This figure represents the mean monthly water level, measured in feet below ground surface.

INST. MAX.

This is the instantaneous maximum water level, in feet below ground surface recorded for that month. The bracketed figure (or figures) immediately below the INST. MAX. value indicates the date(s) on which that value occurred. If the maximum value falls on more than 4 days it is indicated by an asterisk.

INST. MIN.

This is the instantaneous minimum water level, in feet below ground surface, recorded for that month. The bracketed figure (or figures) immediately below the INST. MIN. value indicates the date(s) on which that value occurred. If the minimum value falls on more than 4 days it is indicated by an asterisk.

ABBREVIATIONS USED TO DESCRIBE SURVEYS AND TRACTS

Abbreviations	Survey or Tract	Municipality
Southwestern Region		
FC	Front Concession	South Colchester Twp.
NTR E	North Talbot Road East	Westminster Twp.
Range IN	Range 1 North (Longwood's Rd. North)	Caradoc Twp.
WB	West Boundary Concession	Blanshard Twp.
West Central Region		
BRN	Bleams Road North	Wilmot Twp.
BRS	Bleams Road South	Wilmot Twp.
ERS	Egremont Road South	Wilmot Twp.
JT	Jones Tract	N. Cayuga Twp.
STR	South Talbot Road	Middleton Twp.
Central Region		
HSE	Hurontario Street East	Chinguacousy Twp.
HSW	Hurontario Street West	Chinguacousy Twp.
os	Old Survey	King Twp.
R 3 CIR	Range 3 Credit Indian Reserve	Toronto Twp. (old survey)
lE	Conc. 1E (Yonge Street East)	East Gwillimbury Twp.
Southeastern Region		

Military Tract Hallowell Twp.

MТ

Southwestern Region

County/Region	Municipality	Observation Well #	Page
Elgin	Bayham Twp.	187	2
Essex	Sandwich East Twp. Colchester South Twp Colchester South Twp Colchester South Twp	171	2 3 3 4
Grey	Sullivan Twp. Sullivan Twp.	190 194	4 5
Huron	Morris Twp.	351	5
Kent	Bothwell Camden Twp. Howard Twp. Tilbury East Twp.	172 217 371 309	6 6 7 7
Lambton	Alvinston Forest	207 56	8
Middlesex	Caradoc Twp: Lobo Twp. Mosa Twp. Westminster Twp. Westminster Twp. Westminster Twp. westminster Twp.	206 107 221 29 71 91 513	9 10 10 11 11
Oxford	Blenheim Twp. East Zorra Twp. East Zorra Twp. East Zorra Twp. East Zorra Twp.	372 103 104 176 177	12 13 13 14 14
Perth	Blanshard Twp. Downie Twp. Stratford	45 108 182	15 15 16

West Central Region

County/Region	Municipality	Observation Well #	<u>Page</u>
Haldimand-Norfolk	Middleton Twp.	413	18
	North Cayuga Twp.	5	18
	North Cayuga Twp.	64	19
	North Walsingham Twp	412	19
	South Walsingham Tw		20
	South Walsingham Twy		20
	South Walsingham Twy		21
*	Windham Twp.	136	21
Niagara	North Grimsby Twp.	399	22
Waterloo	Cambridge	87	22
	Elmira	33	23
	Kitchener	82	23
	North Dumfries Twp.	394	24
	North Dumfries Twp.	395	24
	Wilmot Twp.	247	25
	Wilmot Twp.	396	25
Wellington	Eramosa Twp.	440	26
	Erin	432	26
	Guelph	397	27

Cen	tra	al	Reg	ion

County/Region	Municipality	Observation Well #	Page
Durham	Pickering Twp. Pickering Twp. Pickering Twp. Pickering Twp. Pickering Twp. Uxbridge Twp.	302 303 304 308 329 301	29 29 30 30 31 31
Halton	Esquesing Twp. Esquesing Twp. Georgetown Nassagaweya Twp. Nassagaweya Twp. Oakville Twp. Trafalgar Twp.	414 437 377 438 439 415 374	32 33 33 34 34 35
Peel	Albion Twp. Brampton (Town) Chinguacousy Twp. Chinguacousy Twp. Toronto Twp.	253 18 167 168 65	35 36 36 37 37
Simcoe	Essa Twp. Wasaga Beach	7 373	38 38
Victoria	Mariposa Twp.	375	39
York	East Gwillimbury To King Twp. King Twp. King Twp. Markham Twp. Markham Twp. Markham Twp. North York Whitchurch Twp.	Wp. 344 341 342 343 106 305 398 90 340	39 40 40 41 41 42 42 43 43

Southeastern Region			
County/Region	Municipality	Observation Well #	Page
Hastings	Madoc Twp. Madoc Twp. Sidney Twp. Thurlow Twp. Thurlow Twp. Tyendinaga Twp.	210 230 400 122 256 123	45 45 46 46 47 47
Lennox & Addington	Ernestown Twp. Ernestown Twp. Ernestown Twp. Ernestown Twp.	474 478 479 484	48 48 49 49
Prescott	L'Orignal Plantagenet West Hawkesbury Twp	241 257 183	50 50 51
Prince Edward	Hallowell Twp.	178	51
Northeastern Region	E.	**	
District	Municipality	Observation Well #	Page
Cochrane	Unsurveyed	239	53
Northwestern Region			
District	Municipality	Observation Well #	Page
Kenora	Unsurveyed Unsurveyed Ponsford Twp. Ponsford Twp.	208 310 361 365	55 55 56 56
Thunder Bay	Exton Twp. Exton Twp. Nakina Twp. Rupert Twp.	315 319 385 235	57 57 58 58

Southwestern Region











OBSERVATION WELL DATA

REGIONAL OFFICE LONDON 985 Adelaide St. S. 519-681-3600

DISTRICT OFFICES Windsor 3012 Tecumseh Rd. E. 519-945-2339 Sarnia 242A Indian Rd. S. 519-336-4030 Owen Sound

220 11th St. E.

519-371-2901

LEGEND

Regional Office

District Office


Recording Observation Well

Number of Recording Wells in same location









Georgian Bay

ENVIRONMENT ONTARIO TORONTO ELGIN COUNTY

OBSERVATION WELL 187

TOWNSHIP OF BAYHAM

WELL REC #: 2001946 UTM CO-ORD: Z-17 E520550 N4739750 CONC. 10 LOT 22 LAT & LONG: 42-49NORTH 80-45MEST

PUMP RATE: N.A. SPEC. CAP: N.A. AQUIFER : CLAY AND SAND QUALITY : FRESH

REC METHOD: A35 RECORDER
REC COMMCO: AUG. 8 1965
REASURE PT: 2.3 FEET ABOVE GROUND SURFACE
GND ELEV: 772 FEET ABOVE SEA LEVEL
RELL TYPE: DUG
WELL LOG: OVERBURDEN MATERIAL (CLAY AND SAND) 17.5.

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ост	NOV	DEC	DAY
1		8.32	8.43	8.34	8.48	8.58	9.36	10.04			11.10	10.29	1
2		8.30	8.42	8.34	8.51	8.63	9.37	10.05			11.09	10.26	2
3		8.29	8.41	8.32	8.55	8.68	9.38	10.06		10.92	11.09	10.23	3
3		8.29	8.40	8.25	8.59	8.71	9.40	10.07		10.93	11.08	10.20	4
5		8.29	8.36	8.17	8.61	8.75	9.42	10.08		10.93	11.06	10.19	5
6		8.29	8.28	8.10	8.63	8.78	9.44	10.11		10.94	11.02	10-17	6
7		8.31	8.25	8.04	8.66	8.81	9.47	10.13		10.94	10.98	10.13	7
8		8.33	8.23	8.00	8.69	8.84	9.49	10.14		10.95	10.98	10.10	8
9	8.71	8.34	8.19	7.96	8.63	8.87	9.51	10.16		10.96	10.98	10.09	9
10	8.72	8.36	8.15	7.93	8.60	8.91	9.55	10-17		10.97	10.99	10.07	10
11	8.73	8.40	8.10	7.92	8.60	8.94	9.59	10.18		11.00	11.00	10.05	11
12	8.77	8.43	8.06	7.91	8.57	8.99	9.60	10.21		11.01	11.01	10.03	12
13	8.81	8.50	8.01	7.89	8.48	9.04	9.63	10.22		11.00	11.01	10.02	13
14	8.82	8.56	7.98	7.88	8.43	9.07	9.48	10.25		11.01	11.00	10.00	14
15	8.84	8.60	7.97	7.90	8.40	9.09	9.70	10.27		11.02	10.96	9.98	15
16	8.87	8.61	7.96	7.92	8.36	9.10	9.72	10.27		11.02	10.93	9.97	16
17	8.91	8.66	7.95	7.94	8.31	9.12	9.74	10.28		11.02	10.92	9.94	17
18	8.92	8.69	7.95	7.99	8-24	9.15	9.76	10.31		11.03	10.91	9.93	18
19	8.95	8.70	7.96	8.04	8.19	9.17	9.78	10.33		11.03	10.88	9.92	19
20	8.98	8.76	7.99	8.09	8.14	9.13	9.80	10.35		11.04	10.83	9.91	20
21	8.90	8.77	8.01		8.10	9.13	9.83	10.38		11.05	10.81	9.89	21
22	8.74	8.63	8.05		8.07	9.16	9.85	10.39		11.05	10.76	9.87	22
23	8.67	8.54	8.08		8.07	9.19	9.87			11.05	10.69	9.86	23
24	8.62	8-44	8.12		8.12	9.23	9.89		ä	11.05	10.62	9.85	24
25	8.57	8.40	8.16	8.28	8.17	9.25	9.90			11.06	10.57	9.83	25
26	8.54	8.40	8.19	8.31	8.23	9.27	9.92			11.06	10,51	9.82	26
27	8.49	8.40	8.25	8.35	8.30	9.29	9.94			11.06	10.46	9.81	27
28	8-47	8.41	8.27	8.41	8.36	9.33	9.96			11-07	10.41	9.79	28
29	8.43		8.28	8.42	8.42	9.34	9.96			11.09	10.37	9.76	29
30	8.39		8.30	8.45	8.48	9.34	10.00			11-10	10.33	9.74	30
31	8.35		8.33		8.53		10.02			11-10		9.73	31
					-MO	NTHLY SUMM	ARY-		ž.		•		
MEAN		8.46	8.16		8.40	9.03	9.69				10.84	9.98	MEAN
INST		8.29	7.94		8.06	8.55	9.35		Ē		10.31	9.72	INST
MAX		(3)	(19)		(22)	(1)	, (1)				(30)	(31)	MAX
INST		8.78	8.44		8.70	9.35	10.04				11.10	10.31	INST
MIN		(20)	(1)		(8)	(30)	(31)				(3)	(1)	MIN

ENVIRONMENT ONTARIO TORONTO ESSEX COUNTY

OBSERVATION WELL 164

TOWNSHIP OF SANDWICH E.

WELL REC #: 2102685 UTM CO-ORD: Z-17 E337280 N4680660 LOT 95 LAT & LONG: 42-16NORTH 82-58WEST

DIAMETER OF WELL: 23 INCHES LENGTH OF CASING: 147 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 192 FEET

PUMP RATE: 154 IGPM SPEC. CAP: 2.01 IGPM/FT AQUIFER : LIMESTONE QUALITY : FRESH

REC METHOD: A35 RECORDER

DIAMETER OF WELL: 23 INCHES

PUMP RATE: 154 IGPM

REC COMMCD: DEC, 6 1965

LENGTH OF CASING: 147 FEET

SPEC. CAP: 2-01 IGPM/F1

GND FLEV: 620 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 192 FEET

QUALITY: FRESH

WELL TYPE:

WELL LOG: TOPSOIL 1; CLAY 16; CLAY AND SMALL AMOUNT OF GRAVEL 141; CEMENTED GRAVEL 145; BROKEN ROCK 146; LIGHT BROWN

LIMESTONE 192.

				SERVICE SERVICE AND	estate attractation	DELTERNA TOTAL							
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1	30.67	30.47	30.65	30.12	30.31	30.30	30.67	31.15	31.51	31.40	31.45	31.12	1
2	30.73	30.42	30.42	30.21	30.33	30.36	30.62	31.24	31.55	31.55	31.57	30.98	2
3	30.71	30.49	30.20	30.29	30.25	30.37	30.59	31-18	31.47	31.65	31.41	31.08	3
4	30.60	30.48	30.17	30.26	30.37	30.42	30.49	31.16	31.50	31.59	31.27	31.23	4
5	30.58	30.58	30.18	30.27	30.28	30 - 41	30.64	31.18	31.53	31.53	31.21	31.27	5
5	30.53	30.44	30.26	30.35	30.20	30.36	30.68	31.27	31.50	31+64	31.33	31.23	6
7	30.41	30.35	30.36	30.29	30-32	30.32	30.75	31.33	31.63	31.54	31.64	31.01	7
8	30.51	30.31	30.34	30.41	30.26	30.33	30.80	31.34	31.59	31.54	31.43	31.03	8
9	30.42	30.57	30.28	30.65	30.22	30.29	30.73	31.50	31.53	31.47	31.48	31.30	9
10	33.47	30.29	30.42	30.43	30.33	30.32	30.70	31.30	31.55	31.45	31.34	31.19	10
11	30.37	30.29	30.41	30.40	30.23	30.34	30.81	31.28	31.53	31.53	31.24	31.25	11
12	30.56	30.29	30.50	30.22	30.01	30.37	30.92	31.29	31.38	31.53	31.13	31.10	12
13	30.70	30.23	30.54	30.18	30.20	30.43	30.88	31.31	31.39	31.50	31.09	31.22	13
14	30.46	30.46	30.51	30.02	30.14	30.48	30.81	31.44	31.66	31.33	31.17	31.36	14
15	30.34	30.50	30.39	30.14	30.12	30.29	30.82	31.46	31.47	31.45	31.21	31.05	15
16	30.32	30.46	30-21	30.33	30.21	30.27	30.95	31-39	31.49	31.45	31.36	30.89	16
17	30.52	30.34	30.40	30.35	30.22	30.37	31.01	31.24	31-45	31.37	31.37	30.84	17
18	30.50	30.22	30.28	30.45	30.32	30.40	30.96	31.32	31.57	31.51	31.27	30.98	18
19	30.52	29.97	30.36	30.44	30.37	30.38	30.96	31.34	31.55	31.50	31.16	30.93	19
20	30.31	30.24	30.44	30.59	30.38	30-44	31.04	31.41	31.50	31.58	31.00	31.00	20
21	30.27	30.37	30.27	30.32	30.32	30.56	31.06	31.54	31-46	31.73	31.04	30.98	21
22	30.43	29.89	30.31	30.16	30.21	30.39	30.99	31.44	31.53		31.37	31.15	22
23	30.37	30.26	30-32	30.18	30.18	30.47	30.95	31.38	31.65	31.67	31.24	31.12	23
24	30.60	30.41	30.42	30.41	30.21	30.62	31.03	31.49	31.66	31.67	31.13	31.09	24
25	30.51	30.44	30.52	30.47	30.25	30.54	31.13	31.50	31.41	31.62	31.23	31.00	25
26	30.35	30.47	30.44	30.50	30.27	30.59	31.17	31.47	31.32	31.70	31.35	31.13	26
27	30.43	30.54	30.55	30.45	30.29	30.72	31.16	31.36	31.47	31.64	31.21	31.07	27
28	30.59	30.39	30.48	30.28	30.28	30.65	31.10	31.45	31.36	31.58	31.18	31.05	28
29	30.65		30.25	30.29	30.16	30.65	31.06	31.45	31-23	31.55	31.34	30.99	29
30	30.33		29.99	30.31	30.19	30.54	31.00	31.40	31.38	31.56	31.36	31.08	30
31	30.30		30.14		30.19		31.18	31.44		31.49		31.08	31
					-MO	NTHLY SUMM							
MEAN	30.49	30.36	30.36	30.33	30.25	30.43	30.89	31.36	31.49		31.29	31.09	MEAN
INST	30.01	29.79	29.93	29.97	29.96	30.19	30.41	31.04	31.15		30.92	30.75	INST
MAX	(27)	(22)	(30)	(14)	(12)	(10)	(4)	(3)	(29)		(21)	(17)	XAM
INST	31.13	31.03	30.83	31.04	30.59	31.05	31.59	31,98	32.08		32.00	31.68	INST
MIN	(1)	(6)	(27)	1201	(51	(27)	(31)	(21)	(14)		(7)	(9)	MIN

ENVIRONMENT ONTARIO TORONTO ESSEX COUNTY

OBSERVATION WELL 170

TOWNSHIP OF S. COLCHESTER

WELL REC #: 2102685 UTM CO-ORD: Z-17 E342840 N4654930 LOT 14 LAT & LONG: 42-02NORTH 82-54HEST

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 124 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 129 FEET

PUMP RATE: 300 IGPM SPEC. CAP: 60.0 IGPM/FT AQUIFER : LIMESTONE QUALITY : FPFSH

REC METHOD: A35 RECORDER

REC COMMCO: MAR. 5 1966

REASURE PT: 1.5 FEET ABOVE SEA LEVEL

REASURE PT: 07 FEET ABOVE SEA LEVEL

REASURE PT: 07 FEET ABOVE SEA LEVEL

REASURE PT: 08 FEET ABOVE SEA LEVEL

REASURE PT: 08 FEET ABOVE SEA LEVEL

REASURE PT: 1.5 FEET AB

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

GORE

DAY	MAL	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	9.19	7.86	7.23		6.48	7.82	11.55		9.68	10.23	10.80	11.14	1
2	9.19	7.85	7.17		6.52	7.90	11.53		9.62	10.26	10.81	11.69	2
3	9.16	7.85	7.10		6.50	7.98	11.43		9.63	10.29	10.83	13.22	3
4	9.14	7.85	7.00		6.63	8.09	11.28		9.73	10.30	10.83	11.68	4
5	9.12	7.84	6.70		6.61	8.26	10.35		9.68	10.31	10.84	12.37	5
6	9.09	7.84	6.63		6.68	8.36	11.21		9.70	10.32	10.86	12.38	6
7	9.13	7.82	6.58		6.80	8.46	11.45		9.71	10.33	10.86	12.34	7
8	9.10	7.82	6.42		6.80	8.47	10.56		9.72	10.34	10.88	12.05	8
9	9.08	7.81	6.13		6.77	8.41	10.27		9.74	10.36	10.89	12.05	9
10	9.13	7.83	6.05		6.83	8.93	10.43		9.75	10.36	10.90	12.25	10
11	9.14	7.78	6.01		6.83	9.03	11.23		9.84	10.41	10.90	12.22	11
12	9.18	7.79	5.97		6.50	9.87	10.84		9.79	10.43	10.90	11.43	12
13	9.20	7.78	6.00		6.54	11.02	11.47		9.80	10.44	10.91	11.42	13
14	9.14	7.71	6.03		6.56	11.15	11.35		9.82	10.46	10.95	11.42	14
15	9.14	7.70			6.58	11.39	11.47		9.84	10.47	10.97	11.39	15
16	9-14	7.76			6.65	11.39	11.28		9.89	10.48	10.98	11.34	16
17	9.18	7.76			6.69	11.18	11.08		9.91	10.51	10.99	11.30	17
18	9.16	7.77			6.77	11.39	9.77		9.93	10.54	11.00	11.27	18
19	9.16	7.81			6.85	11.45	8.86		9.95	10.56	11.00	11.25	19
20	8.98	7.79			6.91	11.52	8.32		9.97	10.58	11.01	11.22	20
21	8.49	7.69			6.97	11.55	8.15		10.00	10.61	11.04	11.22	21
22	8.42	7.22			7.01	11.53	8.21		10.02	10.62	11.05	11.20 11.18	22
23	8.37	7.19			7.22	11.51			10.04	10.63			23
24	8.37	7.21			7.21	11.51			10.06	10.64	11.08	11-17	24 25
25	8.36	7.23			7.32	11.43			10.29	10-66	11.10	11.15	26
2.6	8.31	7.25		6.13	7.38	11.50			10.38	10.69	11.12	11.13	27
27	8.17	7-24		6.18	7.63	11.19			10.18	10.72	11.14	11.11	28
28	8.14	7-21		6.23	7.52 7.50	10.92		9.61	10.20	10.74	11.15	11.10	29
29	8.08			6.34	7.60	11.58		9.88	10.22	10.76	11.15	11.07	30
30	8.02			0.34	7.67	11.08		9.54	10.22	10.78	11.17	11.06	31
31	7.91							7.34		10.70		*1*00	34
						NTHLY SUMM	ARY-		0.01	10 50	10.07	11.55	MEAN
MEAN	8.82	7.65			6.92	10.21			9.91	10.50	10.97	11.55	MEAN
INST	7.87	7.11			6.37	7.77			9.55	10.22	10.79	11.06	INST
MAX	(31)	(22)			(1)	(1)			(1)	(1)	(1)	(31)	MAX
INST	9.21	7.87			8.11	11.60			11.22	10.79	11.15	14.66	INST
MIN	(13)	(10)			(27)	(30)			(27)	(31)	(30)	(10)	MIN

ENVIRONMENT ONTARIO TORONTO ESSEX COUNTY

OBSERVATION WELL 171

TOWNSHIP OF S. COLCHESTER

WELL REC #: 2103851 UTM CO-ORD: Z-17 E342649 N4654902 LAT & LONG: 42-02NORTH 82-54WEST

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 31 FEET LENGTH OF SCREEN: 6 FEET DEPTH OF WELL: 37 FEET

PUMP RATE: 15 IGPM SPEC. CAP: 2.34 IGPM/FT AQUIFER : FINE SANO QUALITY : FRESH

REC METHOD: A35 RECORDER

REC COMMCO: APR. 1 1966

LENGTH OF CASING: 31 FEET

SPEC. CAP: 2.34 IGPM/FT

REASURE PI: 2.0 FEET ABOVE GROUND SURFACE

MEASURE PI: 2.0 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 37 FEET

WELL TYPE:

WELL LOG: BROWN SILTY SAND 8; BROWN SAND WITH SOME COARSE SAND AND GRAVEL 23; GREY SAND, SILTY CLAY 26; GREY FINE SAND AND

SOME GRAVEL 30; GREY, FINE TO MEDIUM SAND 32; GREY FINE SAND 37.

DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ост	NOV	DEC	DAY
1		10.35	9.39	8.08	8.01	8.11	8.98	10.12	11.19	11.86	12.51		1
2		10.30	9.38	8.05	8.03	8.15	9.02	10.12	11.19	11.89	12.53		
3		10.28	9.35	8.03	7.96	8.18	9.05	10.13	11.19	11.92			3
4		10.25	9.36	8.01	8.01	8.20	9.10	10.14	11.19	11.94			
5		10.21	9.33	8.01	7.98	8.24	9.21	10.15	11.27	11.96			5
5		13.18	9.27	7.99	7.97	8.28	9.31	10.19	11.31	11.98			6
7		10.14	9.21	7.97	8.03	8.31	9.31	10.29	11.32	11.99			7
8		10.10	9.12	7.94	8.02	8.35	9.36	10.38	11.34	12.00			8
9		10.06	9-01	7.91	8.00	8.35	9.45	10.46	11.35	12.02			9
1ó		10.03	8.90	7.89	8,03	8.40	9.57	10.50	11.37	12.05			10
11	10.93	10.02	8.75	7.86	8.01	8.48	9.57	10.50	11.40	12.08			11
12	10.99	10.01	8.62	7.82	7.90	8.53	9.58	10.52	11.42	12.10			12
13	1047	10-01	8.53	7.79	7.86	8.59	9.61	10.53	11.44	12.11			13
14		10.02	8.45	7.74	7.78	8.61	9.58	10.59	11.48	12.12			14
15		10.02	8.36	7.75	7.76	8.59	9.59	10.68	11.50	12-14			15
16		9.99	8.29	7.75	7.75	8.60	9.62	10.72	11.51	12.15			16
17		9.97	8.25	7.77	7.75	8.65	9.66	10.75	11.53	12.20			17
18		9.95	8.20	7.78	7.78	8.67	9.70	10.74	11.55	12.22			18
19	11.03	9.89	8.16	7.79	7.79	8.66	9.73	10.75	11.55	12.25			19
20	11.02	9.87	8.15	7.80	7.79	8.64	9.79	10.77	11.56	12.27			20
21	10.90	9.80	8.14	7.83	7.79	8.64	9.80	10.83	11.57	12.30			21
22	10.82	9.68	8.14	7.86	7.78	8.67	9.79	10.90	11.57	12.31			22
23	10.76	9.64	8-14	7.89	7.80	8.69	9.79	10.97	11.65	12.33			23
24	10.72	9.57	8.16	7.91	7-84	8.73.	9.83	10.99	11-66	12.34			24
25	10.68	9.54	8.18	7.93	7.88	8.76	9.87	11.00	11.67	12.35			25
26	10.62	9.50	8.14	7.92	7.90	8.81	9.91	11.03	11.70	12.38			26
27	10.56	9.45	8-17	7.90	7.97	8.86	9.95	11.08	11.79	12.40			27
28	10.53	9.41	8.14	7.89	8.00	8.94	9.96	11.09	11.81	12.41			28
29	10-49	,	8.11	7.90	7.96	8.96	9.96	11.08	11.82	12.44			29
30	10.43		8.05	7.91	7.99	8.94	10.05	11.14	11.84	12-47			30
31	10.38		8.09		8.03		10.10	11.19		12.48			31
					-MOI	NTHLY SUMM	ARY-						
MEAN		9.94	8.57	7.89	7.91	8.55	9.61	10.66	11.49	12.18			MEAN
INST		9.40	8.04	7.71	7.74	8.09	8.96	10.12	11.19	11.85			INST
MAX		(28)	1301	(14)	(17)	(1)	(1)	(1)	1 31	(1)			MAX
INST		10.37	9.40	8.11	8.09	8.98	10.12	11.19	11.85	12.49			INST
MIN		(1)	(1)	(1)	(31)	(28)	(31)	(31)	1301	(31)			MIN

WELL REC #: 2100602 UTM CO-ORD: 2-17 E343580 N4650550 LOT 54 LAT & LONG: 41-59NORTH 82-53WEST ENVIRONMENT ONTARIO DESERVATION WELL 222 TORONTO ESSEX COUNTY TOWNSHIP OF S. COLCHESTER

REC METHOD: A35 RECORDER DIAMETER OF WELL: 6 INCHES PUMP RATE: 30 IGPM
REC COMMCD: NJV, 26 1968 LENGTH OF CASING: 123 FEET SPEC. CAP: N.A.

MEASURE PT: 3.7 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: NONE AQUIFER: LIMESTONE
GND ELEV: 632 FEET ABOVE SEA LEVEL DEPTH OF WELL: 127 FEET QUALITY: FRESH
WELL TYPE: DRILLED
WELL LDG: BLACK SANDY LOAM 1: FINE YELLOW SAND 4; GREY FINE SAND 15; HARDPAN 23; CLAY 48; QUICKSAND 53; HARDPAN 72; SILTY
SAND 78: HARDPAN 105; FINE SAND 111; SAND AND HARDPAN 115; FINE TO COARSE SAND 122; BROWN LIMESTONE 125; DARK
LIMESTONE 127. PUMP RATE: 30 IGPM SPEC. CAP: N.A. AQUIFER : LIMESTONE QUALITY : FRESH

	197	74								
DATLY MEAN WATER	LEVELS	REFERRED	TO D	TSTANCE	IN	FEET	BELOW	GROUND	SURFACE	

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	23.47	21.49	21.00	20.47	21.34	22.97	34.71	40.70	26.82	26.09	25.68	25.46	1
2	23.91	21.40	21.03	20.40	21.16	26.40	37.75	34.44	26.76	26.14	25.63	25.36	2
3	23.98	21.34	20.97	20.51	21.18	24.59	40-38	32.08	26.64	26-12	25.61	25.56	3
4	24.45	21.38	20.95	20.67	21.64	23.68	40.81	31.79	26.53	25.97	25.56	25.63	4
5	24.08	21.42	20.82	20.37	21.63	22.99	37.75	32.36	26.66	25.99	25.58	25.54	5
2	23.60	21.32	21.15	20.51	21.44	28.25	44.58	38.68	26.55	26.00	25.56	25.49	6
6 7	23.41	21.29	21.33	20.61	21.54	34.08	43.92	41.88	26.63	26.00	25.60	25.39	7
8	23.33	21.34	21.01	20.33	21.52	30.69	42.45	38.93	27.52	25.91	25.61	25.44	8
9	23.17	21.39	20.75	20.42	21.38	29.32	40.91	36.86	27.95	25.91	25.71	25.49	9
10	23.03	21.32	20.68	20.58	21.54	25.53	36.73	34.36	27.00	25.88	25.65	25.43	10
11	22.91	21.32	20.71	20.31	21.63	24.25	31.66	32.81	26.65	25.81	25.56	25.35	11
12	23.00	21.44	20.51	20.34	21.47	23.98	34.94	32.85	26.44	25.83	25.58	25.26	12
13	23.14	21.45	20.26	20.33	21.36	26.33	37.77	31.66	26.38	25.88	25.56	25.35	13
14	22.96	21.48	20.15	20.28	21.10	29.07	41.81	39.88	26.46	25.78	25.54	25.34	14
	22.84	21.50	20.43	20.20	21.24	29.49	33.69	49.07	26.31	25.79	25.73	25.29	15
15		21.60	20.34	20.22	21.12	26.03	30.36	48.16	27.89	25.73	25.84	25.23	16
16	22.78	21.65	20.25	20.58	21.17	24.81	29.62	35.79	30.46	25.60	25.86	25.20	17
17	22.78	21.52	20.09	20.54	21.41	26.29	31.33	31.77	29.48	25.68	25.88	25.12	18
18	22.86	21.32	20.15	20.64	21.44	25.57	38.38	30.12	27.94	25.55	25.86	25.06	19
19	22.73	21.44	20.50	20.96	21.47	24.73	45.62	29.26	27.53	25.64	25.76	25-10	20
20	22.68	21.57	20.23	20.98	21.74	24.20	49.73	30.39	27.07	25.77	25.74	25.04	21
21	22.60	21.43	20.15	20.64	21.30	23.76	41.33	33.68	26.93	25.72	25.75	25.00	22
22		21.43	20.45	20.64	21.16	23.60	35.46	32.17	26.67	25.69	25.74	25.01	23
23	22.50		20.45	20.87	22.53	27.60	32.11	29.32	26.65	25.63	25.89	24.99	24
24	22.40	21.29	20.53	20.69	28.52	31.51	31.53	28.35	26.65	25.61	25.83	24.88	25
25	22.23	21.13	20.79	20.73	29.31	34.97	36.18	28.56	26.87	25.67	25.72	24.94	26
26	22.05	21.19	21.04	21.15	24.82	41.94	36.44	28.25	26.67	25.73	25.71	24.87	27
27	21.95	21.12		21.36	23.18	38.52	30011	27.41	26.41	25.65	25.59	24.74	28
28	21.79	21.09	20.51	21.08	22.28	36.84	40.65	27.10	26.28	25.63	25.65	24.70	29
29	21.71		20.33	21.11	22.29	32.76	43.36	27.01	26.05	25.71	25-64	24.68	30
30	21.61			21.11	22.23	32 4 1 0	46.23	26.91		25.66		24.60	31
31	21.48		20.67		22.23		40.23	20071		2300		- 12.2×2×2×	
						NTHLY SUMM	ARY-	70% 454	10.0			25 10	MEAN
MEAN	22.85	21.38	20.62	20.62	22.17	28.16		33.63	27.03	25.80	25.69	25.18	MEAN
INST	21.41	20.93	19.91	19.96	20.96	22.02		26.73	26.00	25.53	25.38	24.56	INST
MAX	(31)	1281	(19)	(16)	(23)	(1)		(31)	(30)	(17)	(14)	(31)	MAX
INST	25.63	22.12	22.23	22.41	38.14	50.34		56.82	40.84	26.28	26.42	25.64	INST
INSI	23.03		1 61	1271	(25)	(27)		(15)	(17)	(1)	(24)	(4)	MIN

WELL REC #: 2503162 UTM CO-ORD: Z-17 E507910 N4910800 LOT 23 LAT & LONG: 44-21NORTH 80-54 WEST OBSERVATION WELL 190 ENVIRONMENT ONTARIO TORONTO GREY COUNTY CONC. 3 TOWNSHIP OF SULLIVAN

A35 RECORDER

DIAMETER OF WELL: 5 INCHES

DEC. 21 1967

LENGTH OF CASING: 48 FEET

SPEC. CAP: N.A.

3.3 FEET ABOVE GROUND SURFACE

LENGTH OF SCREEN: NONE

AQUIFER: DOLOMITE

DEPTH OF WELL: 88 FEET

DIAMETER OF WELL: 88 FEET

OUALITY: FRESH

DRILLED

TOPSOIL 1: LIGHT BROWN CLAYEY TILL, GRAYEL 12; GRAVEL AND BOULDERS 16; DRY BROWN SAND 28; LIGHT BROWN SAND AND GRAVEL 30; GRAVEL, STONES AND BROKEN ODLOMITE 38; LIGHT BUFF DOLOMITE 48; BUFF GREY DOLOMITE 84; LIGHT BUFF

GREY DOLOMITE 88. 5 INCHES 48 FEET NONE 88 FEET PUMP RATE: 20 IGPM SPEC. CAP: N.A. AQUIFER : DOLOMITE QUALITY : FRESH REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG:

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	22.97	22.56	22.55	21.88	21.24					22.44	22.57		1 2 3
	22.97	22.55	22.57	21.84	21.23					22.46	22.57		2
2 3 4 5 6 7	22.96	22.55	22.55	21.78	21.24					22.47	22.57		3
ž	22.97	22.55	22.37	21.25	21.26					22.46	22.57		4
5	22.96	22.55	22.13	21.18	21.25					22.46	22.57		4 5 6 7 8 9
2	22.97	22.54	22.05	21.18	21.25					22.46	22.55		6
7	22.97	22.51	21.94	21.21	21.22					22.47	22.54		7
ė	22.97	22.50	21.87	21.24	21.22					22.51	22.59		8
8	22.98	22.50	21.82	21.26	21.19					22.52	22.58		9
10	22.98	22.50	21.82	21.28	21.18					22.53	22.58		10
11	22.98	22.49	21.84	21.29	21.14					22.54	22.58		11
12	22.99	22.49	21.84	21.29	21.12					22.55	22.57		12
13	23.00	22-49	21.85	21.25	21.12					22.55	22.57		1.3
14	22.99	22.52	21.83	21.22	21.10					22.48	22.57		14
15	23.00	22.52	21.84	21.21	21.09					22.42	22.57		15
16	23.00	22.52	21.84	21.21	21.07					22.42	22.57		16
17	23.04	22.51	21.84	21.22	21.07					22.42	22.57		17
18	23.05	22.51	21.84	21.21	21.06					22.42	22.55		18
19	23.06	22.52	21.84	21.21						22.43	22.50		19
20	23.06	22.54	21.85	21.21					22-43	22.46	22.47		20
21	23.06	22.55	21.85	21.21					22.43	22.47			21
22	23.06	22.51	21.84	21.20					22.44	22.48			22
23	23.02	22.51	21.84	21.19					22.44	22.47			23
24	23.02	22.52	21.85	21.20					22.45	22.47			24
25	23.01	22.51	21.87						22.45	22.47			25 26
26	23.01	22.52	21.88						22.45	22.51			26
27	22.87	22.52	21.88	21.24					22.45	22.55			27
28	22.70	22.52	21.87	21.24					22.46	22.56			28
29	22.63		21.87	21.25					22.46	22.57			29
30	22.60		21.88	21.25					22.44	22.58			30
31	22.57		21.88							22.57			31
					-MO	NTHLY SUMM	IARY-						
MEAN	22.95	22.52	21.95							22.49			MEAN
INST	22.56	22.47	21.81							22.41			INST
MAX	(31)	(13)	(10)							(16)			MAX
INST	23.06	22.56	22.57							22.58			INST
MIN	(20)	(1)	(1)							(31)			MIN

ENVIRONMENT ONTARIO TORONTO

DBSERVATION WELL 194

TOWNSHIP OF SULLIVAN

LOT 23 CONC 3

WELL REC #: UTM CO-ORD: LAT & LONG:

2503164 Z-17 E507900 N4910785 44-21NORTH 80-54WEST

REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG:

GREY COUNTY

A35 RECORDER
MAR. 29 1968
3.5 FEET ABOVE GROUND SURFACE
1064 FEET ABOVE SEA LEVEL
DRILLED

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 134 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 378 FEET

PUMP RATE: 130 IGPM SPEC. CAP: 3.17 IGPM/FT AQUIFER : DOLOMITE QUALITY : FRESH

DRILLED
VERY BOULDERY, BROWN CLAY TILL 39; LIGHT BUFF, FRACTURED DOLOMITE WITH SILT 48; BUFF GREY DOLOMITE, BITUMINDUS
AT THE BASE 83; GREY AND TAN DOLOMITE 109; BUFF, LODSE AND FRACTURED DOLOMITE WITH CLAY AND SILT 154; BUFF GREY
DENSER DOLOMITE 192; GREY BROWN DOLOMITE, BITUMINDUS 213; LIGHT GREY DOLOMITE 266; GREY DOLOMITE 304; GREY,
PORQUS FOSSILEROUS AND CRYSTALLINE DOLOMITE 316.

						1974							
				DAILY ME	AN WATER	LEVELS REFE	RRED TO DI	STANCE IN	FEET BELOW	GROUND SU	RFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	21.84	21.43	21.45	20.66	19.91	19.79	20-17	20.67	21.01	21.37	21.47	21.02	1
2	21.88	21.33	21.38	20.57	19.82	19.76	20.19	20-64	21.03	21.45	21.50	21.02	2
3	21.81	21.33	21.32	20.52	19.84	19.76	20.19	20.51	21.01	21.43	21.43	21.14	3
4	21-84	21.32	21.24	20.09	19.94	19.77	20.15	20-47	21.08	21.37	21.48	21.14	2 3 4 5
7	21.83	21.35	21.04	20.02	19.84	19.79	20.22	20.54	21.11	21.40	21.47	21.11	5
6	21.82	21.26	20.86	19.97	19.85	19.78	20.24	20.58	21.09	21.41	21.53	21.08	6
7	21.86	21.29	20.81	19.94	19.92	19.81	20.24	20.59	21.10	21.46	21.52	21.04	7
8	21.97	21.26	20.69	19.98	19.90	19.83	20.23	20.60	21.11	21.41	21.50	21.07	8
9	21.87	21.31	20.55	19.91	19.86	19.82	20.23	20.63	21.14	21.42	21.51	21.12	
10	21.89	21.26	20.65	19.97	19.91	19.80	20.30	20.67	21.13	21.48	21.48	21 -11	10
11	21.87	21.33	20.55	19.96	19.84	19.89	20.34	20.66	21.15	21.49	21.43	21.12	11
12	21.97	21.30	23.56	19.85	19.79	19.92	20.35	20.68	21.15	21.52	21.45	21.16	12
13	21.98	21.34	20.56	19.82	19.90	19.94	20.34	20.72	21.18	21.48	21.47	21.17	13
14	21.82	21.43	20.54	19.74	19.79	19.94	20.33	20.77	21.21	21.35	21.50	21.17	14
15	21.90	21.39	20.50	19.82	19.83	19.88	20.39	20.77	21.18	21.40	21.51	21.08	15
16	21.92	21.27	23.47	19.87	19.82	19.90	20.44	20.73	21.25	21.27	21.56	21.11	16
17	22.06	21.38	20.52	19.81	19.76	19.95	20.44	20.75	21.20	21.30	21.47	21.15	17
18	21.91	21.35	20.54	19.81	19.77	19.99	20.38	20.80	21.28	21-40	21.45	21.19	18
19	21.97	21.29	20.56	19.84	19.74	20.00	20.47	20.83	21.28	21.37	21.41	21.21	19
20	21.91	21.49	20.60	19.79	19.68	19.99	20.52	20.85	21.33	21.40	21.34	21.22	20
21	21.91	21.43	20.48	19.72	19.62	19.97	20.50	20.87	21.30	21.41	21.39	21.19	21
22	21.94	21.21	20.59	19.70	19.59	20.04	20.51	20.87	21.36	21.37	21.34	21.23	22
23	21.88	21.50	20.61	19.80	19.63	20.10	20.54	20.88	21.38	21.41	21.18	21.23	23
24	21.93	21.42	20.64	19.89	19.68	20.10	20.57	20.95	21.34	21.36	21.17	21.22	24
25	21.88	21.35	20-64	19.83	19.69	20.11	20.59	20.94	21.29	21.42	21.18	21.29	25
26	21.81	21.38	20.55	19.82	19.68	20.12	20.59	20.90	21.33	21.44	21.18	21.26	26
27	21.74	21.35	20.66	19.80	19.69	20.16	20.60	20.87	21.40	21.47	21.04	21.26	27
28	21.61	21.35	20.62	19.80	19.69	20 - 14	20.61	20.91	21.40	21.46	21.10	21.27	28
29	21.50	21.33	20.56	19.84	19.64	20.09	20.61	20.90	21.35	21.50	21.17	21.23	29
30	21.38		20.53	19.83	19.71	20.10	20.68	20.93	21.39	21.47	21.11	21.33	30
31	21.38		20.67		19.70	20.50	20.67	20.94		21.43		21.23	31
31	£ 1 . 30												
					-MO	NTHLY SUMM	ARY-						
MEAN	21.83	21.35	20.71	19.93	19.78	19.94	20.41	20.76	21.22	21.42	21.38	21.17	MEAN
INST	21.26	21.10	20.41	19.67	19.55	19.73	20.12	20.44	20.98	21.19	21.01	20.97	INST
MAX	(31)	(22)	(16)	(21)	(21)	(6)	(4)	(4)	(1)	(17)	(27)	(2)	MAX
			ile.						1000 1000				****
INST	22.10	21.54	21.49	20.73	20.00	20.19	20.71	20.98	21.43	21.58	21.59	21.39	INST
MIN	(17)	(21)	(1)	(1)	(4)	(27)	(30)	(31)	(28)	(13)	(15)	(30)	MIN

ENVIRONMENT ONTARIO TORONTO HURON COUNTY

DBSERVATION WELL 351

TOWNSHIP OF MORRIS

WELL REC #: 3002706 UTM CO-ORD: Z-17 E476405 N4840820 LOT 26 LAT & LONG: 43-44NORTH 81-18WEST

DIAMETER OF WELL: 5 INCHES LENGTH OF CASING: 147 FEET LENGTH OF SCREEN: 3 FEET DEPTH OF WELL: 150 FEET

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : LIMESTONE
QUALITY : FRESH

A35 RECORDER

JAN. 1 1972

LENGTH OF CASING: 147 FEET SPEC. CAP: N.A.
3.00 FEET ABOVE SEA LEVEL DEPTH OF WELL: 150 FEET QUALITY: FRESH

DRILLED

BLACK MICK 5: GREY QUICKSAND AND BOULDERS 41; GREY CLAY AND STONES 46; GREY CLAY. STONES AND HARDPAN 64;

LIMESTONE 150. REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG:

1 25.43 24.12 23.39 23.37 24.39 25.75 26.91 27.79 27.78 22.59 23.98 23.35 23.44 24.48 25.75 27.01 28.01 27.91 23.25 23.24 23.50 24.55 25.74 27.02 28.10 27.80 27.91 27.64 27.80 27.91 27.64 27.80 27.91 27.64 27.80 27.91 27.64 27.80 27.91 27.66 27.92 27.86 27.97 23.25 23.59 24.80 26.00 27.28 27.84 27.82 27.84 27.82 27.80 27.91 27.66 27.92 27.86 27.94 23.47 23.61 24.84 26.05 27.22 27.86 27.97 27.80 27.91 27.25 27.14 27.98 27.60 27.91 27.25 27.14 27.98 27.60 27.91 27.25 27.14 27.98 27.69 27.25 27.14 27.98 27.69 27.25 27.14 27.98 27.91 27.25 27.14 27.98 27.56 27.91 27.25 27.14 27.98 27.56 27.91 27.25 27.14 27.98 27.56 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.14 27.91 27.25 27.1	AY
2 25.59 23.98 23.24 23.50 24.55 25.74 27.01 28.01 27.91 28.02 28.10 27.80 25.57 25.17 27.02 28.10 27.80 27.80 25.27 23.47 23.54 24.56 25.75 27.12 27.98 27.69 25.17 23.33 23.58 24.68 25.85 27.25 27.91 27.69 27.60 27.20 27.86 27.94 27.69 27.60 27.20 27.86 27.94 27.69 27.60 27.20 27.86 27.94 27.69 27.60 27.20 27.86 27.97 27.69 27.60 27.60 27.20 27.60 27.60 27.20 27.60 27.60 27.20 27.60 27.60 27.20 27.60 27.60 27.60 27.60 27.20 27.6	
2 25.59 23.98 23.35 23.44 24.48 25.75 27.01 28.01 27.90 28.10 27.80 25.27 23.47 23.54 24.55 25.74 27.02 28.10 27.80 27.69 25.27 23.47 23.54 24.56 25.75 27.12 27.98 27.69 27.64 27.82 27.84 27.69 27.64 27.82 27.84 27.82 27.84 27.82 27.84 27.82 27.84 27.82 27.84 27.82 27.84 27.82 27.84 27.82 27.84 27.82 27.84 27.82 27.84 27.94 23.47 23.61 24.84 26.05 27.22 27.86 27.94 27.84 27.82 27.94 27.84 27.82 27.94 27.84 27.94 27.84 27.94 27.84 27.94 27.84 27.82 27.94 27.84 27.94 27.84 27.94 27.84 27.94 27.84 27.94 27.84 27.97 27.98 27.94 27.84 27.97 27.98 27.99 27.9	1
23.24 23.50 24.55 25.74 27.02 28.10 27.80 27.80 25.27 23.47 23.54 24.56 25.75 27.12 27.98 27.69 25.17 23.33 23.58 24.68 25.85 27.25 27.91 27.64 27.82 27.98 27.97 27.98 27.97 27.98 27.97 27.98 27.99 27.90 27.99 27.99 27.90 27.99 27.90 27.99 27.90 27.99 27.90 27.99 27.90 27.99 27.90	2
5 25,17 23.33 23.58 24.68 25.55 27.62 27.71 21.67 6 24.99 23.25 23.59 24.80 26.00 27.22 27.86 27.94 7 24.94 23.47 23.61 24.84 26.05 27.22 27.86 27.94 8 25.23 23.49 23.65 24.82 26.06 27.20 27.86 27.97 9 25.07 23.42 23.64 24.72 26.07 27.25 27.74 27.98 10 25.10 23.56 23.58 24.79 26.12 27.24 27.80 27.91 11 12 25.14 23.51 23.31 23.88 25.07 26.06 27.21 27.89 27.56 1 13 25.27 23.31 23.88 25.07 26.06 27.21 27.89 27.56 1 14 24.93 23.44 23.99 25.08 26.12 27.41 27.69 27.60 1 15 24.82 23.44 23.99 25.0	3
5 25,17 23.33 23.58 24.68 25.55 27.62 27.71 21.67 6 24.99 23.25 23.59 24.80 26.00 27.22 27.86 27.94 7 24.94 23.47 23.61 24.84 26.05 27.22 27.86 27.94 8 25.23 23.49 23.65 24.82 26.06 27.20 27.86 27.97 9 25.07 23.42 23.64 24.72 26.07 27.25 27.74 27.98 10 25.10 23.56 23.58 24.79 26.12 27.24 27.80 27.91 11 12 25.14 23.51 23.31 23.88 25.07 26.06 27.21 27.89 27.56 1 13 25.27 23.31 23.88 25.07 26.06 27.21 27.89 27.56 1 14 24.93 23.44 23.99 25.08 26.12 27.41 27.69 27.60 1 15 24.82 23.44 23.99 25.0	4
6 24.99 7 24.94 8 25.23 9 25.07 10 25.10 10 25.10 11 24.97 12 23.66 12 23.69 23.69 23.69 23.69 23.60 2	5
7 24,94 23.41 23.61 24.84 26.05 27.20 27.86 27.97 27.98 25.07 25.07 23.49 23.65 24.82 26.00 27.20 27.86 27.97 27.98 25.07 25.10 23.56 23.58 24.79 26.12 27.24 27.80 27.91 10 25.10 23.56 23.58 24.79 26.12 27.24 27.80 27.91 11 24.97 23.50 23.73 24.96 26.10 27.23 27.90 27.69 11 26.10 25.14 23.31 23.88 25.07 26.06 27.21 27.89 27.56 11 25.27 23.48 23.99 25.08 26.12 27.24 28.00 27.53 11 22.49 26.09 27.20 27.89 27.50 11 26.29 27.20 27.80 27.90 27.69 11 26.29 27.20 2	
8 25,23 23,49 23,64 24,82 26.06 27,20 27,48 27,91 9 25,10 23,56 23,58 24,79 26.12 27,24 27,80 27,91 11 11 24,97 23,50 23,73 24,96 26.10 27,23 27,90 27,59 1 12 25,14 23,31 23,88 25,07 26.06 27,21 27,89 27,56 1 13 25,27 23,48 23,99 25,08 26,12 27,24 28,00 27,55 1 14 24,93 23,44 24,06 24,98 26,26 27,41 27,69 27,60 1 15 24,82 23,44 23,90 25,01 26,35 27,36 27,82 27,70 1 16 24,79 23,44 23,99 25,01 26,28 27,50 27,77 27,89 1 17 25,18 23,49 24,11 25,20 26,28 27,50 27,77 27,89 27,77 1 18	7
9 25.07 23.42 23.46 24.73 26.07 27.24 27.80 27.91 10 25.10 23.56 23.58 24.79 26.12 27.24 27.80 27.91 11 24.97 23.50 23.73 24.96 26.10 27.23 27.90 27.59 11 25.14 25.14 23.31 23.88 25.07 26.06 27.21 27.89 27.56 11 25.14 24.93 25.14 24.93 23.44 24.06 24.98 26.26 27.41 27.69 27.60 12 23.44 24.06 24.98 26.26 27.41 27.69 27.60 12 23.44 24.06 24.98 26.26 27.41 27.69 27.60 12 23.44 23.90 25.01 26.35 27.36 27.82 27.70 11 25.18 23.45 23.91 25.19 26.28 27.50 27.77 27.89 11 25.18 23.45 23.49 24.11 25.20 26.24 27.49 27.87 11 25.12 23.44 24.19 25.21 26.37 27.52 27.87 27.61 20 24.99 25.12 23.44 24.19 25.21 26.37 27.52 27.87 27.61 20 24.99 25.12 23.44 24.19 25.21 26.37 27.52 27.87 27.61 11 24.82 23.13 24.04 25.39 26.61 27.59 28.08 27.16 22 25.00 23.05 24.19 25.39 26.61 27.59 28.08 27.16 22 25.00 23.15 24.29 25.40 26.60 27.83 27.91 27.34 22 23 24.88 23.15 24.29 25.40 26.68 27.79 27.86 27.07 22 23 24.88 24.25.02 23.08 24.37 25.49 26.68 27.79 27.86 27.07 27.34 22 25.02 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 22 25.02 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 22 25.02 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 22 25.02 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 22 25.02 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 22 25.00 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 22 25.00 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 25.20 25.00 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 25.20 25.00 23.08 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 25.20 25.00 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 25.20 25.00 23.08 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 25.20 25.00 23.08 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 25.20 25.00 23.08 23.08 23.15 24.29 25.40 26.68 27.79 27.86 27.07 27.34 25.20 25.00 23.08 2	8
10	9
11 24.97 23.50 23.73 24.96 26.10 27.21 27.90 27.99 1 12 25.14 23.31 23.88 25.07 26.06 27.21 27.24 28.00 27.53 1 13 25.27 23.48 23.99 25.08 26.12 27.24 28.00 27.53 1 14 24.93 23.44 24.06 24.98 26.26 27.41 27.69 27.60 1 15 24.82 23.44 23.90 25.01 26.35 27.36 27.70 1 16 24.79 23.59 23.91 25.19 26.28 27.50 27.77 27.89 1 17 25.18 23.45 23.99 25.28 26.19 27.39 27.64 27.87 1 18 25.11 23.49 24.11 25.20 26.24 27.49 27.88 27.77 1 19 25.12 23.44 24.19 25.21 26.37 27.52 27.87 27.61 1 20 <td< td=""><td>Ü</td></td<>	Ü
12	
13 25,27 23.48 23.99 25.08 26.12 27.44 28.00 27.92 14 24.93 23.44 24.06 24.98 26.26 27.41 27.60 27.70 1 15 24.82 23.44 23.90 25.01 26.35 27.36 27.82 27.70 1 16 24.79 23.59 23.91 25.19 26.28 27.50 27.87 27.89 1 17 25.18 23.45 23.99 25.28 26.19 27.39 27.64 27.87 1 18 25.11 23.49 24.11 25.20 26.24 27.49 27.88 27.77 1 20 24.99 23.35 24.19 25.21 26.37 27.52 27.87 27.61 1 20 24.99 23.35 24.19 25.38 26.54 27.57 27.94 27.28 2 21 24.88 23.15 24.29 25.40 26.61 27.66 27.98 27.46 2 23 24.88 23.15 24.27 25.49 26.60 27.83 27.91 27.34 2 24 25.02 23.08 24.37	
14 24,93 23,44 24,06 24,98 26.26 27.41 27.60 27.60 1 15 24.82 23,44 23,90 25.01 26.35 27.36 27.77 27.89 1 16 24.79 23.59 23.91 25.19 26.28 27.50 27.77 27.89 1 17 25.18 23.45 23.99 25.28 26.19 27.39 27.64 27.87 1 18 25.11 23.49 24.11 25.20 26.24 27.49 27.88 27.77 1 19 25.12 23.44 24.19 25.21 26.37 27.52 27.87 27.61 1 20 24.99 23.35 24.19 25.38 26.54 27.57 27.87 27.61 1 21 24.82 23.13 24.04 25.39 26.61 27.59 28.08 27.16 2 22 25.00 23.05 24.12 25.39 26.61 27.66 27.98 27.46 2 23 24.88 23.05 24.29 25.40 26.60 27.83 27.91 27.34 2 24 25.02 23.08	
15	
16 24.79 23.59 23.91 25.19 26.28 27.50 27.77 27.87 1 17 25.18 23.45 23.99 25.28 26.19 27.39 27.64 27.87 1 18 25.11 23.49 24.11 25.20 26.24 27.49 27.88 27.77 1 19 25.12 23.44 24.19 25.21 26.37 27.52 27.87 27.61 1 20 24.99 23.35 24.19 25.38 26.54 27.57 27.94 27.28 2 21 24.82 23.13 24.04 25.39 26.61 27.59 28.08 27.16 2 22 25.00 23.05 24.12 25.39 26.61 27.56 27.98 27.46 2 23 24.88 23.15 24.29 25.40 26.60 27.83 27.91 27.34 2 24 25.02 23.08 24.37 25.49 26.68 27.79 27.86 27.07 2	
17 25.18 23.45 23.99 25.28 26.19 27.39 27.64 27.87 1 18 25.11 23.49 24.11 25.20 26.24 27.49 27.88 27.77 1 19 25.12 23.44 24.19 25.21 26.37 27.52 27.87 27.61 1 20 24.99 23.35 24.19 25.38 26.54 27.57 27.94 27.28 2 21 24.82 23.13 24.04 25.39 26.61 27.59 28.08 27.16 2 22 25.00 23.05 24.12 25.39 26.61 27.66 27.98 27.46 2 23 24.88 23.15 24.29 25.40 26.60 27.83 27.91 27.34 2 24 25.02 23.08 24.37 25.49 26.68 27.79 27.86 27.07 2 25 25 26 26 26.88 27.79 27.86 27.07 2	
18 25.11 23.49 24.11 25.20 26.24 27.49 27.88 27.11 19 25.12 23.44 24.19 25.21 26.37 27.52 27.87 27.61 1 20 24.99 23.35 24.19 25.38 26.54 27.57 27.94 27.28 2 21 24.82 23.13 24.04 25.39 26.61 27.59 28.08 27.16 2 22 25.00 23.05 24.12 25.39 26.61 27.66 27.98 27.46 2 23 24.88 23.15 24.29 25.40 26.60 27.83 27.91 27.34 2 24 25.02 23.08 24.37 25.49 26.68 27.79 27.86 27.07 2	
19 25.12 23.44 24.19 25.21 26.37 27.52 27.87 27.61 1 20 24.99 23.35 24.19 25.38 26.54 27.57 27.94 27.28 2 21 24.82 23.13 24.04 25.39 26.61 27.59 28.08 27.16 2 22 25.00 23.05 24.12 25.39 26.61 27.66 27.98 27.46 2 23 24.88 23.15 24.29 25.40 26.60 27.83 27.91 27.34 2 24 25.02 23.08 24.37 25.49 26.68 27.79 27.86 27.07 2	
20 24.99 23.35 24.19 25.38 26.54 27.57 27.94 27.28 2 21 24.82 23.13 24.04 25.39 26.61 27.59 28.08 27.16 2 22 25.00 23.05 24.12 25.39 26.61 27.66 27.98 27.46 2 23 24.88 23.15 24.29 25.40 26.60 27.83 27.91 27.34 2 24 25.02 23.08 24.37 25.49 26.68 27.79 27.86 27.07 2	
21	
22 25.00 23.05 24.12 25.39 26.61 27.00 27.93 27.91 27.34 2 23 24.88 23.15 24.29 25.40 26.60 27.83 27.91 27.34 2 24 25.02 23.08 24.37 25.49 26.68 27.79 27.86 27.07 2	
23 24.88 23.15 24.29 25.40 26.60 27.83 27.91 27.54 2 24 25.02 23.08 24.37 25.49 26.68 27.79 27.86 27.07 2	
24 25.02	
25 24.93	
26 24.71 23.05 24.43 25.54 26.65 27.44 27.83	7
27 24.39 23.32 23.12 24.56 25.52 26.62 27.56 27.81	8
28 24.46 23.21 23.14 24.54 25.51 26.73 27.57 27.85	
29 24.36 25.21 25.01 27.00	0
30 74.14 25.22 25.10 27.50	1
31 23.94 23.13 25.68 26.77 27.84 3	
-MONTHLY SUMMARY-	AN
MEAN 24.94 23.30 23.96 25.11 26.29 27.38 27.87 ME	AN
	TP
1NST 23.75 MAX (31) (22) (1) (1) (2) (1) (17) MA	X
	4S T
MIN (2) (16) (28) (31) (31) (24) (3) MI	N

OBSERVATION WELL 172

WELL REC #: UTM CO-ORD: LAT & LONG: 3300023 Z-17 E428050 N4720550 42-38NORTH 81-53WEST ENVIRONMENT ONTARIO TORONTO KENT COUNTY LOT -CONC. -TOWN OF BOTHWELL

REC METHOD: A35 RECORDER DIAMETER OF WELL: 6 INCHES PUMP RATE: 30 IGPM
REC COMMCD: JUN. 5 1966 LENGTH OF CASING: 30 FEET SPEC. CAP: 2.29 IGPM/FT
REAL COMMCD: JUN. 5 1966 LENGTH OF CASING: 30 FEET SPEC. CAP: 2.29 IGPM/FT
REAL COMMCD: JUN. 5 1966 LENGTH OF SCREEN: 4 FEET AQUIFER: SAND AND GRAVEL
REAL COMMCD: JUN. 5 1966
REC COMMCD: JUN. 5 1966 LENGTH OF CASING: 30 FEET SPEC. CAP: 2.29 IGPM/FT
SAND AND GRAVEL
SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 34 FEET AQUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 34 FEET AQUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 34 FEET AQUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 34 FEET AQUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36 FEET ADUIFER: SAND AND GRAVEL
REC COMMCD: JUN. 5 1966
LENGTH OF CASING: 36

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 30 FEET LENGTH OF SCREEN: 4 FEET DEPTH OF WELL: 34 FEET

PUMP RATE: 30 IGPM SPEC. CAP: 2.29 IGPM/FT SOUTER : SAND AND GRAVEL

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	FER	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	VON	DEC	DAY
•		3.00			3.17	3.35	4.18	5.58	6.28	6.76			1
2		3.12			3.26	3.44	4.30	5.61	6.30				2
1 2 3		3.20			3.21	3.53	4.40	5.63	6.33				2 3 4 5 6 7 8 9
4		3.30			3.24	3.63	4.45	5.64	6.34				4
		3.30			3.29	3.70	4-40	5.69	6.35				5
5					3.09	3.78	4.51	5.73	6.37				6
7					3-18	3.84	4.58	5.76	6.38				7
7 8 9					3.05	3.89	4.65	5.71	6.40				8
0					2.38	3.93	4.73	5.50	6.43				9
10					2.64	4.05	4.78	5.49	6.45				10
10					2.65	4.16	4.84	5.58	6.47				11
11					1.84	4.21	4.91	5.67	6.48				12
12					2.12	4.25	4.97	5.74	6.49				13
13					2.25	4.26	5.01	5.78	6.50				14
14					1.78	4.19	4.88	5.82	6.52				15
15 16					1.93	4.16	4.98	5.85	6.54				16
17					1.15	4.25	5.06	5.88	6.57				17
					1.41	4.06	5.11	5.90	6.58				18
18	4.55				1.70	3.90	5.15	5.93	6.59				19
19					2.07	3.90	5.20	5.96	6.61				20
20	4.41				2.37	4.02	5.25	6.00	6.63				21
21	3.58				2.43	4.17	5.30	6.03	6,65				22 23
22	3.39				2.54	4.28	5.32	6.06	6.66				23
23	3.13				2.81	4.36	5.34	6.08	6.67				24
24	3.19				2.94	4.35	5.37	6.10	6.69				25 26
25	3.30			3.05	3.03	4.15	5.40	6.12	6.71				26
26	3.29			3.14	3.16	4.17	5.43	6.14	6.73				27
27	2.82			3.18	3.09	4.27	5.46	6.18	6.74				28
28	2.90			2.89	2.70	4.36	5.48	6.21	6.74				29
29	2.96				2.94	4.22	5.51	6.23	6.75				30
30	2.88			3.01	3.16	4.22	5.55	6.26	0.012				31
31	2.71							0.20					
					-MO	NTHLY SUMM			Amir				
MEAN					2.60	4.03	4.98	5.87	6.53				MEAN
INST					0.92	3.28	4.13	5.47	6.27				INST
MAX					(17)	[11	(1)	(9)	(1)				MAX
INST					3.36	4.45	5.56	6.27	6.76				INST
MIN					(5)	(30)	(31)	(31)	(30)				MIN

WELL REC #: 3305579 UTM CO-ORD: Z-17 E401725 N4715000 LAT & LONG: 42-35NORTH 82-12WEST ENVIRONMENT ONTARIO OBSERVATION WELL 217 TORONTO TOWNSHIP OF CAMDEN GORE 3 LOT 2 KENT COUNTY

A35 RECORDER SEP. 24 1968 1.22 FEET ABOVE GROUND SURFACE 595 FEET ABOVE SEA LEVEL DRILLED DIAMETER OF WELL: 10 INCHES LENGTH OF CASING: 150 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 150 FEET PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : GRAVEL
QUALITY : FRESH REC METHOD: REC COMMOD: MEASURE PT: GND ELEV: WELL TYPE:

DRILLED CLAY 48; CLAY AND GRAVEL 53; SAND, GRAVEL AND BOULDERS 66; GRAVEL AND CLAY 75; HARDPAN AND GRAVEL 95; GRAVEL AND CLAY 105; GRAVEL 150. LUG:

1974
DAILY MEAN MATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE OC T AUG SEP APR MAY JUN JUL JAN FEB MAR DAY 91.59 91.89 92.03 92.36 92.49 92.14 92.10 91.97 92.06 91.97 91.75 92.23 92.11 92.05 92.04 92.19 92.04 92.12 92.04 92.21 92.37 92.32 93.75 94.08 93.65 93.78 93.69 92.18 92.24 92.30 92.61 92.63 92.64 92.64 92.58 92.48 92.41 92.31 92.11 92.27 92.36 92.42 92.44 92.42 92.11 92.25 43.21 93-41 93.41 93.24 93.32 93.45 93.64 93.36 93.21 92.93 92.72 92.69 92.97 92.90 93.21 93.23 92.49 92.65 92.78 92.35 92.53 92.66 92.66 92.52 92.65 91.84 3 92.65 92.34 92.46 92.78 92.84 92.92 92.96 92.99 92.30 92.22 92.31 92.47 92.53 92.42 92.25 92.19 92.33 92.35 92.29 92.27 92.26 92.30 93.41 93.40 93.77 93.52 93.58 93.44 93.82 92.10 92.12 92.10 91.75 91.48 91.70 91.74 91.72 91.68 92.30 92.21 92.12 92.19 92.10 91.93 92.05 91.63 91.96 92.17 92.20 92.19 92.21 92.17 92.17 92.09 92.00 91.84 91.89 92.14 92.00 92.15 91.90 93.34 93.29 93.28 93.23 93.14 93.01 93.23 93.15 93.55 93.27 93.30 93.42 93.29 10 93.16 10 11 12 13 92.29 92.15 92.46 92.18 93.00 92.65 92.59 92.35 92.93 92.93 92.95 93.13 92.99 92.63 92.42 92.42 92.77 93.05 92.97 92.40 92.20 92.08 91.71 91.56 92.15 92.13 92.29 92.36 92.23 92.02 92.46 92.21 92.18 92.37 93.82 94.01 93.49 93.26 93.18 93.64 92.14 13 14 92.15 92.25 91.86 92.10 91.99 91.75 93.53 14 15 16 17 18 19 92.18 92.46 92.51 92.63 92.78 92.89 92.85 92.62 92.37 92.37 91.50 91.58 91.78 91.93 92.05 91.82 91.48 93.53 93.53 93.03 93.11 92.93 92.56 93.21 92.95 92.82 92.88 92.74 92.92 92.94 92.77 92.88 93.02 93.33 93.25 16 17 18 19 20 92.09 92.37 92.46 92.30 92.23 92.41 92.38 92.27 92.23 92.02 92.01 92.09 92.25 92.32 92.26 92.17 92.27 92.01 92.04 92.01 92.04 92.09 92.04 92.19 92.37 92.04 92.01 91.93 91.72 91.34 91.30 92.32 92.31 92.03 92.10 92.26 92.41 92.39 92.43 92.57 92.52 92.35 91.39 93.56 91.75 92.12 92.15 92.26 92.55 92.44 92.31 20 21 22 23 93.26 91.49 91.75 91.62 91.76 91.76 91.84 93.26 93.14 93.39 93.37 93.63 93.59 93.21 93.10 92.43 93.29 93.36 93.40 93.45 93.18 21 22 23 24 25 26 27 28 29 30 31 92.48 92.60 92.56 92.62 92.55 92.55 91.85 91.90 91.67 91.92 92.22 91.92 91.73 92.31 92.26 92.27 92.26 92.11 91.99 92.05 91.96 91.95 24 92.31 92.31 92.22 92.17 92.11 91.91 91.80 92.24 92.02 92.20 92.09 93.07 93.07 93.20 93.32 93.13 93.08 26 27 28 29 30 31 93.22 91.70 92.05 91.87 91.90 91.77 92.80 92.72 92.69 92.66 92.97 92.43 92.25 92.70 91.79 92.34 92.07 92.02 92.18 92.10 -MONTHLY SUMMARY-92.13 91.86 91.79 MEAN 92.28 92.16 92.52 MEAN 93.49 93.21 93.00 92.78 91.36 (19) 91.17 (23) 92.19 (22) 92.15 92.02 91.84 91.82 (31) 91.36 INST 92.69 MAX 97.31 INST 92.56 (12) 92.42 92.33 93.21 93.68 93.60 INST 94.16 (2) MIN MIN

ENVIRONMENT ON FARIO TGRONTO KENT COUNTY

OBSERVATION WELL 371

TOWNSHIP OF HOWARD

WELL REC #: 3305424 UTM CO-DRD: Z-17 E420620 N4710270 LOT 15 LAT & LONG: 42-33NORTH G1-58WEST CONC 1

DIAMETER OF WELL: 6 INCHES
LENGTH OF CASING: 52 FEET
LENGTH OF SCREEN: 15 FEET
DEPTH OF WELL: 67 FEET

PUMP RATE: 155 IGPM SPEC. CAP: 38.7 IGPM/FT AQUIFER : GRAVEL QUALITY : FRESH

GRAVEL 40: LOOSE BROWN GRAVEL AND HARD BROWN SHALE 73.

						1974							
				DAILY M	EAN WATER		ERRED TO D	ISTANCE IN	FEET BELO	W GROUND 5	URFACE		
DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ост	NOV	DEC	DAY
1		17.44	21.36	20.64	22.89	22.61	23.74	24.31	24.65	24.79	24.76	24.42	1
2		19.14	21.53	20.61	22.92	22.72	23.73	24.33	24.65	24.79	24.74	24.41	2
3		20.19	22.14	20.70	22.97	22.82	23.74	24.33	24.66	24.78	24.74	24.35	3
4		20.84	22.27	22.06	23.02	22.93	23.75	24.37	24.66	24.78	24.71	24.28	
5		20.52	25.23	24.85	23.05	23.02	23.79	24.39	24.67	24.78	24.69	24.22	5
6		20.44	28.31	27.29	23.08	23.09	23.80	24.40	24.68	24.78	24.68	24.22	6
7		20.12	30.38	26.97	23.12	23.16	23.83	24.42	24.69	24.79	24.68	24.23	7
8		19.91	31.80	25.05	23.16	23.22	23.87	24.44	24.69	24.80	24.68	24.23	8
9		19.75	30.43	23.97	23.06	23.26	23.89	24.45	24.69	24.79	24.69	24.18	9
10	22.50	19.67	27.68	23.33	22.99	23.31	23.93	24.45	24.71	24.80	24.70	24.16	10
11	22.62	19.57	25.62	22.84	22.96	23.39	23.97	24.46	24.71	24.81	24.71	24.15	11
12	22.77	19.52	24.39	22.54	22.68	23.45	23.99	24.47	24.71	24.82	24.71	24.19	12
13	22.90	19.46	23.61	22.31	22.31	23.50	24.03	24.48	24.71	24.82	24.71	24.19	13
14	22.97	19.37	23.02	22.15	21.46	23.54	24.04	24.50	24.72	24.81	24.71	24.19	14
15	23.10	14.33	22.04	21.97	20.68	23.56	24.04	24.50	24.74	24.81	24.70	24.17	15
16	23.19	19.34	22.34	21.86	21.10	23.58	24.07	24.51	24.74	24.80	24.69	24.12	16
17	23.31	19.28	22.08	21.79	20.04	23.62	24.09	24.51	24.75	24.79	24.70	24.07	17
18	23.38	19.20	21.84	21.81	17.05	23.65	24.10	24.52	24.75	24.79	24.69	24.07	18
19	23.48	19.27	21.67		15.09	23.68	24.11	24.53	24.76	24.80	24.68	24.09	19
20	23.54	19.21	21.46		14.66	23.67	24.14	24.57	24.78	24.80	24.68	24.13	20
21	23.22	19.25	21.35		16.34	23.67	24.16	24.58	24.77	24.79	24.63	24.16	21
22	22.43	19.89	21.20		18.90	23.68	24.16	24.59	24.77	24.79	24.59	24.20	22
23	21.10	22.33	21.08		20.10	23.69	24.17	24.60	24.77	24.79	24.52	24.22	23
24	16.41	24.00	20.98		20.73	23.70	24.19	24.61	24.78	24.79	24.50	24.24	24
25	16.95	24.28	20.88		21.17	23.72	24.20	24.62	24.78	24.80	24.49	24.21	25
26	10.40	23.24	20.82	22.59	21.55	23.73	24.22	24.63	24.79	24.80	24.47	24-24	26
27	16.40	22.15	20.73	22.66	21.83	23.73	24.23	24.63	24.79	24.80	24.43	24.25	27
28	16.70	21.52	20.70	22.71	22.05	23.73	24.25	24.62	24.79	24.79	24.42	24.27	28
29	15 . 18		20.68	22.77	22.16	23.73	24.27	24.63	24.78	24.80	24.42	24.28	29
30	13.07		20.70	22.81	22.29	23.73	24.26	24.63	24.78	24.79	24.42	24.30	30
51	14.31		20.70		22.45		24.29	24.63		24.77	WAT 5 185	24.28	31
						NTHLY SUMM							
MEAN		20.30	23.21		21.22	23.43	24.03	24.51	24.73	24.79	24.63	24.22	MEAN
INST		15.96	20.66		14.48	22.55	23.72	24.30	24.65	24.75	24.41	24.05	INST
MAX		(1)	(31)		(20)	(1)	(2)	(1)	(1)	(31)	(30)	(17)	MAX
INST		24.43	32.01		23.16	23.76	24.30	24.65	24.81	24.83	24.76	24.42	INST
MIN		(25)	(8)		(8)	(30)	(31)	(31)	(26)	(12)	(1)	(1)	MIN

ENVIRONMENT ONTARIO TORONTO KENT COUNTY WELL REC #: 3305577 UTM CO-DRD: Z-17 E386240 N4683020 LOT 12 LAT & LONG: 42-18NORTH 82-22WEST OBSERVATION WELL 309 TOWNSHIP OF TILBURY E. CONC. 4 PUMP RATE: SPEC. CAP: AQUIFER : QUALITY :

REC METHOD: 'F' TYPE RECORDER
REC COMMCD: JUN. 2 1969
MEASURE PT: 2.2 FEET ABOVE GROUND SURFACE
GND ELEV: 585 FEET ABOVE SEA LEVEL
MELL TYPE: OUG
MELL LOG: TOPSOIL 1; SANDY CLAY 14; CLAY 23. DIAMETER OF WELL: 72 INCHES LENGTH OF CASING: 23 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 23 FEET

				DAILY ME	AN WATER L	EVELS REFE	RRED TC DI	STANCE IN	FEET BELO	W GROUND SU	RFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1		2.01	2.48	1.98	2.66	2.76	2.60	2.46	2.98	3.08		2.33	1
2		2.17	2.32	2.04	2.67	2.80	2.46	2.52	3.02	3.06		2.36	2
2 3 4		2.28	2.20	1.97	2.66	2.81	2.33	2.57	3.02	3.05		2.35	3
4		2.34	1.41	1.71	2.69	2.84	2.29	2.63	3.01	3.07		2.33	4
5		2.43	1.25	1.90	2.68	2.86	2.24	2.68	3.03	3.10	2.77	2.34	5
6		2.46	1.71	2.08	2.66	2.89	2.28	2.76	3.07	3.13	2.64		6
7		2.51	1.86	1.79	2.68	2.90	2.33	2.84	3.11	3.15	2.64		7
8		2.56	1.37	1.78	2.49	2.93	2.38	2.16	3.14	3.18	2.66		8
9	2.59		1.23	1.99	2.26	2.95	2.37	1.72	3.16	3.22	2.68		9
10	2.61		1.72	2.15	2.31	2.97	2.23	1.80	3.20	3.26	2.71		10
11	2.63		2.05	2.24	2.12	3.01	2.24	1.88	3.23	3.30	2.65		11
12	2.65		2.25	2.27	1.71	3.05	2.29	1.98	3.14	3.34	2.51		12
13	2.68		2.40	2.30	1.93	3.10	2.34	2.07	3.05	3.37	2.47		13
14	2.68	2.65	2.50	2.34	2.06	3.13	2.39	2.15	3.04	3.37	2.30		14
15	2.66	2.67	2.55	2.40	1.91	3.00	2.43	2.24	3.06	3.37	2.36		15
16	2.63	2.68	2.47	2.46	2.03	2.86	2.47	2.20	3.09	3.37	2.43		16
17	2.51	2.70		2.51	2.12	2.85	2.50	2.10	3.12	3.40	2.48		17
18	2.45	2.68	2.26		2.22	2.78	2.53	2.14	3.15	3.43	2.51		18
19	2.46	2.42	2.30		2.31	2.57	2.56	2.22	3.18	3.46	2.53		19
20	2.08	2.13	2.33	2.48	2.39	2.51	2.60	2.30	3.21	3.50	2.18		20
21	1.28	1.62	2.36	2.50		2.56	2.64	2.39	3.24	3.53	1.97		21
22	1.30	1.20	2.39	2.49		2.63	2.67	2.45	3.28	3.57	2.01		22
23	1.15	1.76	2.42	2.50		2.70	2.67	2.52	3.32	3.60	2.09		23
24	1.58	2.09	2.45	2.55	2.50		2.66	2.58	3.35	3.63	2.13		24
25	1.90	2.30	2.47	2.59	2.55		2.66	2.64	3.38	3.65	1.99		25
26	2.05	2.43	2.48	2.61	2.60		2.67	2.70	3.41	3.68	2.06		26
27	1.44	2.52	2.48	2.64	2.65		2.68	2.75	3.44	3.70	2-15		27
28	1.65	2.51	2.48	2.64	2.67	2.79	2.67	2.82	3.41	3.73	2-23	2.09	28
29	1.79		2.38	2.64	2.66	2.81		2.88	3.27	3.75	2.27	2.13	29
3.0	1.77		1.76	2.64	2.69	2.68	2.43		3.12	3.69	2.30	1.87	30
31	1.78		1.82		2.71		2.43	2.94		3.63		1.87	31
					-MON	THLY SUMM	RY-						
MEAN									3.17	3.40			MEAN
TNST									2.96	3.05			INST
MA X									(1)	(3)			MAX
INST									3.45	3.76			INST
MIN									(27)	(29)			MIN

ENVIRONMENT ONTARIO TORONTO LAMBTON COUNTY

OBSERVATION WELL 207

VILLAGE OF ALVINSTON

WELL REC #: 3400030 UTM CO-ORD: Z-17 E429160 N4740965 LAT & LONG: 42-49NORTH 81-53WEST

DIAMETER OF WELL: 7 INCHES LENGTH OF CASING: 78 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 78 FEET

PUMP RATE: 24 IGPM SPEC. CAP: 2.66 IGPM/FT AQUIFER : SHALE QUALITY : FRESH

REC METHOD: A35 RECORDER DIAMETER OF WELL REC COMMCD: JUN. 26 1967 LENGTH OF CASING MEASURE PT: 2.8 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN OF WELL TYPE: DRILLED WELL LOG: SANO 18; BLUE CLAY 75; SHALE GRAVEL 76; BLACK SHALE 78.

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	39.58	38.35		38.21	38.58	38.86	38.58	38.45	37.25	37.23	37.67	38.62	1
2	39.71	38.45		38.02	38.67	39.05	38.88	38.74	37.14	37.48	37.84	38.12	2
3	39.38	38.66		38.24	38.24	39.09	38.64	38.40	37.11	37.63	37.81	38.20	3
4	39.24	38.80		38.02	38.55	39.02	38.38	38.34	37.31	37.57	37.67	38.55	4
		38.92		38.19	38-44	38.94	38.24	37.91	37.57	37.35	37.44	38.62	5
5 6 7 8		38.50		38.54	38.48	38.84	38.26	37.98	37.58	37.30	37.64	38.57	
7		38.37		38.51	38.66	38.91	38.16	37.89	37.46	37.29	37.90	38.37	7
8		38.27		38.80	38.65	39.12	37.92	37.86		37.22	38.15	37.99	8
9		38.46		38.81	38.25	39.32	38.02	37.61		37.07	38.22	38.00	9
10		38.36		38.87	38.38	39.10	38.01	37.49		37.17	38.10	37.83	10
11	38.64	38.43		38.86	38.33	39.30	38.00	37.38		37.28	37.71	37.69	11
12	38.85	38.22		38.32	38.06	39.76	38.16	37.24		37.33	37.62	37.65	12
13	39.17	38.19		38.54	38.47	39.74	38.55	37.44		37.46	37.49	37.97	13
14	38.80	38.52		38.30	38.18	39.48	38.64	37.63		36.91	37.43	38.11	14
15	38.54	38.48		38.36	38.17	39.12	38.07	37.79		37.18	37.66	38.01	15
16	38.53	38.ZU		38.60	38.56	39.20	38.13	37.60		37-13	37.90	37.65	16
17	39.03	38.39		38.75	38.44	39.34	38.20	37.40		36.93	37.95	37.63	17
18	38.78	38.17		38.60	38.68	39.48	37.73	37.69		37.24	37.92	37.76	18
19	38.79	37.79		38.69	38.93	39.18	37.74	37.84		37.18	37.83	37.48	19
20	38.56	38.38		38.75	38.91	39.24	38.07	37.84		37.41	37.39	37.80	20
21	38.32	38.53		38.57	38.90	39.03	38.44	37.84		37.63	37.33	37.72	21
22	38.44	38.64		38.20	38.63	39.09	38.02	37.94		37.63	37.96	37.95	22
23	38.42	38.86	37.95	38.24	38.52	38.96	37.91	37.70		37.62	38.09	37.89	23
24	38.59	38.76	38.21	38.53	38.61	39.08	37.89	37-72		37.63	37.91	38.19	24
25	38.57	38.68	38.39	38.44	38.72	39.17	38.12	37.72		37.45	38-16	38.26	25
26	38.34		38.04	38.32	38.85	39.31	37.87	37.45		37.63	38.54	38.22	26
27	38.19		38.32	38.41	38.95	39.38	37.78	37.34	37.24	37.63	38.31	37.86	27
28	38.21		38-44	38.29	39.01	39.39	38.21	37.39	37.25	37.69	38.10	37.95	28
29	38.29		38.08	38.46	39.09	38.97	38.04	37.25	36.94	37.80	38.86	37.87	29
30	38.08		37.63	38.38	38.80	38.63	38.29	37.49	37.19	37.89	38.98	37.93	30
31	38.01		37.99		38.67		38.29	37.28		37.83		38.36	31
					-MO:	NTHLY SUMM	ARY-			1902 100	Standard Stan	100.00	
MEAN				38.46	38.59	39.17	38.17	37.73		37.41	37.92	38.03	MEAN
INST				37.76	37.79	38.50	37.61	37.09		36.70	37.04	37.28	INST
MAX				(4)	(15)	(30)	(19)	(31)		(17)	(21)	(19)	MAX
INST				39.07	39.22	40.53	39.36	39.50		38.02	39.18	39.11	INST
MIN				(10)	(29)	(12)	(14)	(2)		(30)	(30)	(1)	MIN

ENVIRONMENT ONTARIO TORONTO LAMBTON COUNTY

OBSERVATION WELL 056

TOWN OF FOREST

WELL REC #: 3404047 UTM CO-ORD: Z-17 E418540 N4771920 LAT δ LONG: 43-06NORTH 82-00WEST

REC METHOD: 'F' TYPE RECORDER
REC COMMCD: MAY 8 1950
MEASURE PT: 1.67 FEET ABOVE GROUND SURFACE
GND ELEV: 700 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LOG: CLAY 110.

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 110 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 110 FEET

PUMP RATE: N.A. SPEC. CAP: N.A. AQUIFER : CLAY QUALITY : FRESH

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
			94.28	94.44	94.14	93.80		95.47	96.21				1
2		94.27	93.89	93.94	93.97	93.77		95.45	96-19		96.56		2
2		94.33	93.64	93.68	93.74	93.86	93.91	13-0-13-	96.26		96.29		3
,		94.32	93.67	93.48	,,,,,	94.01	94.21		96.55		96.03		4
•		94.49	93.75	93.58		94.18	94.19		96.78	95.96	95.99		5
?		74.47	93.92	33.30		94.15	94.31		96.67	95.74	96.34		6
0			93.90			,,,,,	94.56			95.68		95.00	7
			94.20				94.47			95.66		94.82	8
8			74.20				94.87		96.27	95.53		95.09	9
9							94-90	95.76	96.14	95.63	96.21	95.16	10
10					93.74		95.08	95.57	96.12	95.79	95.86		11
11	94.91				93.08		93.00	95.51	95.92		95.81		12
12			94.22		93.51			95.64	95.87		95.68		13
13			94.12		93.18			95.74	96.10		95.80		14
14					93.33			22417	95.77		95.95		15
15			93.89		93.45				96.32		,,,,,		16
16					93.66	94.18			95.97			94.66	17
17					93.90	94.33		95.21	95.99			94.77	18
18						94.15		95.53	95.87	96.54		94.42	19
19				0/ 30	93.76	93.94	95.52	95.67	95.88	96.50		94.83	20
20				94.38		73.77	95.55	95.89	73.00	96.67		94.43	21
21				93.96	93.78		95.18	95.84		96.36		94.77	22
22			100 100	93.54	93.43		95.31	95.93	96.43	96-14	95.87	94.68	23
23			93.49	93.69	93.39			95.96	96.65	95.81	95.69	94.76	24
24		1000 Faces	93.77	94.17	93.53	7	95.15 95.36	95.90	96.02	95.58	95.90	94.53	25
25		94.28	93.98	94.20	93.62				95.73	95.50	96.24	94.65	26
26	94.43	94.43	93.81	94.18	93.47		95.35		95.99		95.87	,,,,,	27
27	94.24	94.13	93.93	94.16	93.75		95-40		43.44		96.15		28
28	94.20	93.73	93.87	93.97	93.73		95-46		95.61		90.13	94.40	29
29	94.46			93.85	93.34		95.37					94.69	30
30			92.73	93.85			95.36	01 21	96.01			94.66	31
2.1			93.23				95.37	96.26				77.00	-

-MONTHLY SUMMARY-

INST I NST MIN

MEAN

INST

MEAN

ENVIRONMENT ONTARIO TORONTO MIDOLFSEX COUNTY

OBSERVATION WELL 206

TOWNSHIP OF CARADOC

WELL REC #: 4106020 UTM CO-ORD: Z-17 E460740 N4747920 RANGE 1 N LOT 15 LAT ε LONG: 42-53NORTH 81-29WEST

REC METHOD: 'F' TYPE RECORDER
REC COMMCD: JUN, 27 1967
MEASURE PT: 3.25 FEET ABOVE GROUND SURFACE
GND ELEV: 780 FEET ABOVE SEA LEVEL
WELL TYPE: DUG
WELL LOG: OVERBURDEN 22.

DIAMETER OF WELL: 72 INCHES LENGTH OF CASING: 22 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 22 FEET

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : OVERBURDEN
QUALITY : FRESH

			19	74								
DATLY	MEAN	WATER	LEVELS	REFERRED	TC	DISTANCE	IN	FEET	BELOW	GROUND	SURFACE	

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1		2.10	3.17	3.16	3.60	3.96	4.82	5.87	6.33	6.55	7.49	5.75	1
2		2.43	3.19	2.41	3.67	4.02	4.73	5.89		6.57	7.48		2
3	3.33	2.68	3.10	2.17	3.71		4.69	5.89		6.58	7.48		3
4	3.40	2.90	2.08	0.92	3.73	4.10	4.71	5.89	6.45	6-60	7.43		4
5	3.47	3.10	0.67	1.12	3.76	4.16	4.76	5.90	6.50	6.63	7.38	5.25	5
6	3.53	3.25	0.89	1.38	3.83	4.23	4.82	5.90	6.53	6.65	7.35	5.25	6
7	3.60	3.35	1.12	1.39	3.83	4.29	4.89	5.91	6.52	6-68	7.29	5.24	7
8	3.68	3.44	1.17	1.32	3.83	4.36	5.47	5.91	6.54	6.71	7.23	5.24	8
9	3.76	3.52	0.81	1.77	3.50	4.42	5.55	5.91	6.58	6.74	7.19	5.22	9
10	3.82	3.59	0.98	2.16	3.28	4.61	5.44	5.93	6.61	6.85	7.17	5.20	10
11	4.00	3.64	1.42	2.41	3.30	4.73	5.47	5.95	6.64	6.98	7.14	5.17	11
12	4.07	3.69	1.64	2.51	2.99	4.79	5.45	6.00	6.62	6.99	7.09	5.14	12
13	4.06	3.73	2.07	2.43	2.64	4.83	5.40	6.00	6.60	7.01	7.03	5.12	13
14	4.06	3.77	2.48	2.53	2.79	4.92	5.37	5.99	6.59	7.02	6.97	5.08	14
15	4.07	3.83	2.69	2.55	2.76	4.93	5.37	5.97	6.58	7.01	6.91	5.04	15
16	4.15	3.87	2.70	2.82	2.63	4.92	5.37	6.01	6.61	7.03	6.86	5.00	16
17	4.24	3.91	2.69	3.05	2.24	4.92	5.39	6.05	6.63	7.05	6.84	4.96	17
18	4.19	3.95	2.82	3.11	2.35	4.93	5.40	6.04	6.62	7.07	6.79	4.94	18
19	4.18	3.97	2.92	3.21	2.71	4.92	5.42	6.05	6.63	7.13	6.73	4.92	19
20	4.17	3.96	2.86	3.30	3.02	4.93	5.44	6.07	6.64	7.17	6.62	4.90	20
21	3.74	3.93	2.76	3.36	3-19	4.87	5.47	6.09	6.63	7.21	6.51	4.88	21
22	3.16	3.60	2.88	3.41	3.30	4.80	5.49	6.16	6.63	7.25	6.42	4.87	22
23	2.49	2.97	3.00	3.29	3.39	4.78	5.51	6.19	6.65	7.29	6.33	4.87	23
24	2.30	2.90	3.12	3.32	3.49	5.09	5.54	6.19	6.68	7.32	6.22	4.86	24
25	2.39	3.00	3.22	3.40	3.60	5.26	5.56	6.21	6.65	7.34	6.10	4.85	25
26	2.38	3.18	3.31	3.47	3.69	5.58	5.58	6.28	6.60	7.36	6.00	4.84	26
27	1.31	3.33	3.41	3.54	3.78	5.59	5.61	6.32	6.61	7.37	5.93	4.83	27
28	1.36	3.39	3.45	3.59	3.86	5.30	5.68	6.32	6.60	7.40	5.86	4.82	28
29	1.58		3.46	3.60	3.96	5.11	5.70	6.32	6.58	7.43	5.82	4.82	29
30	1.71		3.42	3.58	3.93	4.98	5.78	6.33	6.56	7.46	5.78	4.81	30
31	1.62		3.26		3.93		5.82	6.33		7.48		4.80	31
					-MON-	THLY SUMM	ARY-						
MEAN		3.39	2.48	2.68	3.36	ALOUN SIEDE	5.35	6.06		7.03	6.78		MEAN
INST		1.82	0.48	0.70	2.14		4.69	5.83		6.55	5.76		INST
MAX		(1)	(9)	(4)	(17)		(3)	(1)		(1)	1301		MAX
INST		3.98	3.71	3.62	4.10		5.85	6.34		7.49	7.50		INST
MIN		(19)	(2)	(29)	(29)		(31)	(30)		(31)	(1)		MIN

WELL REC #: 4100889 UTM CO-ORD: Z-17 E465180 N4755140 LAT & LONG: 42-57NORTH 81-26WEST ENVIRONMENT ONTARIO OBSERVATION WELL 107 TORONTO MIDDLESEX COUNTY TOWNSHIP OF LOBO CONC. 2 LOT 6

REC METHOD: A35 RECORDER

REC COMMCO: JUN. 19 1963

REC COMMCO: JUN. 19 1963

REASURE PT: 3.15 FEET ABOVE GROUND SURFACE

REASURE PT: B.15 FEET ABOVE SEA LEVEL

REASURE PT: DEPTH OF WELL: 130 FEET

REASURE PT: DRILLED

WELL TYPE: DRILLED

WELL LOG: SANDY CLAY AND GRAVEL 7: SAND GRAVEL AND SMALL BOULDERS 25; SANDY BLUE CLAY 4B; BLUE CLAY AND GRAVEL 85; HARD

SANDY CLAY AND GRAVEL 160. DIAMETER OF WELL: 8 INCHES LENGTH OF CASING: 120 FEET LENGTH OF SCREEN: 10 FEET DEPTH OF WELL: 130 FEET PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : GRAVEL
QUALITY : FRESH

DAY	NAL	FFB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	DAY
			27.44	26.90	26.89	27.06	27.04	28.22	28.32	28.50	28.80	28.50	1
1	28.01	27.67		26.93	27.01	26.89	27.04	28.20	28.24	28.57	28.76	28.58	2
2	28.08	27.56	27.34	26.96	26.98	26.88	27.14	28.13	28.24	28.64	28.63	28.70	3
3	28.15	27.45	27.14	26.84	27.03	27.03	27.20	28.05	28.46	28.66	28.66	28.75	4
4	28.13	27.59	27.08	26.97	26.82	27.10	27.57	28.00	28.56	28.61	28.71	28.75	5
5	28.04	27.62	27.18	26.96	26.74	27.17	27.58	28.06	28.57	28.51	28.81	28.74	5
6	27.83	27.58	27.29	26.79	26.93	27.38	27.41	28.20	28.50	28.51	28.88	28.55	7
7	27.86	27.62		26.78	27.00	27.27	27.42	28.33	28.42	28.57	28.87	28.51	8
8	28.03	27.60	27.33	26.85	26.92	27.12	27.60	28.45	28.42	28.58	28.75	28.62	9
9	28.04	27.48	27.23		27.00	27.06	27.71	28.38	28.53	28.67	28.61	28.67	10
10	28.11	27.34	27.11	26.95	26.88	27.13	27.74	28.18	28.60	28.74	28.56	28.65	11
11	28-10	27.49	27.09		26.65	27.19	27.78	28.10	28.60	28.65	28.60	28.77	12
12	28-09	27.46	27.11	26.92	26.68	27.28	27.66	28.27	28.55	28.53	28.70	28.81	13
13	27.97		27.15	26.71	26.78	27.38	27.44	28.49	28.58	28.33	28.74	28.66	14
14	27.92		27.22	26.57	26.81	27.23	27.41	28.55	28.43	28.39	28.80	28.50	15
15	27.95		27.18	26.58	26.92	27.03	27.67	28.54	28.44	28.48	28.74	28.56	16
16	27.99		27.05	26.76		26.97	27.77	28.44	28.50	28.49	28.64	28.67	17
17	28.10	27.47	26.91	26.81	26.93	27.09	27.80	28.26	28.55	28.58	28.66	28.66	18
18	28.04	27.49	26.88	26.83	26.95	27.17	27.79	28.26	28.64	28.52	28.61	28.70	19
19	27.98	27.47	26.94	26.93	26.80	27.25	27.93	28.46	29.02	28.51	28.53	28.65	20
20	27.72	27.58	27.03	26.97	26.68		27.77	28.49	28.76	28.60	28.69	28.53	21
21	27.86	27.70	26.98	26.77	26.64	27.26	27.83	28.50	28.63	28.70	28.77	28.51	22
22	27.85	27.44	27.11	26.70	26.77	27.17 27.06	28.34	28.46	28.61	28.70	28.61	28.61	23
23	27.87	27.51	27.10	26.81	26.75		28.56	28.48	28.67	28.78	28.57	28.52	24
24	27.89	27.46	27.02	26.93	26.78	27.07			28.61	28.77	28.73	28.49	25
25	27.89	27.38	27.03	27.00	26.80	27.21	28.44	28.34 28.21	28.61	28.70	28.73	28.46	26
26	27.61	27.44	27.02	26.97	26.70	27.28	28.36		28.62	28.65	28.66	28.56	27
27	27.56	27.47	27.19	26.89	26.76	27.40	28.14	28.24			28.72	28.48	28
28	27.63	27.43	27.15	26.73	26.92	27.60	28.01	28.35	28.59	28.69	28.81	28.51	29
29	27.64		27.16	26.70	26.90	27.39	27.96	28.42	28.40	20.73	28.66	28.66	30
30	27.59		26.96	26.78	27.02	27.14	28.05	28.47	28.43	28.78	20.00	28.00	31
31	27.64		26.87		27.11		28.16	28.44		28.80			31
						NTHLY SUMM					20.70		MEAN
MEAN	27.91		27.12	26.85	26.86	27.18	27.75	28.32	28.54	28.61	28.70		MEAN
INST	27.50		26.63	26.48	26.60	26.78	27.00	27.99	28.16	28.31	28.45		INST
MAX	1261		(18)	(15)	(13)	(3)	(2)	(5)	(3)	(15)	(20)		MAX
INST	28.23		27.51	27.08	27.19	27.64	28.63	28.62	29.09	28.81	28.91		INST
MIN	(3)		(2)	(11)	(31)	(28)	(24)	1161	(20)	(31)	(7)		MIN
LI IN	1 31			2010111		110-00/2001							

ENVIRONMENT ONTARIO RANGE 2 MIDDLESEX COUNTY TOWNSHIP OF MOSA

WELL REC #: 41064L6 UTM CO-ORO: Z-L7 E440900 N4723040 LDT 13 LAT & LDNG: 42-40NORTH 81-43MEST OBSERVATION WELL 221

DIAMETER OF WELL: 4 INCHES LENGTH OF CASING: 134 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 134 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. QUICKSAND N.A

REC METHOD: 1F4 TYPE RECORDER DI REC COMMCO: 0C1-11 1968 LE MEASURE PT: 3.2 FEET ABOVE GROUND SURFACE LE GND ELEV: 685 FEET ABOVE SEA LEVEL DE MELL TYPE: ORILLED MELL LOG: DVERBURGEN (BLUE CLAY AND QUICKSAND) 134.

						1974							
				DAILY MEA	N WATER L	EVELS REFE	RRED TC DI	STANCE IN	FEET BELOW	GROUND SU	JRFACE		
DAY	JAN	F£8	MAR	APR	MAY	NUL	JUL	AUG	SEP	OCT	NOV	DEC	DAY
-			52.16	52.22	52.34	52.38	52.41	52.52		52.70	52.72		1
ı,		52.31	52.16	52.22	52.34	52.39	52.41	52.52		52.70	52.72		2
Z		52.31	52.16	52.22	52.34	52.39	52.40	52.52		52.70	52.71		3
2 3 4		52.30	52.16	52.21	52.34	52.39	52.40	52.53	53.71	52.70	52.71		4
•		52.30	52.15	52.21	52.34	52.38	52.40	52.53	53.66	52.70	52.71	52.46	5
5 6 7		52.29	52.13	52.21	52.34	52.38	52.40	52.54	53.61	52.71	52.71	52.47	
9		52.28	52.10	52.21	52.34	52.37	52.41	52.54	53.57	52.71	52.70	52 .47	7
		52.28	52.08	52.21	52.34	52.37	52.41	52.55	53.53	52.71	52.70	52.48	8
6 9		52.27	52.06	52.21	52.34	52.36	52.41	52.56	53.48	52.71	52.70	52.48	9
10		52.27	52.06	52.21	52.34	52.36	52.42	52.57	53.44	52.72	52.70	52.47	10
11		52.26	52.05	52.21	52.34	52.35	52.42	52.57	53.39	52.72	52.70	52 .46	11
		52.26	52.06	52.21	52.34	52.35	52.42	52.57	53.35	52.72	52.70	52.45	12
12		52.25	52.06	52.21	52.35	52.36	52.43	52.56	53.30	52.72	52.69	52 - 45	13
13		52.25	52.07	52+22	52.35	52.37	52.43	52-57	53.26	52.72	52.69	52.44	14
14		52.24	52.07	52.22	52.35	52.37	52.44	52.62	53.22	52.73	52.69	52.43	15
15		52.23	52.08	52.22	52.35	52.37	52.44	52.62	53.17	52.73	52.68	52.42	16
16		52.23	52.08	52.22	52.35	52.36	52.44	52.62	53.13	52.73	52.68	52.40	17
17		52.22	52-09	52.23	52.35	52.36	52.44	52.62	53.09	52.73	52.68	52.37	18
1 A		52.22	52.10	52.23	52.35	52.36	52.44	52.62	53.04	52.73	52.67	52.34	19
19		52.21	52.10	52.23	52.35	52.36	52.44	52.62	53,00	52.74	52.67	52.33	20
20		52.20	52-11	52.23	52.36	52.36	52.45	52.63	52.96	52.74	52.67	52.32	21
21			52.12	52.23	52.36	52.36	52.45	52.67	52.91	52.74	52.67	52.31	22
22		52.20	52.14	52.23	52.36	52.36	52.45	52.67	52.87	52.74	52-67	52.31	23
23		52.19 52.19	52.15	52.23	52.36	52.36	52.47	52.68	52.82	52.74	52.67	52.31	24
24			52.16	52.23	52.36	52.36	52.49	52.68	52.78	52.73	52.67	52.30	25
25		52.18	52.17	52.28	52.37	52.35	52.51	52.67	52.76	52.73		52.30	26
26		52.17	52.18	52.32	52.37	52.35	52.51	52.67	52.76	52.73		52.30	27
27		52.17	52.19	52.32	52.37	52.36	52.51	52.68	52.75	52.73		52.30	28
28		52.16	52.20	52.33	52.38	52.42	52.52	52.68	52.74	52.72		52.30	29
29				52.33	52.38	52.42	52.53		52.72	52.72		52.30	30
30			52.21	32.33	52.38	32.442	52.52			52.72		52.29	31
31			52.21		22.30		22.72						
						NTHLY SUMM							MEAN
MEAN			52.12	52.24	52.35	52.37	52.45			52.72			P.C.414
1 NS T			52.05	52.21	52.33	52.35	52.40			52.70			INST
MAX		28	(11)	(5) (6)	(1)	(11)	1 31			(4)			MAX
2114 1			2000	4 714 81*									1
INST			52.22	52.33	52.38	52.42	52.53			52.74			INST
NIM			(31)	130)	(31)	1291	(29)			1221			MIN
THE IN			1.54.5		and the second	Mercal Science	1000						

ENVIRONMENT ONTARIO TORONTO MIDDLESEX COUNTY

OBSERVATION WELL 029

TOWNSHIP OF WESTMINSTER

WELL REC #: UTM CO-ORD: LAT & LONG: LOT 48

4103521 Z-17 E471660 N4753600 42-56NORTH 82-21WEST

DIAMETER OF WELL: 8 INCHES
LENGTH OF CASING: 96 FEET
LENGTH OF SCREEN: NONE
DEPTH OF WELL: 96 FEET

GORE

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. SAND & GRAVEL FRESH

REC METHOD: A35 RECORDER

REC COMMCD: JAN. 24 1952

REC COMMCD: JAN. 24 1952

LENGTH OF CASING: 96 FEET SPEC. CAP: N.A.

REC COMMCD: JAN. 24 1952

LENGTH OF CASING: 96 FEET SPEC. CAP: N.A.

REASURE PT: 3.6 FEET ABOVE GROUND SURFACE

LENGTH OF WELL: 8 INCHES

POWD PRATE: N.A.

REASURE PT: 96 FEET SPEC. CAP: N.A.

REASURE PT: 96 FEET SPEC. CAP: N.A.

REASURE PT: N.A.

REC METHOD: A35 RECORDER

SPEC. CAP: N.A.

REC METHOD: A55 FEET ABOVE GROUND SURFACE

LENGTH OF WELL: 8 INCHES

POWD PRATE: N.A.

REC METHOD: A55 FEET ABOVE SPEC. CAP: N.A.

REASURE PT: N.A.

REC METHOD: A55 FEET ABOVE GROUND SURFACE

LENGTH OF WELL: 8 INCHES

POWD PRATE: N.A.

REC METHOD: A55 FEET ABOVE GROUND SURFACE

LENGTH OF WELL: 8 INCHES

POWD PRATE: N.A.

REC METHOD: A55 FEET ABOVE GAP: A55 FEET ABOVE GAP: N.A.

REC METHOD: A55 FEET ABOVE GAP: A55 F

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE NOV DEC DAY AUG MAY JUN JUL JAN FEB DAY 4.84 4.84 4.84 4.97 4.97 4.97 5.02 5.03 5.17 5.17 5.18 5.22 5.25 5.25 5.25 5.26 5.25 5.26 5.33 123456789 4.88753976789135570358135764.4.4.4.555566667775803557644.4.4.4.4.8888 5.79 5.80 5.82 5.83 5.84 5.85 5.87 5.89 5.90 3.83 6.47 6.48 6.49 6.51 6.52 6.53 6.54 6.56 6.56 6.56 3.8952 4.096 4.1296 4.296 4.495 4.495 4.495 4.495 4.496 4.551 4.551 4.551 10 11 12 13 14 15 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 6.61 6.61 6.62 6.62 6.63 6.64 6.65 6.65 6.63 6.68 6.69 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 4.90 -MONTHLY SUMMARY 6.59 5.54 4.67 4. 82 5.07 4.51 4.38 MEAN 5.66 INST 5.31 6.46 4.01 4.59 4.76 3.81 4-46 3.80 INST INST 5.78 (31) 5.31 4.61 4.91 5.01 5.10

ENVIRONMENT ONTARIO TORONTC MIDDLESEX COUNTY

DESERVATION WELL 071

TOWNSHIP OF WESTMINSTER

NTR E

WELL REC #: 4105766 UTM CO-ORD: Z-17 E478438 N4747840 LOT 62 LAT & LONG: 42-53NQRTH 81-16WEST

REC METHOD: A35 RECORDER
REC COMMCO: OCT. 16 1956
MEASURE PT: 0.0 FEET ABOVE GROUND SURFACE
GND ELEV: 862 FEET ABOVE SEA LEVEL
MELL TYPE: DUG
MELL LOG: CLAY 45.

DIAMETER OF WELL: 36 INCHES LENGTH OF CASING: 45 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 45 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY :

	1974		
DAILY MEAN WATER	LEVELS REFERRED	TO DISTANCE IN FEET	BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JÜL	AUG	SEP	DCT	NOV	DEC	DAY
1					6.07	6.29	7.88						1
2					6.13	6.36	7.90						1 2 3 4 5 6 7
2					6.20	6.44	7.94						3
4					6.26	6.52	7.98						4
5					6.32	6.60	8.01						5
6					6.37	6.67	8.04						6
7					6.43	6.74	8.07						7
8					6.49	6.81	8.10						8
9					6.47	6.88	8.14						9
10	7.14				6.42	6.95	8.17						10
îĭ	7.16				6.39	7.00	8.20						11
12	7.19				6.10	7.07	8.23						12
13	7.21				5.97	7.13	8.26						13
14	7.23				5.90	7.19	8.30						14
15	7.26				5.84	7.25	8.32						15
16	7.28				5.78	7.30	8.35						16
17	7.29				5.72	7.35	8.38						17
18	7.30				5.66	7.40	8.41						18
19	7.31				5.60	7.43	8.44						19
20	7.32				5.53	7.46	8.47						20
21	6.98				5.47	7.50	8.51						21
21	6.58				5.43	7.54	8.54						21 22
22	6.14				5.55	7.58	8.57						23
22 23 24	5.91				5.62	7.62	0.00						24
24	5.81				5.71	7.67							25
25				5.72	5.82	7.71							24 25 26
26	5.63			5.80	5.91	7.76							27
27	4.63			5.87	6.01	7.81							28
20	4.45			5.94	6.09	7.83							29
29	4 . 45			6.00	6.17	7.85							27 28 29 30
30				0.00	6.25	1.00							31
51													
						NTHLY SUMM	IRY-						MEAN
MEAN					5.99	7.19							MEAN
INST					5.42	6.26							INST
MAX					(22)	(1)		×					MAX
1100													
INST					6.50	7.86							INST
MIN					(8)	(30)							MIN

ENVIRONMENT ONTARIO TORONTO MIDDLESEX CCUNTY

OBSERVATION WELL 091

TOWNSHIP OF WESTMINSTER

WELL REC #: 4103839 UTM CO-DRD: Z-17 E484160 N4745410 LOT 15 LAT & LONG: 42-52NORTH 81-12MEST

DIAMETER OF WELL: 10 INCHES LENGTH OF CASING: 197 FEET LENGTH OF SCREEN: 35 FEET DEPTH OF WELL: 232 FEET

PUMP RATE: 16 IGPM
SPEC. CAP: 8.05 IGPM/FT
AQUIFER : CLAY, SAND, GRAVEL
QUALITY : FRESH

REC METHOD:

A55 RELORDER

REC COMMCD:

APR. 14 1901

MEASURE PT:

3.5 FEET ABOVE GROUND SURFACE

LENGTH OF SCREEN:

A55 FEET ABOVE GROUND SURFACE

LENGTH OF SCREEN:

A011FER:

LENGTH OF SCREEN:

A011FER:

CLAY, SAND, GRAVEL

DEPTH OF WELL:

LENGTH OF SCREEN:

A011FER:

A011FER:

LENGTH OF SCREEN:

A011FER:

A011FER:

A011FER:

LENGTH OF SCREEN:

A011FER:

A011FER:

LENGTH OF SCREEN:

A011FER:

A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011FER:
A011

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BFLOW GROUND SURFACE

CONC . B

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	72.25	72.00	71.89	71.54	71.75	71.52	71.41	71.45	71.32	71.00	71.15	71.11	1
2	72.41	71.90	71.84	71.45	71.74	71.59	71.48	71.41		71.14	71.16	70.88	2
3	72.38	71.95	71.73	71.51	71.60	71.64	71.52	71.39		71.30	71.15	70.83	3
4	72.36	72.03	71.07	71.35	71.74	71.67	71.51	71.35		71.31	70.98	70.97	4
5	72.31	72.16	71.67	71.46	71.65	71.66	71.56	71.40		71.28	70.89	71.08	5
6	72.18	72.09	71.73	71.59	71.51	71.62	71.65	71.52		71.26	70.94	71.11	6
7	72.13	71.98	71.77	71.61	71.61	71.58	71.69	71.55		71.23	71.08	71.03	7
8	72.20	71.96	71.91	71.72	71.60	71.60	71.67	71.53		71.22	71.15	70.84	
9	74.19	71.92	71.67	71.72	71.46	71.52	71.63	71.49		71.14	71.19	70.80	9
10	72.23	71.88	71.98	71.81	71.56	71.39	71.62	71.53		71.14	71.18	70.86	10
11	72.13	71.86	72.06	71.88	71.53	71.41	71.69	71.49		71.22	71.02	70.86	11
12	72.24	71.82	72.01	71.79	71.30	71.45	71.75	71.44		71.21	70.58	70.80	12
13	72.40	71.78	72.07	71.68	71.38	71.52	71.72	71.43		71.28	70.77	70.91	13
14	72.27	71.98	72.08	71.54	71.37	71.54	71.60	71.51		71.11	70.75	70.99	14
15	72.10	72.12	71.97	71.52	71.36	71.42	71.56	71.54		71.12	70.82	71.04	15
16	72.01	71.94	71.77	71.68	71.47	71.37	71.66	71.47		71.11	70.94	70.85	16
17	72.19	71.87	71.74	71.73	71.46	71.41	71.71	71.34		70.99	71.00	70.74	17
18	72.20	71.80	71.72	71.73	71.60	71.43	71.64	71.34		71.10	71.00	70.75	18
19	72.20	71.01	71.65	71.83	71.71	71.43	71.63	71.41		71.15	70.95	70.76	19
20	74.10	71.72	71.75	71.90	71.77	71.42	71.71	71.53		71.20	70.71	70.80	20
21	71.94	71.88	71.05	71.82	71.71	71.34	71.70	71.60		71.37	70.52	70.82	21
22	72.05	71.53	71.71	71.64	71.57	71.34	71.66	71.56		71.39	70.72	70.81	22
23	72.01	71.73	71.72	71.55	71.49	71.42	71.62	71.54		71.34	70.86	70.88	23
24	72.16	71.91	71.61	71.71	71.48	71.51	71.64	71.57		71.30	70.80	70.93	24
25	72.19	71.95	71.98	71.81	71.51	71.53	71.60	71.55		71.20	70.86	70.88	25
26	72.12	72.03	71.89	71.83	71.52	71.56	71.55	71.47	71.05	71.24	71.04	70.97	26
27	71.91	72.01	71.95	71.85	71.54	71.62	71.52	71.38	71.03	71.21	71.04	71.01	27
28	71.98	71.87	71.94	71.79	71.52	71.62	71.48	71.36	70.96	71.20	70.89	70.99	28
29	71.98		71.75	71.76	71.39	71.55	71.36	71.31	70.84	71.21	71.03	71.00	29
30	71.94		71.48	71.71	71.45	71.42	71.36	71.30	70.95	71.22	71.17	70.98	30
31	71.86		71.48		71.40		71.41	71.28		71.19		71.07	31
						NTHLY SUMM							FOR SOME
ILAN	72.15	71.51	71.01	71.68	71.54	71.50	71.59	71.45		71.21	70.95	70.91	MEAN
INST	71.77	71.42	71.42	71.32	71.28	71.32	71.34	71.25		70.94	70.47	70.70	1N5 T
MAX	(31)	(22)	(31)	(4)	(12)	(22)	(29)	(30)		(17)	(21)	(17)	MAX
INST	72.46	72.20	72.09	71.93	71.82	71.68	71.79	71.63		71.42	71.21	71.19	INST
MIN	1 2)	1 61	(11)	(20)	(1)	(4)	(12)	(21)		(22)	(9)	(1)	MIN

ENVIRONMENT CHIARIC TORONTO

DARERVATION WELL 513

TOWNSHIP OF WESTMENSTER

-ELL REC #: 4103738 UTM CN-DRD: Z-17 E479040 N4748890 CONC. 5 LOT 22 LAT & LONG: 42-54NDRTM 81-15MEST

REC METHOD: A 35 PFCONDER

REC COMMOD: A 35 PFCONDER

REC COMMOD: A 36 PFCONDER

REC COMMOD: A 37 PFCONDER

REC COMMOD: A 37 PFCONDER

REC COMMOD: A 37 PFCONDER

LENGTH OF CABING: 109 PECT

SPEC. CAP: L7.9 IGPH/FT

SPEC. CAP: L7.9 IGPH/FT

ADUTFER: GRAVEL

BELL TYPE: ORILLED

RELL LOGS

REC CAP: L7.9 IGPH/FT

ADUTFER: GRAVEL

BELL TYPE: ORILLED

AND MIXED SAND 103: CLAY AND GRAVEL AND MIXED SAND 118; FINE SAND 125; MIXED SAND AND SILT. CLAY 129

GRAVEL AND FINE SAND 139; GRAVEL 100; GRAVEL AND MIXED SAND 118; FINE SAND 125; MIXED SAND AND SILT. CLAY 129

					w.tro (1970 EVEL 8 DESI		STANCE IN	FFET 851 01	# GROUND SU	PEACE		
DAY	JAN	FER	MAR	APR	MAY	JUN	JUI.	AUG	SEP	007	NOV	OFC	DAY
DAT	JAN	E. C. 75	- 64	APR	mar	204	Jul.	406	357	ut.	F-100	OE C	04.
t					45,74	45.33	45.05	44.85	44.68	44.48			1
,					45.67	45.32	45.05	44.60	44.69	112 - 94 (14) 100 - 100 11			2
ī					45.62	45.31	45.04	44.79	44.86				3
2 3 4					45.71	45.30	45.07	44.77	44.69				
5					45.58	45.27	45.04	48.78	44.73				5
5 6 7					45,50	45.24	45.01	44,83	\$4.00				
7					45 63	45.22	45.00	44.84	44.67				7
8					45.60	45,22	44,97	58.00	44.65				
9					45.55	45,18	44.92	44.81	64.65				9
10	47.21				45.60	45,12	44.92	44.80	44.62				10
11	47.15				49.52	45.17	44,96	44.77	44.60				1.1
12	47.26				45,43	45.18	44.99	44,76	44,56				12
13	07.29				45.50	45,19	44.96	44,76	44.56				13
14					45.45	45.17	44.89	44.78	54.45				14
15					45,48	45.07	44.67	44.79	44.58				15
16					45,50	45.06	44.44	44.74	44.42				16
17					45,50	45.07	44.96	48,68	44,53				17
18					45.53	45.09	44,89	44.69	44.58				1.0
19					45,55	45.10	44.88	44.72	44.58				1 9
50					45.54	45.07	44.42	44,73	44.58				20
71					45,45	44.97	40,91	44,77	44.57				21
55					45,39	46,99	40.00	46.77	44.59				22 23 24 25
23					45,37	44.95	44.87	40.72	44.43				23
24					49.37	44.42	44.87	44.73	40.60				54
25					45,37	44.94	44.67	44,73	44.43				25
26				45.80	45.37	44.94	44,85	44.69	44,42				26
27				45.78	45.36	44.91	94.62	44.67	44,44				27
88				49.72	45, 53	44.44	44.80	44.66	44.45				28
50				45.71	45,24	45.01	44.76	44.67	44.38				29
30				45.65	45,28	45,08	44.80	44.66	44.48				30
31					45.20		44.80	44,63					31
						NTHLY BUNN		W11 15121	Principal Page 27				W020101001
HETH					45,49	45,11	44.42	40.75	44.58				MEAN
INST					45,22	44.69	44.76	44.62	44.27				INST
PAX					(31)	(27)	(54)	(31)	(29)				MAX
INST					45.77	45.34	45,11	44,85	44.74				INST
MIN					(1)	(1)	(4)	(1)	(5)				MIN

ENVIRONMENT ONTARIC TORONTO DXFORD COUNTY

OBSERVATION WELL 372

TOWNSHIP OF BLENMEIN

CONC. 10 LOT 8

MELL REC 8: 4703490 UTM CO-ORD: Z-17 E537760 N4792000 LAT & LONG: 43-17NORTH 80-32WEST

REC METHOD: A35 RECORDER
REC COMMCD: JUN. 6 1972
MEASURE PT: 0.0 FEET ABOVE GROUND SURFACE
GND ELEV: 1020 FEET ABOVE SEA LEVEL
WELL TYPE: 006
WELL LOG: GREY SANO, GRAVEL 31.

DIAMETER OF WELL: 48 INCHES LENGTH OF CASING: 31 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 31 FEET

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : SANO AND GRAVEL
QUALITY : FRESH

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1					23.63	23.46	23.19	23.34	23.48		23.96		1
2				23.95	23.67	23,45	23.24	23.31	23.53		24.03		2
3				24.02	23.50	23.40	23.26	23.27	23.52	23.92	23.99		3
				23.86	23.65	23.37	23.23	23.27	23.55	23.63	23.89		4
5				23.97	23.58	23.34	23.24	23.31	23.62	23.79	23.92		5
Á				24.05	23.46	23.32	23.30	23.39	23.62	23.77	24.04		6
7				23.97	23.63	23.31	23.30	23.40	23.57	23.77	24.14		7
В			24.48	24-01	23.66	23.30	23.24	23.36	23.53	23.81	24.13		8
9			24.33	23.90	23.55	23.27	23.20	23.34	23.55	23.76	24.12		9
10			24.43	23.91	23.63	23.22	23.20	23.35	23.56	23.BL	24.07		10
11			24.30	23.94	23.51	23.31	23.27	23.34	23.54	23.89	23.95		11
12			24.28	23.78	23.44	23.36	23.30	23.30	23.51	23.88	23.90		1.2
13			24.27	23.70	23.63	23.37	23.27	23.30	23.53	23.92	23.94		13
14			24.22	23.64	23,55	23.35	23.17	23.38	23.64	23.74	24.03		14
15			24.12	23.69	23.63	23.23	23.18	23.43	23.63	23.81	24.13		15
16			24.01	23.87	23.65	23.25	23.27	23.37	23.63	23.85	24.20		16
17			24.05	23.85	23.63	23.29	23.32	23.29	23.62	23.77	24.20		17
18			24.09	23.77	23.68	23.35	23.24	23.31	23.59	23.93	24-14		18
19			24.10	23.84	23.68	23.34	23.19	23.37	23.68	23.94	24.09		19
20			E(15,E.5)	23.83	23.58	23.29	. 23-27	23.45	23.67	23.97	23.94		20
21				23.69	23.44	23.21	23.28	23.49	23.67	24.05	23.92		21
22				23.57	23,37	23.25	23.23	23.45	23.68	23.99	24.23		22
23				23.61	23.38	23.33	23.22	23.40	23.76	23.92	24.27		23
24				23.80	23.45	23.34	23.24	23.42	23.78	23.92	24.15		24
25				23.84	23.46	23.31	23.26	23.46	23.60	23.84	24.21		25
26				23.74	23.45	23.31	23.25	23.42	23.53	23.93			26
27				23.69	23.44	23.33	23.23	23.37	23.62	23.96			27
28				23.60	23.38	23.29	23.21	23.42	23.68	23.96			28
29				23.57	23.30	23.19	23.17	23.42	23.62	23.99			29
30				23.58	23.35	23.13	23.22	23.42	23.69	24.02			30
31					23.35		23.31	23.44		23.99			31
					-MO	NTHLY SUMM	ARY-						over the control of
MEAN					23.53	23.31	23+24	23.37	23.61				MEAN
I NS T					23.29	23.12	23.14	23.26	23.45				INST
MA K					1281	(30)	(14)	(17)	(1)				HAX
I NS T					23.74	23.47	23.34	23.49	23.80				INST
MIN					(16)	1 1)	(17)	1211	(23)				MIN

ENVIRONMENT ONTARIO TORONTO OXFORD COUNTY

OBSERVATION WELL 103

TOWNSHIP OF E. ZORRA

CONC. 12 LOT 4

WELL REC #: 4701426 UTM CO-ORD: Z-17 E519140 N4777235 LAT & LONG: 43-09NORTH 80-46WEST

DIAMETER OF WELL: 8 INCHES
LENGTH OF CASING: 23 FEET
LENGTH OF SCREEN: NONE
DEPTH OF WELL: 52 FEET

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : LIMESTONE
QUALITY : FRESH

						1974							
				DAILY ME	AN WATER	LEVELS REFE	RRED TO DI	STANCE IN	FEET BELOW	GROUND SU	REACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
19		1.51			1.24		1.89	2.88		4.16		3.63	1
1 2 3		1.50		1.34	1.27		1.91				4.55		2
3	2.67	1.51		1.28	1.29		1.94	2.98		4-27	4.55	3-58	3
4	2.68	1.51		0.93	1.33	1.04	1.98	3.01	3.62	4.31	4.54	3.58	4
5	2.69	1.52		0.91	1.36	1.09	2.01	3.04	3.63	4-36	4.54	3.58	5
6	2.69	1.53		0.92	1.38	1.15	2.05	3.06	3.65	4.38	4.48	3.58	6
7	2.71	1.53		0.92	1.40	1.20	2.08	3.09	3.67	4.38	4.44	3.58	7
8	2.73	1.54		0.90	1.43	1.26	2.12	3.12	3.69	4.39	4.43	3.57	8
9	2.75	1.55		0.91	1.40	1.31	2.15	3-15	3.70	4.39	4.42	3.56	9
10	2.77	1.58		0.92	1.33	1.37	2.20	3.17	3.72	4.40	4.41	3.55	10
11	2.78	1.61		0.93	1.34	1.42	2.24	3.20	3.74	4.40	4.41	3.54	1.1
12	2.81	1.64		0.93	1.24	1.47	2.29	3.23	3.76	4.41	4.41	3.53	12
13	2.83	1.67		0.90	1.03	1.52	2.33	3.25	3.77	4.41	4.37	3.51	13
14	2.84	1.71		0.89	1.01	1.57	2.36	3.28	3.79	4.42	4.32	3.49	14
15	2.85	1.75		0.89	0.99	1.59	2.39	3.31	3.81	4.42	4.26	3.47	15
16	2.86	1.79		0.92	0.95	1.62	2.42	3.34	3.83	4.43	4.21	3.45	16
17	2.88	1.83		0.94	0.73	1-64	2.45	3.37	3.84	4.43	4.20	3.43	17
18	2.89	1.86		0.96	0.56	1.64	2.48	3.40	3.86	4-44	4.18	3.42	18
19	2.91	1.89		0.98	0.57	1-64	2.50	3.43	3.88	4.44	4.16	3.42	19
20	2.93	1.92		1.01	0.58	1.53	2.53	3.46	3.90	4.44	4-14	3.42	20
21	2.79	1.94		1.04	0.59	1.54	2.56	3.49	3.92	4.45	3.88	3.42	21
22	2.62	1.50		1.06	0.60	1.55	2.59	3.52	3.95	4.45	3.75	3.42	22
23	2.40	1.17		1.00	0.61	1.59	2.61	3.54	3.97	4.46	3.72	3.43	23
24	2.36	1.22		1.00	0.63	1.64	2.64	3.55	3.99	4.46	3.70	3.43	24
25	2.34	1.28		1.03	0.66	1.69	2.67	3.54	4.01	4.47	3.67	3.43	25
26	2.22	1.34		1.07	0.71	1.73	2.70	3.54	4.02	4.47	3,65	3.42	26
27	1.69	1.39		1.12	0.75	1.77	2.73	3.54	4.04	4.47	3.64	3.41	27
28	1.65	1.44		1.15	0.81	1.81	2.76	3.55	4.06	4.48	3.63	3.41	28
29	1.62			1.18	0.87	1.84	2.79	3.57	4.07	4-48	3.63	3.40	29
30	1.57			1.21	0.91	1.87	2.82	3.59	4.05	4.48	3.63	3.39	30
31	1.51				0.93		2.84	3.61		4.49		3.39	31
						ONTHLY SUMM							
MEAN		1.58			0.98		2.39						MEAN
INST		1.14			0.56		1.88						INST
XAM		(22)			(18)		(1)						MAX
MAX		1221					15 15 00						

ENVIRONMENT ONTARIO TORONTO OXFORD COUNTY

OBSERVATION WELL 104

1.46

TOWNSHIP OF E. ZORRA

CONC. 12 LOT 4

4701427 Z-17 E519140 N4777230 43-09NORTH 80-46WEST WELL REC #: UTM CO-ORD: LAT & LONG:

INST MIN

DEC

RFC METHOD: 'F' TYPE RECORDER
REC COMMCD: JUN. 28 1962
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE
GND ELEV: 925 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LOG: BROWN FINE SANC AND SILT 10; ROCK 20.3.

1.95

DIAMETER OF WELL: 8 INCHES
LENGTH OF CASING: 20 FEET
LENGTH OF SCREEN: NONE
DEPTH OF WELL: 20.3 FEET

2.86

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. ROCK FRESH

DAILY	MEAN	WATER	LEVELS	REFERRED	TC	DISTANCE	IN	FEET	BELOW	GROUND	SURFACE
APR		MAY	JUI	IL N	JL	AUG		S	EP	OCT	NOV

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	001	NUV	UEC	UAI
1			1.69		1.93		2.83	3.95				3.87	1
2		2.01	1.70	1.62	1.97		2.95				4.77		2
3		2.03	1.48	1.63	1.99		3.00	4.02		2.25	4.76	3.91	3
2		2.07	1.19	1.12	2.08	2.24	3.05	3.97	4.51	2.33	4.72	3.92	4
5		2.10	1.16	1.26	2.09	2.31	2.96	4.02	4.52	2.43	4.64	3.93	5
6		2.11	1.28	1.35	2.01	2.36	3.05	4.07	4.53	2.53	4.55	3.94	6
7		2-10	1.35	1.32	2.13	2.42	3.16	4.10	4.55	2.63	4.54	3.91	7
		2.13	1.36	1.30	2.15	2.48	3.23	4.12	4.56	2.72	4.54	3.88	8
8		2.17	1.25	1.34	1.70	2.52	3.27	4.14	4.57	2.82	4.56	3.86	9
10		2.20	1.35	1.42	1.80	2.58	3.32	4.19	4.58	2.91	4.58	3.86	10
11		2.25	1.38	1.45	1.97	2.67	3.39	4.21	4.58	3.01	4.60	3.86	11
12	3.35	2.28	1.44	1.33	1.53	2.71	3.46	4.23	4.56	3.09	4.58	3.85	12
13	3.32	2.29	1.54	1.26	1.34	2.70	3.50	4.24	4.53	3.17	4.44	3.78	13
14	3.35	2.40	1.57	1.26	1.51	2.71	3.50	4.27	4.55	3.25	4.41	3.74	14
15	3.42	2.45	1.53	1.32	1.48	2.57	3.34	4.31	4.57	3.32	4.34	3.72	15
16	3-40	2.44	1.50	1.41	1.49	2.41	3.42	4.33	4.58	3.38	4.31	3.69	16
17	3.45	2.48	1.55	1.45	0.97	2.60	3.50	4.36	4.59	3.45	4.32	3.67	17
1.8	3.43	2.51	1.60	1-48	1.09	2.46	3.52	4.39	4.60	3.58	4.32	3.67	18
19	3.14	2.48	1.62	1.55	1.21	2.23	3.43	4.42	4.61	3.68	4.32	3.68	19
20	2.89	2.52	1.59	1.60	1.31	2.25	3.49	4.45	4.63	3.77	4.19	3.74	20
21	2.63	2.50	1.59	1.58	1.35	2.36	3.58	4.48	4.64	3.86	3.75	3.75	21
22	2.59	1.60	1.68	1.41	1.36	2.48	3.63	4.50	4.66	3.95	3.76	3.76	22
23	2.66	1.56	1.71	1.27	1.37	2.65	3.67	4.52	4.67	4.03	3.80	3.78	23
24	2.64	1.79	1.80	1.48	1.48	2.75	3.69	4.21	4.66	4.12	3.78	3.77	24
25	1.84	1.93	1.87	1.58	1.57	2.80	3.73	4.22	4.66	4.20	3.78	3.73	25
26	1.86	2.04	1.89	1.66	1.62	2.80	3.75	4.26	4.66	4.30	3.82	3.75	26
27	1.98	2.06	1.95	1.75	1.68	2.77	3.76	4.31	4.68	4.40	3.81	3.75	27
28	1.97	1.87	1.94	1.79	1.76	2.86	3.81	4.37	4.67	4.49	3.83	3.73	28
29	1.87	1.01	1.94	1.66	1.66	2.85	3.86	4.42	4.55	4.59	3.87	3.74	29
30	1.01		1.93	1.81	1.71	2.75	3.88	4-46	4.43	4-67	3.88	3.76	30
31					1.81	-	3.92	4.48		4.73		3.78	31
31													
					-MOM	THLY SUMMA	ARY-						
MEAN					1.65		3.44						MEAN
INST					0.74		2.73						INST
MAX					(17)		(1)						MAX
INST					2.21		3.93						INST
					(8)		(31)						MIN
MIN					181 75555								

ENVIRONMENT ONTARIO TORONTO OXFORD COUNTY

WELL REC #: 4702077 UTM CO-ORD: Z-17 E524100 N4750750 LAT ε LONG: 42-55NORTH 80-42 WFST OBSERVATION WELL 176 TOWNSHIP OF S. NORWICH CONC. 9

DIAMETER OF WELL: 7 INCHES LENGTH OF CASING: 30 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 32 FEET

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : RUNNING SAND
QUALITY : FRESH

		19								
DATLY	MEAN WATER	LEVELS	REFERRED	TE	DISTANCE	IN	FEET	BELOW	GROUND	SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1	1.29		0.96		1.15	1.14	1.41						1 2 3 4
	1.29		0.97		1.15	1.14	1.42						2
3	1.28		0.98		1.16	1.17	1.43			2.24			3
Á	1.28		0.99		1.17	1.19	1.44			2.24			4
5	1.27		1.01		1.19	1.21	1.45			2.24			5
2 3 4 5 6 7	1.27		1.01		1.20	1.25	1.47			2.24			5 6 7
7	1.28		1.02		1.20	1.26	1.49			2.24			7
8	1.30		1.02		1.20	1.29	1.51			2.24			8
9	1.32		1.03		1.20	1.32	1.54			2.25			9
10	1.33		1.03		1.19	1.36	1.58			2.26			10
11	1.35		1.03		1.18	1.39	1.59			2.27			11
12	1.37	1.02	1.04		1.15	1.42	1.62			2.27			12
13	1.38	1.00	1.04		1.11	1.44	1.65			2.28			13
14	1.40	0.96	1.04		1.08	1.45	1.68			2.28			14
15	1.41	0.95	1.03		1.07	1.46	1.69			2.29			15
16	1.43	0.95	1.02		1.07	1.46	1.67			2.29			16
17	1.44	0.95	1.01		1.03	1.46				2.30			17
18	1.45	0.95	1.01		0.99	1.46				2.30			18
19		0.95	1.01		0.99	1.44				2.30			19
20	1.48	0.95	1.00		0.99	1.35				2.31			20
21	1.48	0.95	1.00		0.99	1.31				2.34			21
22	1.43	0.94	1.00		0.99	1.31				2.34			22
23	1.33	0.94	1.00		0.99	1.31				2.36			23
24	1.27	0.94	1.00		0.99	1.30				2.36			24
25	1.23	0.95	1.00	1.09	1.01	1.32				2.37			25
26	1.20	0.95	1.00	1.10	1.04	1.33							26
27	1.14	3.95	1.01	1.11	1.05	1.35							27
28	1.11	0.96) (E-1) - E-1)	1.13	1.07	1.37							28
29	1.09	30.00		1.13	1.09	1.39							29
30	1.05			1.14	1.10	1.41							30
31				ACCOMPANY OF THE PARK OF THE P	1.12								31
					CALCULATION .								
					-MOI	NTHLY SUMM	ARY-						-22
MEAN					1.09	1.34							MEAN
I NS T					0.99	1.13							INST
MAX					(18)	(1)							MAX
INST					1.20	1.46							INST
1 143 1					(8)	(17)							MIN

WELL REC #: 4702076 UTM CO-GRO: Z-17 E524100 N4750750 LAT E LONG: 42-55NGRTH 80-42 WEST ENVIRONMENT ONTARIO TORONTO OXFORD COUNTY OBSERVATION WELL 177 TOWNSHIP OF S. NORWICH CONC. 9 LOT 2

DIAMETER OF WELL: 7 INCHES LENGTH OF CASING: 110 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 123 FEET REC METHOD: A35 RECORDER DIAMETER OF WELL: 7 INCHES PUMP RATE: L7 IGPM
REC COMMCD: MAY 26 1966 LENGTH OF CASING: 110 FEET SPEC. CAP: 17-0 IGPM/FT
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE LENGTH OF KEEL: NONE AQUIFER: LIMESTONE
GND ELEV: 850 FEET ABOVE SEA LEVEL DEPTH OF WELL: 123 FEET QUALITY: SULPHUR
WELL TYPE: DRILLED
WELL LOG: BLACK LOAM 1: FINE BROWN SAND 10; FINE QUICK SAND 38; GREY CLAY 52; GRAVEL LAYER 53; CLAY WITH GRAVEL 60; GRAVEL PUNP RATE: 17 IGPM SPEC. CAP: 17.0 IGPM/FT AQUIFER : LIMESTONE QUALITY : SULPHUR

				DAILY M	EAN WATER	LEVELS REF	ERRED TO D	ISTANCE IN	FEET BELD	GROUND SU	RFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	47.74	47.17	46.80	45.88	46.31	46.43	46.75	47.07	47.76	48.33			1
2	47.75	47.17	46.80	45.88	46-32	46.44	46.75	47.08	47.80	48.33			2
3	47.76	47.17	46.91	45.89	46.34	46.45	46.75	47.10	47.84	48.34			
4	47.77	47.18	47.61	45.88	46.36	46.53	46.75	47.11	47.87	48.35			4 5 6 7
5	47.77	47.19	48.08	45.88	46.37	46.54	46.75	47.14	47.90	48.35			5
6	47.77	47.20	47.59	45.88	46.37	46.55	46.77	47.16	47.94	48.36			6
7	47.77	47.20	46.82	45.90	46.39	46.57	46.79	47.18	47.95	48.37			7
8	47.77	47.20	46.66	45.91	46.41	46.60	46.80	47.21	48.03	48.38			8
9	47.77	47.21	46.30	45.92	46.41	46.61	46.81	47.22	48.03	48.38			9
10	47.77	47.20	46.18	45.92	46.42	46.63	46.82	47.25	48.05	48.37			10
11	47.78	47.17	46.17	45.97	46.43	46.64	46.84	47.27	48.08	48.38			11
12	47.78	47.17	46.12	46.00	46.41	46.65	46.85	47.29	48.09	48.35			12
13	47.77	47.16	46.09	46.01	46.40	46.67	46.87	47.32	48.10	48.40			13
14	47.76	47.17	46.08	46.01	46.40	46.68	46.88	47.35	48.12	48.38			14
15	47.68	47.17	46-04	46.02	46.36	46.69	46.89	47.39	48-14				15 16
16	47.64	47.17	45.75	46.02	46.34	46.69	46.90	47.42	48.15				
17	47.63	47.17	45.72	46.04	46.34	46.69	46.91	47.44	48.17				17
18	47.64	47.17	45.72	46.06	46.34	46.70	46.92	47.44	48.18				18
19	47.64	47.06	45.70	46.09	46.33	46.70	46.93	47.48	48.19				19
20	47.65	46.93	45.71	46.11	46.34	46.71	46.93	47.53	48-19				20
21	47.62	46.93	45.72	46.13	46.35	46.70	46.94	47.54	48.21				21
22	47.62	46.82	45.74	46.15	46.36	46.70	46.94	47.56	48.23				22
23	47.62	46.74	45.76	46.15	46.36	46.70	46.94	47.58	48.25				23
24	47.62	46.74	45.78	46.16	46.36	46.70	46.95	47.60	48.26				24
25	47.62	46.76	45.81	46.18	46.36	46.70	46.95	47.62	48.28				25 26
26	47.57	46.78	45.83	46.20	46.36	46.71	46.96	47.63	48.29				26
27	47.18	46.80	45.85	46.22	46.37	46.72	46.96	47.64	48.31				27
28	47.16	46.81	45.86	46.25	46.38	46.73	46.96	47.65	48.32				28
29	47.17	40.01	45.87	46.28	46.39	46.74	46.97	47.67	48.32				29
30	47.17		45.87	46.30	46.41	46.75	47.02	47.69	48.33				30
31	47.17		45.88	10.30	46.43		47.04	47.72					31
31	41.11		47.00				-0.1						
					-м	ONTHLY SUMM	ARY-						
MEAN	47.62	47.06	46.22	46.04	46.37	46.64	46.88	47.40	48.11				MEAN
							25	0.21.02					THET
INST	47.16	46.73	45.69	45.87	46.31	46.43	46.74	47.05	47.73				INST
MAX	(28)	(24)	(19)	(4)	(1)	(1)	(4)	(1)	(1)				MAX
INST	47.78	47.21	48.09	46.31	46.43	46.75	47.05	47.73	48.34				INST
MIN	(14)	(9)	(6)	(30)	(12)	1301	(31)	(31)	(30)				MIN

ENVIRONMENT ONTARIO TORONTO PERTH COUNTY

OBSERVATION WELL 045

TOWNSHIP OF BLANSHARD

WELL REC #: UTM CO-ORD: LOT L1 LAT & LONG:

5001877 Z-17 E474275 N4795450 43-19NORTH 81-18WEST

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : 15 IGPM N.A. GRAVEL FRESH DIAMETER OF WELL: 4 INCHES LENGTH OF CASING: 32 FEET LENGTH OF SCREEN: 4 FEET DEPTH OF WELL: 36 FEET REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG: A35 RECORDER

MAY 26 1970

LENGTH OF CASING: 32 FEET

LENGTH OF SCREEN: 4 FEET

LENGTH OF SCREEN: 4 FEET

LENGTH OF SCREEN: 4 FEET

LENGTH OF WELL: 36 FEET

ROUTER: GRAVEL

1175 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 36 FEET

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

A INCHES

SPEC. CAP: N.A.

AQUIFER: GRAVEL

QUALITY: FRESH

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL

BROWN SAND AND CLAY FILL 2; SAND, GRAVEL 6; COARSE GRAVEL 6; COAR

					IN HATER I	1974	00ED TC 01	STANCE IN	FEET BELD	W GROUND SU	REACE			
				DAILY ME	AN WATER L	EVELS KEFE	KKEU IL UI	STANCE IN	rec breo	W OKCONO 30	NI HUL			
DAY	JAN	FE8	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY	
1.	4.29	1.92	1.93	2.26	2.36	2.55	3-40				9.03	7.85	1	
2	4.38	1.99	1.91	2.01	2.40	2.58	3.46				9.05	7.91	2	
3	4.41	1.97	1.60	1.95	2.43	2.65	3.49			8.47	9.05	7.96	3	
4	4.45	2.03	1.12	1.36	2.46	2.71				8.48	9.04	8.01	4	
5	4.48	2.11	0.48	1.52	2.50	2.75				8.50	9.04	8.06	5	
6	4.49	2.22	1.03	1.64	2.54	2.78				8.53	8.94	8-16	6	
7	4.51	2.34	1.14	1.73	2.58	2.83				8.55	8.84	8.22	7	
8	4.57	2.39	1.23	1.76	2.64	2.87				8.57	8.84	8.23	8	
9	4.60	2.43	1.26	1.82	2.66	2.91				8.57	8.85	8-24	9	
10	4.58	2.49	1.27	1.87	2.66	2.96				8.58	8.86	8.24	10	
11	4.57	2.64	1.29	1.95	2.66	3.01				8.62	8 .89	8.27	11	
12	4.60	2.73	1.33	1.97	2.41	3.06				8.67	8.90	8.28	12	
13	4.63	2.78	1.38	1.96	2.24	3.10				8.68	8.88	8.29	13	
14	4.66	2.84	1.44	1.97	2.35	3.17				8.69	8.84	8.29	14	
15	4.69	2.89	1.50	1.97	2.15	3.20				8.69	8.80	8.28	15	
16	4.70	2.92	1.55	2.02	1.96	3.23				8.69	8.78	8.28	16	
17	4.71	2.93	1.62	2.08	0.89	3.27				8.71	8.76	8.27	17	
18	4.73	2-94	1.71	2.13	1.42	3.28				8.73	8.71	8.23	18	
19	4.75	2.94	1.75	2.23	1.69	3.28				8.75	8.65	8.22	19	
	4.76	2.95	1.78	2.28	1.82	3.28				8.77	8.61	8.22	20	
20	4.26	2.95	1.82	2.30	1.94	3.23				8.79	8.19	8.21	21	
	3.62	2.38	1.89	2.23	2.07	3.15				8.81	7.83	8.21	22	
22	3.24	2.00	1.94	1.91	2.16	3.21				8.83	7.68	8.21	23	
23	3.12	2.15	2.01	1.98	2.21	3.31				8.86	7.60	8.22	24	
	3.21	2.30	2.11	2.06	2.24	3.35				8.89	7.50	8.23	25	
25	3-20	2.34	2.12	2.13	2.30	3.37				8.92	7.48	8.22	26	
26	1.78	2.33	2.18	2-18	2.35	3.27				8.94	7.53	8.21	27	
	1.63	2.26	2.22	2.23	2.39	3.32				8.96	7.61	8.21	28	
28	1.83	2.20	2.29	2.25	2.42	3.38				8.97	7.70	8.21	29	
29	1.90		2.31	2+30	2.45	3.40				8.98	7.78	8.21	30	
30	1.90		2.27	2+30	2.49					9.00		8.19	31	
31	1.70													
						THLY SUMM	ARY-				0.40	0 10	MEAN	
MEAN	3.91	2.47	1.66	2.00	2.25	3.08					8.48	8-14	MEAN	
TACT	1.33	1.80	0.24	1.27	0.68	2.52					7.46	7.81	INST	
INST	(27)	(23)	(5)	(4)	(17)	(1)					(26)	(1)	MAX	
MAX	(2/)	1231		- 3 30		N. 25						100000		
INST	4.78	2.95	2.31	2.34	2.67	3.42					9.05	8.29	INST	
MIN	(20)	122)	(30)	(22)	(11)	1261					(2)	(13)	MIN	
LLT IA	1201	1221	1.00		# 350 E A									

ENVIRONMENT ONTERIO TORONIO PERTH COUNTY DESERVATION WELL 108 TOWNSHIP OF DOWNTE LOT 1 REC METHOD: IF! TYPE PECORDER DIAMETER OF WELL; 8 THES PLIME BREC COMMENT JIN. 20 1963 LENGTH OF CASTNG: 20 FFET SPEC. CAP1 N MESSIVE PT: 1,5 FFET ABOVE SERVIND SHREACE LENGTH OF SCREEN; NORE ADUTER I I GOOD FLEV; 1035 FEFT ABOVE SEA LEVEL DEPTH OF WELL; 70 FFET OHALITY I FOR MELL TYPE; DATE OF THE STORE SEA RECORD SERVINDS S PUMP PATES 5 TGPH SPEC. CAPS N.A. ADUTER I IMESTONE DHALITY I FRESH

	3."			DAILY ME	AN WATER L	1974 EVELS GEFE	RRED TO DT	STANCE IN	FFET RELDA	CROUND SI	HFACE		
DAY	14~	FEA	P 4 0	APR	MAY	JUN	,tor	≜UG	SEP	nct	MUV	ofc	n A Y
1		1.54	2.34	1.99	1.70	2.09	2.18	2.41		2.86	3.77	3.57	1
è		1.57	2.41	1.59	1.72	7.13	2.26	7.40		7.86	4.79	3.5A	5
3	2.66	1.63	2.20	1.65	1,69	2.14	2.27	2.38		7.96	3.76	3.62	3
	2.A7	1.71	1.88	1.16	1.73	2.17	2.2A	2.36		3.03	3.61	4.67	4
5	2.95	1.72	1.50	1.28	1.74	2.77	7.76	7.37		3,12	4.54	84.1	5
	2.98	1.72	1.52	1.33	1,71	2.32	2.31	2.40		1,17	1.53	3.49	6
7	1.04	1.78	1.35	1.29	1.70	2.34	2.36	2.46		3,14	5.A.3	1.6A	7
8	3.13	1.87	1.26	1.12	1.45	2.36	2.39	7.48		3,19	3.70	1.59	A
9	3.33	2.01	1.21	1.34	1.67	2.34	2.37	2.37		3.24	3.76	3,58	0
10	3.44	2.00	1.26	1.40	1,76	2.35	2.40	2.19		3.31	3.80	54.7	10
11	1.46	1.97	1.33	1.46	1.80	2.36	2.05	2.29		3.35	1.79	1.45	11
12	1.51	1.00	1,50	1.47	1.40	2.40	2.46	2.21	2.72	3.38	1.60	T. A 3	12
13	1.50	2.12	1.50	1.52	1.00	2.37	7.46	2,23	2.70	7.40	1.62	T. 61	1.3
14	1.44	2.31	1.49	1.56		2.33	2.37	2.32	2.80	1,26	3.41	7.61	10
15	1.26	2.01	1.55	1.61		2.29	2.10	2.36	2.85	1.24	1.54	5.A2	15
16	3.52	2.61	1.62	1.65	0 74	2.23	2.18	2.58	2.94	3.32	3.71	3,57	16
17	3.50	7.69	1.63	1.76	0.74	2.24	2.28	2.34	2.98	3,38	3.62	3,53	1.7
18	3.61	2.71	1.62	1.87	0 31	2.08	2,30	2.40	2.00	3.44	3.45	3.57	1 A
19	1.63	2.49	1.67	1.90	0.31	1.88	2.12	2.44	3.05	3.47	3.64	3.5M	10
50	1.57	2.7A	1.66	1.90	0,71	1.70	2.20	2.46	3.11	3.51	3.05	3.43	20
21	3.10	2.81	1.61	1.01	O AA	1.64	2.27	2.57	3,12	3.56	3.07	8.49	21
55	2.78	2.30	1.74	1.70	1.20	1.75	2.12	2.64	3.16	1.59	3.22	3.73	22
23	2.26	2.12	1.75	1.25	1 11	1.97	2.31	2.61	3.20	3.60	3.30	3.74	23
24	2.20	2.2B	1.75	1.18	1,56	8.08	2.30	2.54	3.21	3.59	1.19	1000000	24
25		2.02	1,71	1.39	7.1	5.15	2.30	2.57	3.17	3.59	3.27		25
56	2.16	2.50	1.74	1.50	1,61	2.12	2.26	2.60	3.19	3.63	1,19	3.71	26
27	1.42	2.57	1.88	1,58	1.90	2.17	2.26	2.62	1.23	3.46	1.45	7.71	27
28		54.5	1.95	1.67	1.98	2.25	2.30		3.15	3.69	3.47	1.69	28
	1.55	7.00	1.9A	1,65	1.46	2.17	2.26		2.91	3.72	3.52	84.7	29
30	1.54		1.99	1.61	1,96	2.08	7.76		2.94	3.73	3.57	1.66	30
31	1.55		5.02		2.01	C . M.O.	2.35		(E) 677.58	1.75	20 11	T. A.	X1
					-MON		RY-						
MEAN		7.19	1,70	1.55		2.16	2.30			1.3A	1,54		HEAN
TRNI		1.52	1.14	1.07		1,57	2.02			2.75	1.01		TNST
MAX		1 11	(9)	(4)		1711	(101			(11	(5()		MAY
INST		2.45	2.45	2.05		2.00	2.50			3.77	3.A1		TRNT
MIN		(21)	1 21	(1)		(12)	(151			(30)	(10)		HIN

ENVIRONMENT ONTARIO TORONTO PERTH COUNTY

ORSERVATION WELL 182

TOWN OF STRATFORD

LOT -CONC. -

WELL REC #: 5001349 UTM CO-ORD: 2-17 E503000 N4802260 LAT & LONG: 43-23NORTH 80-58 WEST

REC METHOD: REC COMMCO: MEASURE PT: GNO ELEV: WELL TYPE: WELL LOG:

14 INCHES 126 FEET NONE 440 FEET DIAMETER OF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL:

PUMP RATE: 520 IGPM SPEC. CAP: 10.8 IGPM/FT AQUIFER : LIMESTONE QUALITY : FRESH

A35 RECORDER

DIAMETER OF WELL:

LENGTH OF CASING:

1.5 FEET ABOVE GROUND SURFACE

LENGTH OF SCREEN:

NONE

A001FER:

LIMESTONE

1.000 FEET ABOVE SEA LEVEL

DEPTH OF WELL:

440 FEET

DIAMETER:

DEPTH OF WELL:

COUNTY:

DEPTH OF WELL:

DEPTH OF SCREEN

DIAMETER OF WELL:

DEPTH OF WELL:

DEPTH OF CASING:

DEPTH OF WELL:

DEPTH OF CASING:

DEPTH OF WELL:


DEPTH OF CASING:

D

1974 Daily mean water levels referred to distance in feet below ground surface

DAY	JAN	FER	MAR	APR	MAY	JUN	JUL	AUG	SEP	GCT	NOV	DEC	DAY	
	144			55.30	56.25	57-12	50.71	57.94	58.24	61.60	63.17		1	
1	48.44	60.16	58.91		56.37	52.24	56.61	58.39	55.25	62.17	62.00		2	
2	54.57	58-31	57.17	56.48	56.60	57.33	59.18	56.36	60.94	62.50	56.75		3 4	
3	56.68	52.61	50.74	57.32		59.64	59.61	51.40	62.72	62.63	59.04		4	
4	57.60	57.70	56.49	57.15	55.48	60.55	60.23	49.84	63.09	60.84	62.66		5	
5	55.80	59.09	57.79	57.87	49.61	61.33	57.55	55.66	63.43	56.11	63.11		6	
6	51.15	59.64	58.28	56.16	53.85		52.99	58.42	61.15	60.91	63.71		7	
7	55.18	59.49	58.95	50.74	55.99	61.63	57.61	59.77	56.44	62.44	64.06		8	
8	57.67	59.98	59.18	55.66	56.58	59.64		59.94	60.95	62.75	61.86		9	
9	58.14	57.80	57.44	56.80	56.40	53.58	60.75		62.84	62.99	57.55		10	
10	58.55	51.80	51.42	57.52	57.06	58.59	62.16	58.61	63.36	63.07	59.65		11	
11	58.66	57.71	56.66	57.74	55.75	60.93	61.72	54.62	63.76	60.94	62.30		12	
1.2	57.90	57.99	58.42	51.21	48.72	61.13	62.53	58.17		55.93	62.43		13	
13	52.54	58.66	58.90	53.17	54-11	61.50	61.33	60.48	63.89	53.21	62.85		14	
14	55.88	59.34	59.23	50.64	55.71	61.93	55.49	60.97	61.94		63.43		15	
15	58,38	59.18	59.54	53.27	56.28	59.76	59.90	61.47	56.27	58.98	61.88		16	
16	58.93	57.33	55.89	54.90	56.50	52.33	62.36	62.18	60-47	61.18			17	
17	59.45	51.67	50.47	55.51	56.66	58.00	63.65	60.58	62.42	61.72	56.38		18	
18	59.96	56.95	55.92	56.22	55.11	59.95	61.06	55.69	62.98	62.20	59.61		19	
19	57.89	57.90	57.72	56.93	48.67	60.32	63.96	59.78	63.14	61.04	62.66		70	
20	52.46	58.73	58.34	55.89	50.45	60.45	60.92	63.47	64.31	56.84	62.59		20 21	
21	56.31	59.08	58.41	49.50	53.82	60.91	55.65	65.24	61.09	59.90	63.00			
	59.42	58.35	58.78	54.57	57.05	58.75	59.83	66.11	56.93	62.18	63.77		22	
22	59.57	57.54	56-16	56.47	58.83	52.65	60.58	66.50	60.19	63.09	61.53		23	
23	61.17	51.43	51.36	57.91	58.51	57.78	60.43	65.09	62.80	63.05	56.70		24	
	60.86	57.09	56.14	57.94	56.24	59.21	60.83	64.27	63.24	63.02	60.17		25	
25	58.77	58.40	57.67	57.46	50.77	60.22	60.55	64.43	63.52	61.16			26	
26		58.67	58.11	55.43	55.86	61.51	58.22	64.77	64.06	57.05			27	
27	53.40	59.11	57.97	50-15	57.40	60.94	59.70	64.98	62.06	60.52			28	
28	56.87	24.11	57.25	54.19	57.58	58.24	59.22	65.15	55.53	62.37			29	
29	59.32		55.23	55.77	58.04	52.90	57.65	65.54	60.47	62.68			30 31	
30	59.71		49.45	22011	58.65	,,,,	58.18	62.64		62.75			31	
31	60.56		49.43		36.03		20010							
					-40	NTHLY SUMM			16.0 (14.2	2012			MEAN	
MEAN	57.15	57.56	56.58	55.20	55.32	58.70	59.39	60.60	61.25	60.90			MEAN	
		FO. 33	48.97	45.67	46.98	50.24	50.18	49.53	54.31	52.68			INST	
TNST	47.79	50.23	(31)	(14)	(20)	(2)	1 2)	(5)	{16}	(14)			MAX	
MAX	(1)	(25)	(31)										INST	
INST	61.80	61.57	60.57	59.79	60.16	63.75	65-11	67.25	65.66	65-28			MIN	
MIN	(26)	(21	1.71	1191	(31)	(27)	(19)	(24)	1201	3.00			5.141.53	





OBSERVATION WELL DATA

REGIONAL OFFICE STONEY CREEK 140 Centennial Pkwy. N. 416-561-7410

DISTRICT OFFICES
Welland
637-641 Niagara St. N.
416-735-0431
Cambridge
400 Clyde Road
P.O. Box 219

519-623-2080

Regional Office District Office Recording Observation Well Number of Recording Wells in same location

ENVIRUNMENT UNTAKEU
TORONTO
R. M. DF HALDIMAND - NORFULK

COSERVATION HELL 413

TOWNSHIP OF PIDDLETON

STR 4

WELL REC #: 4400960 UTM CU-OND: Z-17 E533400 N4738050 LOT c3 LAT & LONG: 42-48NORTH 80-36MEST

DIAMETER OF MELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: 5 INCHES 34 FEET 2 FEET 36 FEET

REC METHOD: A JS RECTROER DIAMETER OF WELL:
REC COMMODI FED. 1905 LENGTH OF CASING:
MEASURE PT: 3.0 FELT ANOVE GROUND SURFACE LENGTH OF SCREEN:
UND LLEV: 750 FECT ABOVE SEA LEVEL DEPTH OF WELL:
MELL TYPE: DRILLEU
MELL LOG: BLACK LOAM 2: MEDIUM SAND 20: QUICKSAND 35; BLUE CLAY 36.

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : SAND AND CLAY
QUALITY : FRESH

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	834	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	1.92	1.06	1.47	1.46	4.44	2.58	3.48	4.81	5.50	5.84	5.71	4.35	1 2
2	1.99	1.11	1.39	1.34	2.46	2.72	3.51	4.81	5.59	5.83	5.71	4.35	
3	2.05	1.18	1.28	1.33	2.47	2.77	3.58	4.80	5.61	5.83	5.71	4.36	3
4	2.10	1.26	C. 99	1.17	2.49	2.78	3.68	4.79	5.61	5.82	5.70	4.37	4
5	2.15	1.34	0.57	1.15	2.50	2.80	3.77	4.78	5.62	5.82	5.65	4.39	5
6	2.21	1.43	0.54	1.21	2.52	2.82	3.87	4.78	5.64	5.83	5.60	4.40	6
ž	2.27	1.51	0.57	1.29	2.53	2.84	3.97	4.77	5.66	5.83	5.53	4-40	7
8	2.34	1.58	0.62	1.22	2.53	2.85	4.06	4.79	5.67	5.83	5.47	4.38	8
9	2.42	1.65	0.62	1.28	1,99	2.87	4.14	4.83	5.68	5.82	5.41	4.22	9
ιú	2.50	1.73	0.55	1.36	1.69	2.88	4.22	4.83	5.69	5.81	5.36	4.13	10
11	2.55	1.81	0.64	1.46	1.71	2.90	4.31	4.83	5.70	5.80	5.30	4.09	11
12	2.04	1.87	0.72	1.53	1.48	2.91	4.39	4.84	5.69	5.80	5.25	4.08	12
13	2.65	1.94	0.79	1.56	1.28	2.93	4.47	4.84	3.68	5.80	5.18	4.04	13
14	2.73	2.00	0.86	1.60	1.23	2.94	4.55	4.85	2.67	5.78	5.13	3.99	14
15	2.78	2.07	0.93	1.62	1.22	2.96	4.59	4 . 85	5.67	5.77		3.92	15
16	2.62	2.14	1.00	1.69	1.22	2.98	4.60	4 . 86	5.69	5.76		3.84	16
17	2.86	2-17	1.06	1.78	0.93	2.99	4.64	4.87	5.71	5.75		3.70	17
18	2.90	2.20	1.16	1.87	0.88	3.01	4.69	5.06	5.73	5.74		3.73	18
19	2.94	2.23	1.19	1.96	1.05	3.03	4.71	5.08	5.74	5.74		3.72	19
20	2.96	2.26	1.22	2.04	1.25	3.02	4.71	5.08	5.76	5.74		3.72	20
21	2.42	2.27	1.23	2.12	1.45	3.04	4.72	5.09	5.78	5.74		3.74	21
22	1.92	1.73	1.27	2.15	1.61	3.06	4.77	5.09	5.80	5.73		3.77	22
23	1.57	1.31	1.30	2.00	1.73	3.07	4.82	5.09	5.82	5.73		3.80	23
24	1.46	1.34	1.39	2.05	1.87	3.13	4.83	5.10	5.83	5.73		3.77	24
25	1.46	1.44	1.49	2-12	2.01	3.20	4.85	5.40	5.84	5.72		3.71	25
26	1.46	1.56	1.57	2.20	2.13	3.23	4 - 86	5.11	5.85	5.71		3.66	26
27	1.14	1.64	1.64	2.28	2.25	3.34	4.85	5.11	5.88	5.72		3.64	27
28	1.06	1.67	1.71	2.35	4.34	3.46	4.85	5.12	5.90	5.72		3.63	28
29	1.05		1.73	2.40	2.36	3.54	4.84	5.15	5.88	5.72		3.64	29
30	1.06		1.68	2.41	2.36	3.53	4.83	5.46	5.84	5.72	4.35	3.63	30
31	1.05		1.48		2.45		4.82	5.51		5.71		3.62	31
	1.03		****										
					-MOI	NTHLY SUMM	ARY-						
MEAN	2.11	1.70	1.12	1.74	1.89	3.01	4-42	4.97	5.73	5.77		3.96	MEAN
												S 18	
INST	1-04	1.04	C. 53	1.11	0.82	2.51	3.46	4.76	5.53	5.70		3.01	INST
MAK	131)	(1)	(5)	(4)	117)	(1)	(1)	(8)	(1)	(31)		(31)	MAX
1100	2.97	4.49	1.75	2.43	2.54	3.55	4.87	5.90	5.90	5.85		4.41	INST
INST			(30)	(30)	(8)	1301	(26)	(29)	128)	(7)		(8)	MIN
MIN	(21)	(21)	1201	(20)	. 01							100000	

ENVIRONMENT ONTARIG TORONTO R. M. OF HALDIMAND - NORFOLK

OBSERVATION WELL 005

TOWNSHIP OF N. CAYUGA

WELL REC #1 2601523 UTM CO-DRD: 2-17 E592880 M4750400 LOT 24 LAT & LONG: 43-54408TH 79-52WEST

PFC METHOD: A35 RECORDER
REC COMMCD: MAY 2 1972
MEASURE PT: 1.0 FEET ABOVE GROUND SURFACE
GND ELEV: 667 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
MELL LOG: CLAY 22; LIMESTONE 125.

DIAMETER OF WELL: 12 INCHES LENGTH OF CASING: 22 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 125 FEET

N.A. N.A. LIMESTONE N.A.

1974

JT

				DAILY M	AN MATER	LEVELS REF	ERRED TC D	ISTANCE IN	FEET BELO	GROUND S	URFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DFC	DAY
1		35.01											1
2		696696											2
3													4
4													5
5													6
6													7
7													,
8													9 9
9	38.53												10
10	38.43												1.1
11	38.13												11
12	38.24												13
13	38.31												14
14	37.81												15
15	37.49												16
16	37.28												17
17	37.55												18
18	37.33												19
19	37.23												20 21 22 23
20	36.98												21
21	36.65												22
23	36.66												23
24	36.42												24
25	36.23												25
26	35.90												26
27	35.54												27
28	35.40												28
29	35.19												29
30	35.28												30
31	35.36												31
0.0	10000					V							
					-N	ONTHLY SUMP	ARY-						MEAN
MEAN			781										- C M
*****													INST
INST													XAP
MAX													
INST													INST
111.3													M T N

OBSERVATION WELL 064

ENVIRONMENT ONTARIO TORONTO R. M. OF HALDIMAND - NORFOLK

WELL REC #: 2600272 UTM CO-ORD: 2-17 E592905 N475041C LOT 23 LAT & LONG: 43-54NORTH 79-52WEST TOWNSHIP OF N. CAYUGA JT

REC METHOD: A35 RECORDER
REC COMMCD: APR. 15 1954
MEASURE PT: 0.0 FEET ABOVE GROUND SURFACE
GND FLEV: b69 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LOG: CLAY 21; LIMESTONE 100.

DIAMETER OF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: 6 INCHES 21 FEET NONE 100 FEET PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : S IGPM 0.36 IGPM/FT LIMESTONE FRESH

					and the second s	1974					mante researce n		
				DAILY	AN WATER	LEVELS REFI	ERRED TC D	ISTANCE IN	FEET BELON	GROUND SE	JRFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	oct	NOV	DEC	DAY
1		25.13	24.80	23.36	22.45	22.55	24.54	26.09	27.16	28.15	29.17		1
		24.97	24.76	23.17	22.42	22.64	24.67	26.12	27.25	28.36	29.21		2
2 3		24.90	24.58	23.25	22.62	22.81	24.77	26.10	27.25	28.66	29.25		3
4		24.91	24.54	23-00	22.39	22.97	24.83	26.10	27.34	28.66	29.03		4
5		24.99	24.52	23-15	22.49	23.12	24.89	26.14	27.57	28.61			5
6		24.83	24.64	23.24	22.71	23.21	25.05	26.32	27.64	28.60			6
7		24.63	24.61	23-19	22.57	23.27	25-11	26.39	27.61	28.54			7
8		24.61	24.79	23.28	22.51	23.35	25.11	26.39	27.54	28.65			8
9	25.64	24.59	24.58	23-15	22.69	23.40	25.04	26.39	27.58	28.56			9
10	25.65	24.54	24.65	23.18	22.58	23.34	24.99	26-45	27.60	28.57			10
11	25.50	24.49	24.61	23.24	22.60	23.44	25.14	26.50	27.58	28.73			Ll
12	25.71	24.52	24.42	23.00	22.74	23.61	25.26	26.47	27.51	28.74			12
13	25.91	24-41	24.39	22.82	22.73	23.74	25.30	26.48	27.47	28.89			13
14	25.56	24.79	24.33	22.62	22.72	23.86	25.20	26-61	27.66	28.70			14
15	25.38	24.89	24.17	22.57	22.73	23.79	25.11	26.73	27.68	28.65			15
16	25.34	24.56	23.80	22.78	22.71	23.75	25.28	26.75	27.73	28.77			16
17	25.68	24.49	23.74	22.79	22.70	23.87	25.44	26.59	27.74	28.61			17
18	25.63	24.60	23.74	22.70	22.71	24.07	25.42	26.60	27.74	28.82			18
19	25.57	24.27	23.61	22.80	22-67	24.21	25.30	26.71	27.88	28.95			19
20	25.52	24.57	23.80	22.84	22.58	24.21	25.46	26.90	27.89	28.99			20
21	25.32	24.87	23.53	22.66	22.55	24.10	25.50	27.02	27.91	29.25			21
22	25.55	24.24	23.65	22.41	22.48	24.11	25.52	27.06	27.94	29.28			22
23	25.43	24.68	23.63	22.32	22.48	24.31	25.53	27.00	28.18	29.18			22
24	25.66	24.96	23.71	22.47	22.50	24.50	25.60	27.03	28.26	29.17			24
25	25.62	24.90	23.91	22.56	22.49	24.60	25.65	27.12	28.00	29.01			25
26	25.46	25.00	23.68	22.51	22.51	24.52	25.66	27.12	27.84	29.13			26
27	25.11	24.95	23.80	22-53	22.50	24.68	29.65	27.03	27.88	29.11			27
28	25.26	24.76	23.73	22.41	22.51	24.71	25.64	27.09	27.94	29-16			28
29	25.28		23.48	22.42	22.51	24.66	25.59	27.13	27.80	29.18			29
30	25.13		23.11	22.45	22.51	24.54	25.59	27.11	27.99	29.24			30
31	24.90		23.17		22.51		25.74	27.11		29.24			31
					-MO	NTHLY SUMM	ARY-						
MEAN		24.72	24.08	22.83	22.58	23.80	25.28	26.67	27.71	28.84			MEAN
INST		24.07	23.04	22.30	22.34	22.51	24.47	25.77	27.09	28.05			INST
MAX		1221	(30)	1231	(2)	(1)	(1)	(1)	(1)	(1)			MAX
INST		25.16	24.90	23.42	22.75	24.72	25.80	27.15	28.28	29.35			INST
MIN		1 11	(1)	(1)	1 61	1281	(31)	(25)	1241	(21)			MIN

WELL REC #: UTM CO-ORD: LAT & LONG: 4401018 Z-17 F533325 N4728135 42-43NORTH 80-36WEST ENVIRONMENT ONTARIO OBSERVATION WELL 412 TORONTO
R. M. OF HALDIMAND - NORFOLK TOWNSHIP OF N. WALSINGHAM DIAMETER OF WELL: 7 INCHES LENGTH OF CASING: 16 FEET LENGTH OF SCREEN: 2 FEET DEPTH OF WELL: 18 FEET PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: A35 RECORDER
FEB. 1966
2.0 FEET ABOVE GROUND SURFACE
710 FEET ABOVE SEA LEVEL
ORILLED
YELLOW SAND 51 MEDIUM SAND 10: SAND 18. LOG:

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SUPFACE DEC SEP OCT NOV DAY JAN FEB MAR APR MAY JUN JUL AUG 5.74 5.79 5.83 5.87 3.095 2.995 2.996 3.196 3. 12345 123456789011234567890122345678901 1.52 1.54 1.57 1.61 1.61 1.62 1.86 1.87 1.89 1.92 1.95 2.03 2.06 2.01 1.87 1.87 1.87 1.87 1.87 1.87 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 3 24 25 27 28 30 31 1.45 1.46 1.48 1.47 1.47 1.55 1.55 1.63 1.63 1.64 1.70 1.73 -MONTHLY SUMMAR 1.79 2.94 3.97 5.12 MEAN MEAN 4.68 (7) INST 1.44 I NS T INST 2.19 INST MIN 3.29 4.82 5.71

ENVIRONMENT ONTARIO TORONTO R.M. OF HALDIMAND-NURFOLK

OBSERVATION WELL 138

TURNSHIP OF S. WALSINGHAM

WELL REC #1 UTM CO-DROS LOT 13 LAT & LONGS

4401235 Z-17 E540150 N4722800 42-39NDRTH 80-31WEST

CONC 4

PUMP RATE: 7 IGPH SPEC. CAP: N.A. AQUIFER : MEDIUM SAND QUALITY : FRESH

REC METHODS ASS RECOMDER DIAMETER OF WELLS 6 INCHES PUMP RATE: 7 IGPM
REC COMMODS MAY 20 1965 LENGTH OF CASINGS 40,5 PEET SPEC, CAPE N.S.,
MEASURE PTS 2.2 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN; BLOTTED PIPE AQUIFER 1 MEDIUM SAND
ROOD FLEVS 660 FEET ABOVE SEA LEVEL DEPTH OF WELLS 40,5 FEET QUALITY 1 FRESH
WELL TYPES DELLED TOPSOIL 13 YELLOW SAND 43 BROWN SAND 165 DRY GREY SAND 185 COARSE BROWN SAND 245 FINE GREY SAND 323 MEDIUM
DARK SAND 47.

						1974							
				DAILY HE	AN MATER L	EVELS REFE	RRED TO DE	STANCE IN	FEET BELOW	GROUND SI	PPACE		
DAY	JAN	FER	HAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
		10.94	10.33	4,32		7,95	8,45	6,95	9,66	10.44	10.98		1
		10.91	10.32	9.31		7.95	8.47	8,95	9.70	10.46	10.99		2
		10.88	10.30	9.30		7.94	8.49	8,96	9.73	10.48			3
3		10.85	10.28	9,28		7.94	8.50	8.97	9,75	10.51			4
č		10.82	10.27	9.26		7.45	8,52	8.98	9.78	10,53			5
1		10,79	10.25	9.25		7.96	8.85	8.99	9.80	10,55			6
÷		10.76	10.23	9.24		7.98	8.37	9,01	9.82	10.56			7
Á		10.73	10.20	4.23		8.01	8.59	9.03	9.84	10.57			
•		10,71	10.18	9,22		8,02	8.60	9.06	9,87	10,58			9
10		10.67	10.15	9.20		8.02	8.60	9.08	9,89	10.39			10
ii	11.30	10.64	10.11	9.18		8,06	8,62	9.10	9,91	10,62			11
12	11,29	10.61	10.07	9,15		8.11	8.65	9,12	9,93	10.64			12
13	11.27	10.59	10.02	9,13		8,15	8.66	9,15	9,95	10.64			13
14	11.26	10.57	9.96	9.09		8.17	8.46	9,18	9,99	10,65			14
15	11.24	10.55	9.90	9.04		8.19	8.70	9,22	10.02	10.68			15
16	11,22	10,93	9,85	9.03		8.20	8.71	9,23	10.05	10,71			16
17	11.21	10.51	9.79	9.01		6.23	8.73	9.27	10.07	10.72			17
18	11,21	10.49	9.73	8.99		6,25	8.75	9,30	10,09	10.74			18
19	11.21	10,08	9.70	8.97		8,28	8.77	9,32	10.12	10.75			19
20	11,20	10.46	9.66	8.94		5,29	8.79	9,35	10,15	10,77			20
21	11.18	10.44	9,62	5,92		0.30	8.81	9,30	10.18	10.80			21
2.5	11.14	10.43	9.50	0,89	8,14	0.30	0.03	4 . 41	10.21	10.81			22
23	11.14	10.41	9.55	8.87	8,10	8.31	0.65	9.44	10.24	10.62			23
24	11,12	10.40	9,50		8,08	8.34	8,86	9.46	10,26	10,84		11.09	24
25	11,11	10.38	9,47		8.06	8.36	6,67	9,49	10.28	10.86			
26	11.10	10.37	9,45		0,04	8.38	8,88	9.91	10.31	10.89		11.08	26
27	11.07	10.36	9.45		8,02	8.40	.90	9.54	10.35	10.41		11.00	28
28	11.04	10.35	9.41		5,00	8,41	8,91	9,57	10.37	10.93		11.07	
54	11.01		9.39		7.99	8,43	8,91	9,61	10,38	10.05		11.07	30
30	10,98		9.36		7.97	8,43	8.91	9.61	10,40	10.96		11.06	31
31	10.96		9.34		7,96		8,93	9,65		10,97		11,03	31
					-HO	HTHLY BUMM	ARY	12.1	18 12 2	14.44			HEAN
MEAN		10.59	9.85			8,18	0,71	9.26	10.04	10.71			DE 4A
INST		10.34	9,33			7.00	0,44	8,98	9.66	10.42			INST
HAX		(28)	(31)			t \$1	Cir	(1)	(1)	(1)			MAX
INST		10.95	10.34			8.44	8,94	9.66	10,42	10.97			INST
MIN		(1)	(1)			(30)	(31)	(31)	(30)	(31)			WIN

WELL REC #: 4401229 UT# CD-ORD: Z-17 E535300 N4721000 LAT & LONG: 42-39NORTH 80-34WEST OBSERVATION WELL 407 ENVIRONMENT ONTARIO TORONTO R. M. OF HALDIMAND - NORFOLK TOWNSHIP OF S. WALSINGHAM CONC. 4

DIAMETER OF WELL: 7 ENCHES LENGTH OF CASING: 313.5 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 318 FEET REC METHOD:
REC COMMCD:
SPEC. CORPOR

A35 RECORDER

DIAMETER OF MELL: 7 INCHES
PUMP RATE: N.A.
SPEC. CAP: N.A. PUMP RATE: N.A.
SPEC. CAPT N.A.
AQUIFER: SHALE
QUALITY: FRESH

						1974	mercura Take dia	Distriction by any					
				DAILY ME	AN WATER L	EVELS REFE	RRED TC 01	STANCE IN	FEET BELOW	GROUND SU	RFACE		
DAY	MAL	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
-	2010		9.72	9.63	9.89	9.77	9.92	10.27	10.16	10.06	10.34	9.99	1
ķ	10.12	9.91	9.73	9-63	9.89	9.78	9.94	10.24	10.17	10.08	10.34	9.99	2
2	10.15		9.73	9.63	9.89	9.79	9.97	10.21	10.17	10.11	10.35	9.95	3
3	10-17	9.92	9.73	9.62	9.89	9.81	10.00	10.18	10.18	10.15	10.27	9.97	4
4	10.20	9.94	9.71	9.62	9.89	9.83	10.03	10.16	10-19	10-17	10-21	9.99	5 6 7 8
5	10.21	9.96		9.63	9. 85	9.84	10.06	10.13	10.21	10.18	10.18	10.01	6
6	10.22	9.98	9.71	9.64	9.84	9.84	10-10	10.12	10.22	10-19	10.18	10.03	7
	10.21	9.99	9.72	9.67	9. 84	9.85	10.14	10.11	10.22	10.20	10.20	10.02	
8	10.19	9.99	9.74		9. 84	9.84	10.17	10.11	10.23	10.21	10.21	10.01	9
9	10.20	9.99	9.76	9.69	9.84	9.81	10.20	10.12	10.24	10.22	10.22	10.00	10
10	10-21	9.99	9.79	9.71		9.76	10.23	10.13	10.24	10.23	10.22	10.01	11
11	10.21	9.95	9.81	9.73	9.85		10.27	10.13	10.24	10.23	10.15	10.02	12
12	10.22	9.94	9.83	9.75	9.79	9.76		10.13	10.22	10.24	10.05	10.03	13
13		9.93	9.85	9.77	9.73	9.76	10.31	10.13	10.22	10.25	10.02	10.05	14
14		9.94	9.87	9.76	9.73	9.77	10.34		10.22	10.24	10.02	10.06	15
15		9.95	9.89	9.71	9.73	9.78	10.37	10.14		10.24	10.03	10.06	16
16		9.96	9.88	9.71	9.74	9.75	10.39	10.15	10.22		10.05	10.02	17
17		9.96	9.86	9.72	9.73	9.74	10.44	10.15	10.22	10-22	10.07	19.00	18
1.8		9.96	9.85	9.73	9.75	9.74	10-46	10-16	10.22	10.20	10.07	10.01	19
19		9.82	9.82	9.76	9.77	9.74	10.49	10.15	10.22	10.21		10.01	20
20		9.71	9.81	9.78	9.78	9.75	10.52	10.15	10.22	10.22	10.00		21
21		9.73	9.80	9.80	9.79	9.73	10.55	10.16	10.23	10.24	9.83	10.02	
22		9.64	9.80	9.81	9.80	9.70	10.58	10.18	10.23	10.27	9.81	10.03	55
23		9.56	9.80	9.81	9.80	9.69	10.60	10.19	10.25	10.28	9.03	10.05	23
24		9.59	9.81	9.81	9.80	9.70	10.58	10.19	10.27	10.30	9.85	10.06	24
<2		9.63	9.83	9.82	9.60	9.73	10.55	10.19	10.25	10.30	9.86	10.06	25
25		9.66	9. 86	9.84	9.80	9.77	10.53	10.19	10.20	10.31	9.89	10.07	26
26		9.69	9.88	9.86	9.80	9.80	10.50	10.19	10.18	10.32	9.92	10.09	27
27			9.90	9.87	9.81	9.84	10.47	10.19	10.18	10-31	9,93	10.09	28
28		9.71	9.91	9.88	9.80	9.87	10.42	10.19	10.09	10.32	9.95	10.10	29
29			9.75	9.88	9.78	9.90	10.34	10.18	10.06	10.33	9.98	10.10	30
30			9.62	7.00	9.77	11.010.00	10.30	10.17		10.35		10.11	31
31			9.02							35.25.0 10 5			
					-MO	NTHLY SUMM	ARY-		and the	recount Florida	22 102		45.4
HEAM			9.80	9.74	9.81	9.78	10.32	10.16	10.21	10.23	10.07	10.03	MEAN
THST			9.62	9.62	9.72	9.69	9.92	10.10	10.05	10.04	9.80	9.93	INST
MAX			(31)	1 41	(17)	(24)	(1)	1 81	(291	(10)	[22]	123)	MAX
INST			9.94	9.89	9.89	9.92	10-62	10.29	10.27	10.40	10.35	10.16	INST
			1291	(30)	(1)	1301	1231	(11	1241	(10)	1. 31	(23)	MIN
MIN			1271	1.6.6.6	W. 555								

ENVIRONMENT UNTAKIO TURONTO R. M. OF HALLIMANO - NURFULK

COSERVATION WELL 408

WELL REC #: 4401260 UTM CO-DRD: Z-17 E535300 N4721000 LAT & LONG: 42-39NURTH 80-34WEST TOWNSHIP OF S. WALSINGHAM

REC METHOD: A35 RECORDER
REC COMMCD: NOV. 1965
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE
GND ELEV: 680 FEET ABOVE SEA LEVEL
WELL TYPE: CRILLED
WELL LOG: SAND 21; SILTY CLAY 26.

DIAMETER OF WELL: 5 INCHES LENGTH DF CASING: 20 FEET LENGTH DF SCREEN: 4 FEET DEPTH OF WELL: 24 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. SILTY CLAY FRESH

1 10.21 9.65 9.04 7.95 7.30 6.50 7.00 8.15 8.87 9.49 10.03 10.22 1 10.19 9.56 9.02 7.92 7.31 6.56 7.07 8.17 8.90 9.52 10.05 10.18 2 3 10.17 9.52 8.99 7.88 7.30 6.60 7.12 8.20 8.92 9.54 10.06 10.18 3 4 10.15 9.46 8.96 7.84 7.31 6.64 7.16 8.23 8.95 9.56 10.07 10.17 4 5 10.13 9.45 8.92 8.95 9.56 10.07 10.17 4 10.15 9.46 8.96 7.84 7.31 6.64 7.16 8.23 8.95 9.56 10.07 10.17 4 10.15 9.46 8.85 7.72 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 6 7 10.08 9.39 8.65 7.72 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 6 7 10.08 9.36 8.69 7.63 7.29 6.81 7.34 8.31 9.03 9.62 10.15 10.15 8 9 10.06 9.36 8.69 7.63 7.29 6.81 7.39 8.35 9.05 9.63 10.17 10.14 9 9 10.06 9.38 8.65 7.53 7.18 6.83 7.43 8.38 9.07 9.65 10.17 10.14 9 10.06 9.36 8.69 7.63 7.53 7.18 6.83 7.43 8.38 9.07 9.65 10.17 10.14 9 10.10 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 10.00 9.27 8.38 7.42 6.71 6.99 7.61 8.49 9.14 9.17 10.23 10.10 14 9.99 9.27 8.38 7.42 6.71 6.99 7.61 8.49 9.14 9.17 10.23 10.10 14 9.99 9.26 8.27 7.37 6.64 6.85 7.68 8.51 9.15 9.77 10.26 9.99 18 9.95 9.95 10.10 14 15 9.96 9.21 8.21 7.35 6.46 6.85 7.75 8.56 9.21 9.77 10.26 9.99 18 9.95 9.95 10.10 14 12 10.00 9.95 10.10 14 12 10.00 9.27 8.38 7.42 6.71 6.96 7.63 8.51 9.15 9.77 10.26 9.99 18 9.95 9.20 8.17 7.33 6.45 6.85 7.68 8.55 9.17 9.77 10.26 9.99 18 9.95 9.90 9.27 8.34 7.42 6.71 6.96 7.63 8.55 9.15 9.77 10.26 9.99 18 9.95 9.90 9.20 8.17 7.33 6.45 6.86 7.79 8.60 9.21 9.77 10.26 9.99 18 9.95 9.90 10.10 1							1974							
1 10.21 9.65 9.04 7.95 7.30 6.50 7.00 8.15 8.87 9.49 10.03 10.22 1 10.19 9.56 9.02 7.92 7.31 6.56 7.07 8.17 8.90 9.52 10.05 10.18 2 3 10.17 9.52 8.99 7.88 7.30 6.60 7.12 8.20 8.92 9.54 10.06 10.18 3 4 10.15 9.46 8.96 7.84 7.31 6.64 7.16 8.23 8.95 9.56 10.07 10.17 4 5 10.13 9.45 8.92 8.95 9.56 10.07 10.17 4 10.15 9.46 8.96 7.84 7.31 6.64 7.16 8.23 8.95 9.56 10.07 10.17 4 10.15 9.46 8.85 7.72 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 6 7 10.08 9.39 8.65 7.72 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 6 7 10.08 9.36 8.69 7.63 7.29 6.81 7.34 8.31 9.03 9.62 10.15 10.15 8 9 10.06 9.36 8.69 7.63 7.29 6.81 7.39 8.35 9.05 9.63 10.17 10.14 9 9 10.06 9.38 8.65 7.53 7.18 6.83 7.43 8.38 9.07 9.65 10.17 10.14 9 10.06 9.36 8.69 7.63 7.53 7.18 6.83 7.43 8.38 9.07 9.65 10.17 10.14 9 10.10 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 10.00 9.27 8.38 7.42 6.71 6.99 7.61 8.49 9.14 9.17 10.23 10.10 14 9.99 9.27 8.38 7.42 6.71 6.99 7.61 8.49 9.14 9.17 10.23 10.10 14 9.99 9.26 8.27 7.37 6.64 6.85 7.68 8.51 9.15 9.77 10.26 9.99 18 9.95 9.95 10.10 14 15 9.96 9.21 8.21 7.35 6.46 6.85 7.75 8.56 9.21 9.77 10.26 9.99 18 9.95 9.95 10.10 14 12 10.00 9.95 10.10 14 12 10.00 9.27 8.38 7.42 6.71 6.96 7.63 8.51 9.15 9.77 10.26 9.99 18 9.95 9.20 8.17 7.33 6.45 6.85 7.68 8.55 9.17 9.77 10.26 9.99 18 9.95 9.90 9.27 8.34 7.42 6.71 6.96 7.63 8.55 9.15 9.77 10.26 9.99 18 9.95 9.90 9.20 8.17 7.33 6.45 6.86 7.79 8.60 9.21 9.77 10.26 9.99 18 9.95 9.90 10.10 1					DAILY ME	AN WATER L	EVELS REFE	RRED TO DI	ISTANCE IN	FEET BELOW	GROUND SU	RFACE		
10.15 9.56 9.02 7.92 7.31 6.56 7.07 8.17 8.90 9.52 10.05 10.18 2 3 10.17 9.52 8.99 7.88 7.30 6.60 7.12 8.20 8.94 9.54 10.06 10.18 3 4 10.15 9.46 8.96 7.84 7.31 6.64 7.16 8.23 8.95 9.56 10.07 10.17 4 5 10.13 9.45 6.92 7.78 7.30 6.69 7.21 8.25 8.97 9.58 10.08 10.17 5 6 10.10 9.42 8.85 7.72 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 6 7 10.08 9.39 8.76 7.68 7.30 6.76 7.30 8.29 9.01 9.01 10.13 10.16 7 8 10.06 9.36 8.69 7.63 7.29 6.81 7.34 8.31 9.03 9.62 10.15 10.15 8 9 10.05 9.34 8.61 7.57 7.25 6.82 7.39 8.35 9.03 9.62 10.15 10.15 10.15 8 10 10.04 9.33 8.56 7.53 7.18 6.83 7.43 8.38 9.07 9.65 10.19 10.13 10.16 10.10 10.04 9.33 8.56 7.53 7.18 6.83 7.43 8.38 9.07 9.65 10.19 10.13 10.16 11 10.00 9.27 8.38 7.45 6.79 6.90 7.57 8.40 9.10 9.08 9.66 10.20 10.12 11 10.10 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 11 10.00 9.27 8.38 7.45 6.79 6.90 7.57 8.46 9.11 9.69 10.42 10.10 13 14 9.99 9.27 8.38 7.45 6.79 6.90 7.57 8.46 9.11 9.69 10.42 10.10 13 15 9.98 9.26 6.30 7.40 6.66 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.66 9.17 9.74 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.20 8.17 7.37 6.46 6.86 7.79 8.69 9.24 9.79 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.20 8.17 7.33 6.46 6.86 7.79 8.60 9.24 9.79 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.79 8.60 9.24 9.79 10.26 9.99 19 21 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.69 9.24 9.79 10.26 9.99 19 22 9.99 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.99 19 23 9.99 9.20 8.17 8.10 7.28 6.49 6.90 7.97 8.70 9.34 9.80 10.27 9.96 22 24 9.91 9.15 8.12 7.30 6.45 6.99 7.97 8.60 9.27 9.37 9.90 10.27 9.96 22 24 9.91 9.11 8.10 7.28 6.49 6.90 7.97 8.70 9.37 9.90 10.27 9.96 25 24 9.97 9.13 8.10 7.28 6.49 6.90 7.97 8.70 9.97 10.26 9.99 10.26 9.99 10.26 9.99 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27 9.90 10.27	UAY	JAN	FE8	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
3 10.17 9.52 8.99 7.88 7.30 6.60 7.12 8.20 8.92 9.54 10.06 10.18 3 4 10.15 9.46 8.96 7.84 7.31 6.64 7.16 8.23 8.95 9.56 10.07 10.17 4 5 10.13 9.45 6.92 7.76 7.30 6.69 7.21 8.25 8.97 9.58 10.08 10.17 5 10.10 8.93 8.76 7.68 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 6 7 10.08 9.39 8.76 7.68 7.30 6.76 7.30 8.29 9.01 9.01 10.13 10.16 7 8 10.00 9.36 8.69 7.63 7.29 6.81 7.34 8.31 9.03 9.62 10.15 10.15 8 9 10.05 9.34 8.61 7.57 7.25 6.82 7.39 8.35 9.05 9.63 10.17 10.16 9 10 10.04 9.33 8.56 7.53 7.18 6.83 7.39 8.38 9.07 9.65 10.15 10.15 18 11 10.02 9.31 8.51 7.51 7.13 6.87 7.47 8.40 9.08 9.66 10.20 10.12 11 12 10.01 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 13 10.00 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.42 10.10 13 14 9.99 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.42 10.10 13 15 9.98 9.26 6.30 7.40 6.66 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.77 10.25 10.04 16 17 9.97 9.23 8.24 7.26 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.85 7.68 8.54 9.17 9.77 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.69 9.24 9.79 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.86 9.27 9.75 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.69 9.20 9.20 9.84 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.68 9.20 9.28 9.28 9.02 10.26 9.93 21 22 9.92 9.18 8.12 7.33 6.46 6.87 7.78 8.60 9.24 9.79 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.87 7.79 8.60 9.24 9.79 10.26 9.99 19 20 9.94 9.20 8.17 7.38 6.43 6.91 7.78 8.60 9.20 9.89 9.80 10.27 9.96 24 21 9.93 9.20 8.17 7.38 6.49 6.77 7.86 8.69 9.22 9.98 9.10 9.26 9.99 9.90 9.90 9.90 9.90 9.90 9.90 9.9	1	10.21	9.65	9-04	7.95	7.30	6.50	7.00	8.15					1
3 10.17 9.52 8.99 7.88 7.30 6.60 7.12 8.20 8.92 9.54 10.06 10.18 3 4 10.15 9.46 8.96 7.84 7.31 6.64 7.16 8.23 8.95 9.56 10.07 10.17 4 5 10.13 9.45 6.92 7.76 7.30 6.69 7.21 8.25 8.97 9.58 10.08 10.17 5 10.10 8.93 8.76 7.68 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 6 7 10.08 9.39 8.76 7.68 7.30 6.76 7.30 8.29 9.01 9.01 10.13 10.16 7 8 10.00 9.36 8.69 7.63 7.29 6.81 7.34 8.31 9.03 9.62 10.15 10.15 8 9 10.05 9.34 8.61 7.57 7.25 6.82 7.39 8.35 9.05 9.63 10.17 10.16 9 10 10.04 9.33 8.56 7.53 7.18 6.83 7.39 8.38 9.07 9.65 10.15 10.15 18 11 10.02 9.31 8.51 7.51 7.13 6.87 7.47 8.40 9.08 9.66 10.20 10.12 11 12 10.01 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 13 10.00 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.42 10.10 13 14 9.99 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.42 10.10 13 15 9.98 9.26 6.30 7.40 6.66 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.77 10.25 10.04 16 17 9.97 9.23 8.24 7.26 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.85 7.68 8.54 9.17 9.77 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.69 9.24 9.79 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.86 9.27 9.75 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.69 9.20 9.20 9.84 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.86 7.75 8.68 9.20 9.28 9.28 9.02 10.26 9.93 21 22 9.92 9.18 8.12 7.33 6.46 6.87 7.78 8.60 9.24 9.79 10.26 9.99 19 20 9.94 9.20 8.17 7.33 6.46 6.87 7.79 8.60 9.24 9.79 10.26 9.99 19 20 9.94 9.20 8.17 7.38 6.43 6.91 7.78 8.60 9.20 9.89 9.80 10.27 9.96 24 21 9.93 9.20 8.17 7.38 6.49 6.77 7.86 8.69 9.22 9.98 9.10 9.26 9.99 9.90 9.90 9.90 9.90 9.90 9.90 9.9	2					7.31	6.56	7.07	8.17	8.90	9.52	10.05		
5 10.13 9.45 8.92 7.78 7.30 6.69 7.21 8.25 8.97 9.58 10.08 10.17 7 10.08 9.39 8.76 7.68 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 6 7 10.08 9.39 8.76 7.68 7.30 6.76 7.30 8.29 9.01 9.01 10.13 10.16 7 10.08 9.36 8.69 7.63 7.29 6.81 7.34 8.31 9.03 9.62 10.15 10.15 10.15 8 9 10.05 9.44 8.61 7.57 7.25 6.82 7.39 8.35 9.05 9.63 10.17 10.14 9 10.06 9.36 8.69 7.63 7.18 6.83 7.43 8.38 9.07 9.65 10.17 10.14 9 10.00 9.37 8.38 8.56 7.53 7.18 6.87 7.47 8.40 9.08 9.66 10.20 10.12 11 12 10.01 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.21 11 11 11 11 11 11 11 11 11 11 11 11 1	3					7.30	6-60	7.12	8.20	8.94				
5 10.13 9.45 8.92 7.78 7.30 6.69 7.21 8.25 8.97 9.58 10.08 10.17 7 10.08 9.39 8.76 7.68 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 6 7 10.08 9.39 8.76 7.68 7.30 6.76 7.30 8.29 9.01 9.01 10.13 10.16 7 10.08 9.36 8.69 7.63 7.29 6.81 7.34 8.31 9.03 9.62 10.15 10.15 10.15 8 9 10.05 9.44 8.61 7.57 7.25 6.82 7.39 8.35 9.05 9.63 10.17 10.14 9 10.06 9.36 8.69 7.63 7.18 6.83 7.43 8.38 9.07 9.65 10.17 10.14 9 10.00 9.37 8.38 8.56 7.53 7.18 6.87 7.47 8.40 9.08 9.66 10.20 10.12 11 12 10.01 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.21 11 11 11 11 11 11 11 11 11 11 11 11 1	4					7.31	6.64	7-16	8.23	8.95				
0 10.10 9.42 8.85 7.72 7.30 6.72 7.26 8.27 9.00 9.59 10.11 10.16 7 7 10.08 9.39 8.76 7.08 7.30 6.76 7.30 8.29 9.01 9.01 10.13 10.16 7 8 10.06 9.36 8.69 7.63 7.29 6.81 7.34 8.31 9.03 9.62 10.15 10.15 8 9 10.05 9.34 8.61 7.57 7.25 6.82 7.39 8.35 9.05 9.63 10.17 10.14 9 10 10.04 9.33 8.56 7.53 7.18 6.83 7.43 8.38 9.07 9.65 10.19 10.13 10 11 10.02 9.31 8.51 7.51 7.13 6.87 7.47 8.40 9.08 9.66 10.20 10.12 11 12 10.01 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 13 10.00 9.27 8.38 7.45 6.79 6.90 7.57 8.46 9.11 9.69 10.22 10.15 13 14 9.99 9.27 8.38 7.45 6.71 6.99 7.61 8.49 9.14 9.71 10.23 10.10 14 15 9.98 9.26 8.30 7.40 6.66 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.51 9.17 9.74 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.04 16 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.22 9.99 18 19 9.95 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.99 18 20 9.94 9.20 8.17 7.33 6.46 6.88 7.79 8.60 9.24 9.77 10.26 9.99 18 21 9.93 9.20 8.17 7.34 6.46 6.88 7.79 8.60 9.24 9.77 10.26 9.99 18 22 9.92 9.18 8.12 7.35 6.46 6.88 7.79 8.60 9.24 9.77 10.26 9.99 18 29 9.95 9.20 8.17 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.99 18 20 9.94 9.20 8.17 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 21 9.93 9.20 8.17 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.99 18 22 9.92 9.18 8.12 7.30 6.44 6.77 7.86 8.63 9.28 9.82 10.26 9.99 18 24 9.93 9.20 8.17 7.34 6.46 6.77 7.86 8.63 9.29 9.80 10.26 9.99 18 25 9.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 26 9.87 9.11 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 27 9.84 9.98 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 28 9.02 9.17 8.11 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.95 20 30 9.73 7.98 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 24 28 9.02 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.39 9.48 10.20 9.99 30 31 9.96 7.79 7.79 7.29 6.50 7.04 8.08 8.11 8.81 9.46 9.99 10.22 9.99 30 31 9.97 73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.99 30 31 9.98 9.29 8.39 7.	5			6.92		7.30	6.69	7.21		8.97				
7 10.08	6	10.10	9.42	8.85	7.72	7.30	6.72							6
8 10.06 9.36 8.69 7.63 7.29 6.81 7.34 8.31 9.03 9.62 10.15 10.15 8 9 10.05 9.14 8.61 7.57 7.25 6.82 7.39 8.35 9.05 9.63 10.17 10.14 9.10 10.04 9.33 8.56 7.53 7.18 6.83 7.43 8.38 9.07 9.65 10.19 10.13 10 11 10.02 9.31 8.51 7.51 7.13 6.87 7.47 8.40 9.08 9.66 10.20 10.12 11 12 10.01 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 13 10.00 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.22 10.10 13 14 9.99 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.22 10.10 13 15 9.98 9.26 5.30 7.40 6.66 7.00 7.63 8.49 9.14 9.71 10.23 10.10 13 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.50 9.21 9.77 10.26 9.99 18 9.96 9.20 8.19 7.34 6.46 6.86 7.75 8.50 9.21 9.77 10.26 9.99 18 9.95 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.97 19 20 9.94 9.20 8.14 7.35 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.14 7.35 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.80 10.20 9.95 20 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.95 20 9.94 9.20 8.17 7.32 6.44 6.77 7.86 8.69 9.28 9.89 10.20 9.95 20 8.19 7.34 6.45 6.81 7.91 8.66 9.30 9.84 10.26 9.95 20 9.97 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.99 12 20 9.94 9.20 8.17 7.32 6.45 6.78 7.98 8.68 9.32 9.80 10.20 9.99 10.26 9.99 10.26 9.97 19 8.70 9.34 9.88 10.27 9.96 25 9.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 25 9.89 9.11 8.07 7.28 6.45 6.90 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 9.89 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.99 10.27 9.96 25 9.89 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.99 10.27 9.96 27 9.96 27 9.84 9.08 8.03 7.28 6.55 7.04 8.08 8.11 8.81 9.46 9.98 10.25 9.95 30 31 9.69 7.797 6.41 8.48 9.48 9.48 10.00 10.25 9.95 30 31 9.69 7.797 6.41 8.48 9.06 6.85 7.65 8.51 9.18 9.46 9.98 10.25 9.95 30 31 9.69 7.	7			8.76	7.68	7.30	6.76							7
9 10.05 9.34 8.61 7.57 7.25 6.82 7.39 8.35 9.05 9.63 10.17 10.14 9 10 10.04 9.33 8.56 7.53 7.18 6.83 7.43 8.38 9.07 9.65 10.19 10.13 10 11 10.02 9.31 8.51 7.51 7.13 6.87 7.47 8.40 9.08 9.66 10.20 10.12 11 12 10.01 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 13 10.00 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.21 10.11 12 14 9.99 9.27 8.34 7.42 6.71 6.99 7.61 8.49 9.14 9.71 10.23 10.10 13 15 9.98 9.26 8.30 7.40 6.06 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.74 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.26 10.01 17 19 9.95 9.20 8.17 7.33 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 18 19 9.95 9.20 8.17 7.33 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 21 9.93 9.20 8.17 7.33 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 22 9.94 9.20 8.17 7.33 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 23 9.95 9.20 8.17 7.36 6.43 6.48 7.79 8.60 9.28 9.82 10.26 9.97 19 24 9.91 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 9.81 10.26 9.95 20 23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 9.96 22 24 9.91 9.17 8.10 7.28 6.43 6.99 7.97 8.70 9.34 9.88 10.27 9.96 22 25 9.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 25 25 9.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 25 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.03 7.28 6.45 7.08 8.01 8.13 8.81 9.46 9.98 10.25 9.95 29 29 9.73 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 20 29 9.73 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 20 29 9.73 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 20 29 9.73 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 20 29 9.73 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 30 30 9.73 9.79 7.99 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 30 31 9.69 7.79 6.41 8.81 8.81 9.46 9.98 10.25 9.95 30						7.29								
11 10.02 9.31 8.51 7.51 7.13 6.87 7.47 8.40 9.08 9.66 10.20 10.12 11 12 10.01 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 13 10.00 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.22 10.10 13 14 9.99 9.27 8.34 7.42 6.71 6.99 7.61 8.49 9.14 9.71 10.23 10.10 14 15 9.98 9.26 8.30 7.40 6.06 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.74 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.26 10.01 17 19 9.95 9.20 8.17 7.33 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 18 19 9.95 9.20 8.17 7.33 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.97 19 21 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.82 10.26 9.97 19 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.60 9.28 9.82 10.26 9.93 21 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.93 21 23 9.92 9.17 8.11 7.28 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.93 21 24 9.91 9.17 8.10 7.28 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.93 21 25 9.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 22 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.05 7.28 6.45 7.08 8.01 8.73 9.45 9.97 10.26 9.95 20 28 9.73 8.00 7.28 6.45 7.08 8.01 8.09 9.45 9.97 10.26 9.95 20 29 9.74 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 29 9.75 8.99 9.13 8.09 7.28 6.55 7.04 8.06 8.76 9.45 9.97 10.26 9.95 30 30 9.73 7.99 7.29 6.50 7.04 8.06 8.76 9.45 9.97 10.26 9.95 30 31 9.69 7.97 6.41 8.10 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 30 31 9.69 7.97 6.41 8.10 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 30 31 9.69 7.97 6.41 8.10 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 30 31 9.69 7.79 6.41 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 30 31 9.69 7.79 6.41 8.10 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 30		10.05	9.34	8.61	7.57									
12 10.01 9.29 8.44 7.48 6.99 6.92 7.52 8.42 9.10 9.67 10.21 10.11 12 13 10.00 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.22 10.10 13 14 9.99 9.27 8.34 7.42 6.71 6.99 7.61 8.49 9.14 9.71 10.23 10.10 14 15 9.98 9.26 8.30 7.40 6.66 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.74 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.22 9.99 18 19 9.95 9.20 8.17 7.33 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.97 19 21 9.93 9.20 8.14 7.32 6.45 6.77 7.86 8.63 9.28 9.82 10.26 9.99 20 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.95 20 23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 23 24 9.91 9.17 8.10 7.28 6.49 7.02 7.95 8.68 9.32 9.86 10.27 23 25 9.89 9.13 8.09 7.28 6.49 7.02 7.99 8.70 9.34 9.88 10.27 9.96 25 26 9.87 9.11 8.07 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 27 9.84 9.08 8.05 7.28 6.49 7.02 7.99 8.70 9.34 9.88 10.27 9.96 25 28 9.87 9.11 8.07 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 28 9.87 9.11 8.07 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 29 9.78 8.99 9.13 8.09 7.28 6.49 7.02 7.99 8.70 9.34 9.88 10.27 9.96 25 28 9.87 9.11 8.07 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 29 9.78 8.90 7.18 8.09 7.28 6.45 7.08 8.01 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.05 7.28 6.55 7.04 8.08 8.73 9.40 9.92 10.28 9.97 26 28 9.87 9.11 8.07 7.29 6.50 7.04 8.08 8.73 9.40 9.92 10.25 9.95 29 29 9.78 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 30 31 9.69 7.79 6.41 8.13 8.85 10.01 9.95 30	10	10.04	9.33	8.56	7.53	7.18	6.83							
13 10.00 9.27 8.38 7.45 6.79 6.96 7.57 8.46 9.11 9.69 10.22 10.10 13 14 9.99 9.27 8.34 7.42 6.71 6.99 7.61 8.49 9.14 9.71 10.23 10.10 14 15 9.98 9.26 5.30 7.40 6.66 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.74 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 18 19 9.95 9.20 8.19 7.34 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 18 19 9.95 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.97 19 22 9.92 9.18 8.12 7.30 6.44 6.77 7.86 8.63 9.28 9.82 10.26 9.99 20 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.99 22 9.99 9.18 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 9.93 21 24 9.91 9.17 8.11 7.28 6.43 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 25 8.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 25 8.89 9.13 8.09 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 9.97 26 9.89 9.08 8.03 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.99 28 9.97 28 9.02 9.78 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.99 10.25 9.99 31 9.69 7.97 8.70 9.80 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.99 10.25 9.99 31 9.69 7.97 8.70 9.80 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.99 10.25 9.99 31 9.99 31 9.69 7.97 8.70 8.40 9.98 10.25 9.99 31 9.69 7.97 8.70 8.80 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.99 10.25 9.99 31 9.99 31 9.69 7.97 8.70 8.80 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.99 10.25 9.99 31 9.99 31 9.69 7.97 8.70 8.80 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.99 10.25 9.99 31 9.99 31 9.69 7.97 8.70 8.80 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.99 10.25 9.99 31 9.99 31 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.9	11	10.02	9.31	8.51	7.51									
14 9,99 9.27 8.34 7.42 6.71 6.99 7.61 8.49 9.14 9.71 10.23 10.10 14 15 9.98 9.26 5.30 7.40 6.66 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.74 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.20 9.99 18 19 9.95 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.99 18 19 9.95 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.97 19 20 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.82 10.26 9.93 21 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.93 21 23 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.93 21 23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 2.33 9.92 9.17 8.11 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 25 9.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 25 9.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 25 9.89 9.13 8.09 7.28 6.45 6.99 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 9.89 9.13 8.09 7.28 6.45 6.99 7.07 9.80 8.72 9.37 9.90 10.27 9.96 25 9.89 9.13 8.09 7.28 6.45 7.04 8.08 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.03 7.28 6.55 7.04 8.08 8.73 9.40 9.92 10.26 9.97 29 9.72 8.00 7.28 6.55 7.07 8.09 8.73 9.40 9.92 10.26 9.97 29 9.72 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 9.73 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 30 9.73 7.99 7.97 6.41 8.13 8.81 9.46 9.98 10.25 9.95 30 9.73 7.99 7.97 6.41 8.13 8.81 9.46 9.98 10.25 9.95 30 9.73 7.99 7.97 6.41 8.13 8.81 9.46 9.98 10.25 9.95 30 9.73 7.99 7.97 6.41 8.13 8.81 9.46 9.98 10.25 9.95 30 9.95 30 9.73 7.99 7.97 6.41 8.13 8.81 9.46 9.98 10.25 9.95 30 9.95 30 9.73 7.99 7.97 6.41 8.13 8.81 9.46 9.98 10.25 9.95 30	12	10.01	9.29											
15 9.98 9.26 8.30 7.40 6.66 7.00 7.63 8.51 9.15 9.72 10.24 10.08 15 16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.77 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 18 19 9.95 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.99 18 19 9.95 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.95 10 10 10 10 10 10 10 10 10 10 10 10 10	13	10.00	9.27	8.38			6.96							
16 9.97 9.25 8.27 7.37 6.64 6.85 7.68 8.54 9.17 9.74 10.25 10.04 16 17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 18 19 9.95 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 21 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.81 10.26 9.95 20 21 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.82 10.26 9.93 21 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.93 21 23 9.92 9.17 8.11 7.28 6.43 6.81 7.91 8.66 9.30 9.84 10.26 22 23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 23 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.13 8.09 7.28 6.45 6.99 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 9.89 9.13 8.09 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 9.89 9.13 8.09 7.28 6.55 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 9.97 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 9.97 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 9.97 28 9.62 9.78 8.00 7.28 6.55 7.07 8.09 8.70 9.45 9.97 10.26 9.95 28 9.72 9.73 9.73 7.98 7.28 6.55 7.07 8.09 8.70 9.45 9.97 10.26 9.95 28 9.73 9.73 7.98 7.28 6.55 7.07 8.09 8.70 9.45 9.97 10.26 9.95 28 9.73 9.79 7.97 8.70 8.13 8.83 9.48 10.05 9.95 30 9.73 9.69 7.97 8.70 8.13 8.83 9.48 10.05 9.95 30 9.73 9.69 7.97 6.41 8.13 8.81 9.46 9.98 10.25 9.95 30 9.73 9.69 7.97 6.41 8.13 8.81 9.46 9.98 10.25 9.95 30 9.73 9.96 9.79 9.97 9.97 9.97 9.99 9.99 9.99	14	9.99	9.27	8.34		6.71								
17 9.97 9.23 8.24 7.36 6.55 6.81 7.73 8.56 9.19 9.75 10.26 10.01 17 18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 18 19 9.95 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.95 20 21 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.80 10.26 9.95 20 21 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.80 10.26 9.95 20 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 9.93 21 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 22 23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 9.96 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.17 8.10 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 24 9.87 9.11 8.07 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 24 9.87 9.11 8.07 7.28 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 9.87 9.11 8.07 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 25 9.89 9.78 8.08 8.05 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 9.97 28 9.78 9.78 9.78 9.78 9.78 9.78 9.78 9.7	15	9.98	9.26	8.30										
18 9.96 9.21 8.21 7.35 6.46 6.86 7.75 8.58 9.21 9.77 10.26 9.99 18 19 9.95 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.97 19 21 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.82 10.26 9.93 21 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 22 23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 23 24 9.91 9.17 8.10 7.28 6.43 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 25 9.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.05 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 28 9.32 9.36 8.03 7.28 6.55 7.07 8.09 8.76 9.45 9.97 10.26 9.97 26 29 9.78 8.00 7.28 6.55 7.07 8.09 8.76 9.45 9.97 10.26 9.95 28 29 9.78 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 30 9.73 7.98 7.29 6.40 7.02 8.13 8.81 9.46 9.98 10.25 9.95 30 31 9.69 7.97 6.41 8.13 8.85 10.01 10.25 9.95 30 31 9.69 7.97 6.41 8.13 8.85 10.01	16	9.97	9.25	8.27	7.37									
19 9.95 9.20 8.19 7.34 6.46 6.88 7.79 8.60 9.24 9.79 10.26 9.97 19 20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.95 20 21 9.93 9.20 8.14 7.32 6.45 6.77 7.86 8.63 9.28 9.82 10.26 9.93 21 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 22 23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 2.3 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 25 9.89 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.05 7.28 6.52 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 28 9.62 9.06 8.03 7.28 6.55 7.07 8.09 8.76 9.43 9.95 10.27 9.96 27 29 9.73 8.00 7.28 6.45 7.08 8.18 9.45 9.45 9.97 10.26 9.95 28 29 9.73 8.00 7.28 6.55 7.07 8.09 8.76 9.43 9.95 10.27 9.96 27 29 9.73 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 28 30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.01 9.95 30 31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 30	17	9.97	9.23	8.24										
20 9.94 9.20 8.17 7.33 6.45 6.78 7.82 8.61 9.27 9.81 10.26 9.95 20 21 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.82 10.26 9.93 21 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 22 3 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 23 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.17 8.00 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 24 9.91 9.13 8.09 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 9.87 9.11 8.07 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 9.84 9.82 9.06 8.03 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 9.96 27 9.78 8.09 8.00 7.28 6.55 7.07 8.09 8.78 9.45 9.97 10.26 9.95 28 9.73 7.98 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 9.78 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 30 9.73 7.97 6.41 8.13 8.85 10.01	18	9.96	9.21											
21 9.93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.82 10.26 9.93 21 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 22 23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 23 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 9.91 9.13 8.09 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 25 9.89 9.13 8.09 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.05 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 28 9.62 9.06 8.03 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 28 9.62 9.06 8.03 7.28 6.55 7.07 8.09 8.70 9.45 9.97 10.26 9.95 28 29 9.73 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 28 30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 30 31 9.69 7.97 6.41 8.13 8.83 9.48 10.01 9.95 31	19	9.95	9.20	8.19		6.46								
21 9,93 9.20 8.14 7.32 6.44 6.77 7.86 8.63 9.28 9.82 10.26 9.93 21 22 9.92 9.18 8.12 7.30 6.43 6.81 7.91 8.66 9.30 9.84 10.26 22 23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 2.3 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 25 9.89 9.13 8.09 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 9.89 9.13 8.09 7.28 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 9.89 9.32 9.36 8.03 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 28 9.32 9.36 8.03 7.28 6.55 7.07 8.09 8.76 9.43 9.95 10.27 9.96 27 9.76 9.73 7.98 7.29 6.40 7.02 8.13 8.81 9.46 9.98 10.25 9.95 28 9.73 9.73 7.98 7.29 6.40 7.02 8.13 8.81 9.46 9.98 10.25 9.95 30 9.73 7.97 6.41 8.13 8.85 10.01 9.95 31	20	9.94	9.20	8.17	7.33									
23 9.92 9.17 8.11 7.28 6.43 6.92 7.95 8.68 9.32 9.86 10.27 2.3 24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 25 9.89 9.13 8.09 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.05 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 28 9.82 9.36 8.03 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 29 9.78 8.00 7.28 6.55 7.07 8.09 8.78 9.45 9.97 10.26 9.95 28 29 9.78 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 30 9.73 7.98 7.29 6.40 7.02 8.13 8.81 9.46 9.98 10.25 9.95 30 31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 31	21	9.93	9.20	8-14									9.93	
24 9.91 9.17 8.10 7.28 6.45 6.99 7.97 8.70 9.34 9.88 10.27 9.96 24 25 9.89 9.13 8.09 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.05 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 28 9.82 9.36 8.03 7.28 6.55 7.07 8.09 8.78 9.45 9.97 10.26 9.95 28 29 9.73 8.00 7.28 6.55 7.07 8.09 8.78 9.45 9.97 10.26 9.95 28 30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 29 31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 30 31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 31	22	9.92	9.18	8.12										22
25 9.89 9.13 8.09 7.28 6.49 7.02 7.99 8.72 9.37 9.90 10.27 9.96 25 26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.05 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 28 9.82 9.06 8.03 7.28 6.55 7.07 8.09 8.76 9.45 9.97 10.26 9.95 28 29 9.78 8.00 7.28 0.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 30 31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 31	23	9.92	9-17	8.11									TEL TRAVES	
26 9.87 9.11 8.07 7.29 6.50 7.04 8.03 8.73 9.40 9.92 10.28 9.97 26 27 9.84 9.08 8.05 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 28 9.32 9.36 8.03 7.28 6.55 7.07 8.09 8.78 9.45 9.97 10.26 9.95 28 29 9.78 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 28 30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 30 31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 31	24	9.91	9.17	8.10										
27 9.84 9.08 8.05 7.28 6.52 7.04 8.06 8.76 9.43 9.95 10.27 9.96 27 28 9.82 9.06 8.03 7.28 6.55 7.07 8.09 8.70 9.45 9.97 10.26 9.95 28 29 9.73 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 29 31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 31	25													25
28 9.32 9.36 8.03 7.28 6.55 7.07 8.09 8.76 9.45 9.97 10.26 9.95 28 29 9.78 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 30 9.69 7.97 6.41 8.13 8.85 10.01 9.95 31MONTHLY SUMMARY- MEAN 9.98 9.29 8.39 7.48 6.80 6.85 7.65 8.51 9.18 9.75 10.20 MEA	26													
29 9.78 8.00 7.28 6.45 7.08 8.11 8.81 9.46 9.98 10.25 9.95 29 30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.25 9.95 30 31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 31														
30 9.73 7.98 7.29 6.40 7.02 8.13 8.83 9.48 10.00 10.23 9.95 30 31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 31			9.36											
31 9.69 7.97 6.41 8.13 8.85 10.01 9.95 31														
-MONTHLY SUMMARY- MEAN 9.98 9.29 8.39 7.48 6.80 6.85 7.65 8.51 9.18 9.75 10.20 MEA					7.29		7.02			9.48		10.25		
MEAN 9.98 9.29 8.39 7.48 6.80 6.85 7.65 8.51 9.18 9.75 10.20 MEA	31	9.69		7.97		6.41		B. 13	8.85		10.01		9.95	31
NEAN 7.70 7.27 3.37 1170 0100												-00-00		
and the state of t	MEAN	9.98	9.29	8.39	7.48	6.80	6.85	7.65	8.51	9.18	9.75	10.20		MEAN
	INST	9.67	9.05	7.96	7.28	6.40	6.44	6.99	8.14	8.86	9.49	10.02		INST
MAX (31) (28) (31) (29) (1) (1) (1) (1) (1) MAX	MAX	(31)	(28)	(31)	(23)	[29]	(1)	(1)	(1)	(1)	(1)	(1)		MAX
	INST	10.22	9.67	9.05	7.96	7.31	7.09	8.14	8.86					INST
MIN (1) (1) (1) (1) (4) (29) (31) (31) (30) (26) (30) MIN			(1)	(1)	(1)	(4)	(29)	(31)	(31)	(30)	1261	(30)		MIN

ENVIRONMENT ONTARIO TORONTO R. M. OF HALDIMAND - NORFCLK

OBSERVATION WELL 136

TOWNSHIP OF WINDHAM

WELL REC #: UTM CD-ORD: LAT & LONG: 4403135 Z-54 E690047 N5566042 57-80NORTH 24-2.WEST LOT 8

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 123 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 128 FEET

CONC. 5

REC METHOD: A35 RECORDER

REC COMMCD: MAY 20 1965

REA COMMCD: MAY 20 1965

REASURE PT: C FLET ABOVE GROUND SURFACE

MEASURE PT: C FLET ABOVE SEA LEVEL

DEPTH OF WELL: 128 FEET

DRILLED

WELL TYPE: DRILLED

WELL LOG: YELLOW SAND 9; GRAVEL AND STONES 12; YELLOW SAND 15; GREY COARSE SAND 22; COARSE SAND 61; GRAVEL AND SAND 64;

GREY CLAY 66; CLAY AND SAND 108; GRAVEL AND SAND 110; CLAY, SAND 116; GREY CLAY, SAND 121; HARD GRAVEL 128.

						1974	- DDCO TO 5		5557 BELO	- CROUND SI	UD E & C C		
				DAILY	MEAN WATER	LEVELS REFE	EKKED TO L	DISTANCE IN	FEET BELO	M CKOOND SI	UKFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	CCT	NOV	DEC	DAY
i	11.26	9.45	8.84	8.42		8.71	8.68	10.04	10.79	10.47	10.68		1
2	11.26	9.34	8.51	8.38		8.73	8.73	10.02	10.74	10.53	10.68		2
3	11.21	9.29	8.75	8.40		8.75	8.76	9.91	10.62	10.56	10.67		3
4	11.19	9.26	8.69	8.32		8.78	8.77	9.83	10.59	10.56	10.60		4
5	11.15	9.24	8.61	8.37		8.78	8.81	9.82	10.59	10.57	10.57		5
6	11.11	9.17	8.58	8.39		8.79	8.85	9.81	10.58	10.56	10.54		6
7	11.10	9.10	8.55	8.39		8.80	8.91	9.80	10.57	10.56	10.58		7
8	11.16	9.09	8.55			8.82	8.94	9.82	10.57	10.56	10.59		8
9	11.09	9.09	8.45			8.82	8.92	10.01	10.57	10.56	10.59		9
10	11.11	9.06	8 . 45			8.81	8.92	10.04	10.57	10.56	10.58		10
11	11.07	9.06	8.42			8.86	8.96	10.00	10.56	10.59	10.56		11
12	11.10	9.07	8.37			8.89	9.04	9.98	10.50	10.59	10.50		12
13	11.15	9.04	8.38			8.89	9.07	10.07	10.44	10.61	10.47		13
14	11.07	9.13	8.37			8.89	9.04	10.17	10.45	10.52	10.46		14
15	11.04	9.15	8.35			8.87	8.94	10.14	10.46	10.54	10.49		15
16	11.03	9.05	8.27			8.79	8.94	10.07	10.51	10.54	10.55		16
17	11.03	9.06	8.30			8.83	8.97	10.15	10.49	10.52			17
18	10.98	9.08	8.32			8.84	8.96	10.35	10.53	10.60			18
19	10.94	8.99	8.31			8.80	8.95	10.52	10.57	10.61			19
26	10.87	9.08	8.37			8.74	9.00	10.67	10.38	10.64			20
21	10.74	9.14	8.32			8.70	9.03	10.78	10.59	10.66			21
22	10.73	8.89	8.36		8.40	8.66	9.04	10.83	10.60	10.67			22
23	10.61	8.95	8.37		8.41	8.69	9.07	10.92	10.64	10.67			23
24	10.61	8.97	8.40		8.44	8.72	9.07	11.26	10.64	10.67			24
25	10.55	8.92	8 . 46		8.48	8.72	9.16	11.33	10.59	10.65			25
26	10.48	6.92	8.42		8.48	8.72	9.51	11.31	10.59	10.68			26
27	16.21	8.91	8.45		8.49	8.75	9.81	11.27	10.63	10.68			27
28	9.98	8.86	8.45		8.52	8.78	9.95	11.26	10.59	10.69			28
29	9.80		8.40		8.51	8.76	10.08	11.17	10.44	10.70			29
30	9.63		8.35		8.65	8.70	10.11	10.99	10.45	10.72			30
31	9.46		8.39		8.68		10.00	10.86		10.70			31
					-M	ONTHLY SUMM	ARY-						
MEAN	10.80	9.08	8.46			8.78	9.13	10.43	10.57	10.60			MEAN
INST	9.42	8.81	8.25			8.65	8.67	9.80	10.41	10.47			INST
MAX	(31)	(28)	(16)			(21)	(1)	(7)	(29)	(1)			MAX
INST	11.27	9.48	8.87			B . 90	10.16	11.33	10.82	10.75			INST
MIA	1 11	(1)	1 11			(12)	(30)	(25)	(1)	(30)			MIN

ENVIRUNMENT ONTARIO NASPOVATION WELL 399

WELL REC #1 3802296 UTM CO-ORD: Z-17 E610640 N4779880 LAT # LONG: 43-10NORTH 79-35WEST TORONTO
REGIONAL MUNICIPALITY OF UTAGARA LOT 12 THRUSHIP OF N. GRIMSHY CONC. 5

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. DOLOMITE FRESH

REC METHORS ASS RECORDER OI AMETER OF WELLS 6.25 TOCHES PUMP
REC COMMONS NOV. 18 1969 (ENGTH OF CASTNGS 44 FFET SPEC
REASURE PT; 3.0 FEET AMOVE GROUND SURFACE (ENGTH OF SCREENS NOVE AQUIT
GND FLEVS 630 FFET AMOVE SEA LEVEL DEPTH OF WELLS 47 FFET OISALE
RELL TYPE: ORTILED
WELL LOGS SCHT RECORD CLAY, STONES 10; SOFT GREY CLAY, STONES 36; HARD, DENSE WHITE DOLDMITE 47.

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SHREACE

DAY	JAN	FER	MAR	APR	MAY	JUN	JUL	AUG	SFP	oct	NOV	DEC	DAY
1	1.55	1.18	1.22	1.18	1.00	1.26							1
2	1.60	1.17	1,19	1.02	1.12	1.39							5
3	1,55	1.18	1.15	1.05	1.05	1.45							3
3	1.53	1.21	1,08	0.94	1.12	1.48							4
5	1.51	1.28	0.97	0.95	1.16	1,57							5
6	1.49	1.27	1.05	1.00	1.09	1.67							
7	1.50	1.24	1.03	1.01	1.13	1.65							7
8	1.54	1.25	1.11	0.98	1,18	1.65							8 9 10
9	1.51	1.26	1.09	0,95	1,08	1.66							
10	1.53	1.29	1.09	0.95	1.04	1.69							1.0
11	1.48	1.24	1.12	0.98	1,05	1.62							1 2
12	1,56	1.31	1,09	0.95	0,88	1.67							13
13	1.61	1.31	1,10	0.90	0.80	1.66							13
1.4	1,53	1.01	1.15	0.86	0.86	1.66							14
15	1.49	1.05	1 . 1 3	0.61	0.84	1.67							16
16	1.50	1.38	1.09	0.91	0.47	1.98							17
17	1.61	1.37	1.10	0.95	0.83	1,59							18
18	1.60	1.41	1,13	0.00	0,85								19
19	1.57	1.35	1,14	0.99	0,90								20
20	1.66	1.41	1,23	1.06	0.93								21
21	1.69	1,50	1.18	1.06	n.95								55
23	1.74	1.26	1.21	1.01	0.92								23
23	1.57	1.27	1,24	0.96	0.91								24
54	1.48	1.35	1.27	0.98	1,01								25
25	1.43	1.32	1.34	1.02	1.07								26
26	1.35	1.32	1.27			¥							27
27	1.13	1.31	1.29	1.00	1.16								28
28	1.20	1.25	1,28	1.00	1,21								29
50	1.20		1,13	1.01	1,21								30
30	1.17		1,13	1 . 0.1	1,23								3.1
31	1.09		1 . 1 3		1,63								
						NTHLY SUMM	ARY=						MEAN
MEAN	1.48	1.31	1,16	0.98	1,03								MEAN
INST	1.04	1.12	0.90	0.77	0.74								INST
HAX	(31)	(23)	(5)	(15)	(12)								MAX
INST	1.75	1.52	1.36	1,20	1.32								INST
MIN	(22)	(21)	(25)	(1)	(29)								MIN

WELL REC #: 6500127 UTM CO-ORO: 2-17 F555720 N480638C LAT ε LONG: 43-25NCRTH 80-19WES1 OBSERVATION WELL 087 ENVIRONMENT CHTARIO TORONTO REGIONAL MUNICIPALITY OF WATERLOO CONC. -CITY OF CAMBRIDGE

REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG:

A35 RECORDER

DIAMETER OF WELL: 10 INCHES

PUMP PATE: 358 IGPM
FEB.13 1959

LENGTH OF CASING: 107.5 FEET
SPEC. CAP: 15.6 IGPM/FT
2.0 FEET ABOVE GROUND SURFACE
LENGTH OF SCREEN: NONE
AQUIFER: LIMESTONE
1046 FEET ABOVE SEA LEVEL
DEPTH OF WELL: 243 FEET
OUALITY: FRESH
DRILLED
TOPSOIL 2: BROWN CLAY 9; GRAVEL, CLAY AND BOULDERS 20; GRAVEL AND CLAY 30; SAND, SANDY CLAY 92; FINE SAND 101;
BROKEN BROWN AND GREY LIMESTONE 105; BROWN AND GREY LIMESTONE 115; SAND, BROWN AND GREY LIMESTONE 127; MUDDY
GREY AND BROWN LIMESTONE, SAND 163; GREY LIME STONE 165; BROWN LIMESTONE 235; BROWN AND GREY LIMESTONE 240; GREY
LIMESTONE 243.

DAY	JAN	FEB	MAP	APR	MAY	JUN	JUL	AUG	SEP	DCT	NCA	DEC	DAY
						78.14	69.49	81.69	77.90	82.20	73.70	76.15	1
1		97.15	81.63			69.96	76.59	86.37	76.34	73.49	84.36	69.22	2
2	78.80	91.69	76.49			79.29	87.09	78.17	70.20	67.65	72.52	73.33	3
3	89.11	97.65				89.99	90.00	78.43	71.79	66.98	72.43	86.04	4
4	90.96	90.90				91.76	90.74	77.55	78.73	76.24	78.04	76.15	5
5	88.10	89.18					89.96	85.42	87.21	77.10	79.95	82.51	6
6	82.20	91.21				92.03	76.94	88.36	80.76	76.13	85.15	80.20	7
7	80.43	91.07				92.07	85.46	90430	82.30	75.45	81.40	78.96	8
8	79.91	90.73					88-36		87.94	81.88	83.22	69.53	9
9	80.33	90.77				76.35		88.16	83.25	81.59	74.80	73.60	10
10	79.15	82.66				82.39	89.36	89.23	80.82	74.44	71.65	74 .61	11
11	80.91	87.57				84.70	91.00	76.99	89.13	78.37	72.66	72.38	12
12	86.32	90.97				87.66	91.41		80.77	76.16	82.93	73.60	13
13	83.55	91.61				82.85	91.39	79.31	73.68	75.47	84.63	82.06	14
14	81.87	91.98				83.47	90.39	88.60		70.62	87.69	81.67	15
15	77.38	91.45				75.74	81.59	90.82	83.68	76.57	83.37	72.78	16
16	76.57	90.79				75.39	76.58	91.05	74.21	78.74	78.04	72.89	17
17	81.59	84.07				80.68	79.09	90.21	77.83		72.85	77.65	1.8
18	79.80	36.11				79.03	79.11	90+73	72.17	76.88 80.04	74.30	78.89	19
19	78.90	90.58				78.42	76.70	90.73	66.35		80.70	75.94	20
20	72.08	91.99				81.18	81.15	90.11	71.13	80.70	76.54	71.03	21
21	77.92	89.60				77.37	77.07	91.32	70.26	78.51		66.70	22
22	85.12	80.50				76.98	78.13	91.78	73.34	77.79	81.88	65.37	23
23	86.83	76.66			80.99	80.67	86.16	91.87	74.40	79.82	85 - 24		24
24	92.26	68.12			80.79	82 - 24	88.12	75.79	73.71	73.82	75.25	64.73	
	86.25	82.41			79.15	80.75	78.89	79.51	76.25	70.74	67.31	70.00	25
25	84.13	84.74			72.97	80.51	86.57	76.59	75.77	79.38	70.04	65.95	26
26	71.31	83.67			77.58	79.55	79.78	78.42	83.22	77.04	83.46	64.29	27
27	77.89	81.49			79.76	77.92	74.43	76.98	78.76	77.57	89.44	70.67	2 R
28	90.31	21.44			80.97	76.29	80.52	78.04	75.92	77.54	81.79	69.97	29
29					84.83	71.59	85.19	80.25	87.03	78.97	83.12	66.99	30
30	91.84				85.12		77.88	82-19		77.50		73.74	31
					- M O	INTHLY SUMM	ARY-				Store series		
MFAN		87.23				81.15	83.04		77.75	76.62	78.95	73.47	MEAN
		56.68				65.12	64.36		64.37	65,15	66.06	63.72	INST
INST						(30)	(1)		1 41	1161	(19)	(281	MAX
MAX		(2.51				17.50							
and the second second		48.44				92.26	91.52		93.25	88.92	91.22	89.24	INST
INST		92.64				(7)	(13)	8	(12)	1501	(29)	(15)	MIN
LOT SI		1201											

GBSERVATION WELL 033

ENVIRONMENT ONTARIO TORONTO REGIONAL MUNICIPALITY OF WATERLOO TOWN OF FLMIRA

WELL REC #: 5503536 UTM CO-ORD: Z-17 E535505 N4827750 LAT & LONG: 43-27NORTH 80-34WEST LOT -

REC METHOD: A35 RECORDER
REC COMMCO: NOV. 30 1946
MEASURE PT: 3.3 FEET ABOVE GROUND SURFACE
GND ELEV: 1163 FEET ABOVE SEA LEVEL
MELL TYPE: DRILLED
WELL LOG: SAND AND GRAVEL OVERBURDEN 60.

DIAMETER OF WELL: 20 INCHES LENGTH OF CASING: 50 FEET LENGTH OF SCREEN: 9 FEET DEPTH OF WELL: 59 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : 350 IGPM 10.0 IGPM/FT SAND AND GRAVEL FRESH

				19	74							
DA	ILY	MEAN	WATER	LEVELS	REFERRED	TO	DISTANCE	IN	FEET	BELOW	GROUND	SURFACE
				10913	c 2		****			CO	DCT	NOV

DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	26.45					20.42	18.15	16.15	20.88				1
2	26.31					19.51	17-46	15.88	20.31				2
3	27.15					18.32	17.41	16.56	20.57				3
4	27.52					17.68	16.68	16.89	21.39				4
5	27.80					17.87	16.90	17-05	21.81				5
6	28.00					17.47	17.26	16.32	22.17				6
7	28.15					17.09	17.45	15.08	22.26				7
	27.55					15.79	17.12	15.02	21.75				8 9 10 11 12
8	27.16					15.40	16.23	15.02	21.64				9
10	26.91					15.80	15.84	15.15	21.55				10
11	20.71					16.53	15.53	15.28	21.42				11
11 12 13						15.38	15.14	15.26	21.69				12
13						15.35	15.54		21.68				13
14						15.30	15.74	14-90	21.30				14
15						15.88	16.23	15.54	20.76				15
16						16.80	15,73	17-80	20.83				16
17						16.56	15.49	17-64	20.57				17
18						16.46	16.19	17.14	20.52				18
19						16.45	15.98	17.16	20.40				19
20						16.59	16.05	18.76	20.34				19 20 21 22 23 24 25 26
21						16.78	16.13	19.86	20.21				21
						17-19	15.82	20.03	20.20				22
21					24.19	17.59	15.39	20-41	20.38				23
24					24-30	17-16	15-36	20.77	20.69				24
25					24.07	17.33	15.33	21.13	20.82				25
22 23 24 25 26 27 28					23.89	16.72	15.29	21-41	20.92				26
27					23.28	16.61	16.14	21.56					27 28
28					22.24	16.95	16.34	22.01					28
29					21.55	17.37	16-23	22.37					29
30					21-14	18-11	16.14	22.68					30
31					20.72		16.24	22.06					31
					-40	NTHLY SUMM.	ARY-						
MEAN						16.95	16.21						MEAN
INST						14.11	14.58						INST
MAX						(9)	(25)						MAX
INST						20.64	19.12						INST
MIN						(1)	(1)						MIN

WELL REC #: 6500265 UTM CO-ORD: Z-17 E544590 N4806630 LAT & LONG: 43-25NORTH 80-27WEST ENVIRONMENT ONTARIO TORONTO REGIONAL MUNICIPALITY OF WATERLOO OBSERVATION WELL 082 LOT -CITY OF KITCHENER CONC . -

REC METHOD: A35 RECORDER
REC COMMCD: MAY 10 1958
MEASURE PT: 0.0 FEFT ABOVE GROUND SURFACE
GND FLEV: 1020 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LOG: PREDUG 43: CLAY AND STONES 51:
REDUM FLAY 120: CDARES SAND 12 DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 130 FEET LENGTH OF SCREEN: NGNE DEPTH OF WELL: 130 FEET PUMP RATE: 15 IGPM SPEC. CAP: 0.71 IGPM/FT AQUIFER : SAND AND GRAVEL QUALITY : FRESH

DRILLED
PREDUG 43: CLAY AND STONES 51: DRY GRAVEL 64: CEMENTED GRAVEL 74: CLAY, HARDPAN AND STONES 87: SANDY CLAY 90: HPDWN CLAY 120: CDARSE SAND 125: GRAVEL 127: UNKN 130.

1974

				DAILY	MEAN WATER	LEVELS REF	ERRED TC D	ISTANCE IN	FEET BELOW	GROUND SI	JRFACE		
DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	OCT	NOV	DEC	DAY
		74.26	70.49	66.40	65.93	65.84	67.93	70.06	73.33	75.21	76.90		1
1		69.09	69.15	65.95	63.48	65.46	67.87	70.23	73.79	75.02	77.51		2
2		68.01	70.94	69.24	67.44	64.87	67-13	70.53	74-16	75.08	77.46		3
2 3 4		71.73	70.00	68.28	63.13	65 - 87	67.19	69.76	74.28	75.16	77.51		4
2		69.84	69.89	67.81	65.64	66.17	67.24	69.70	73.19	75.46	77.96		5
5 6		72.95	68.72	66.14	65.96	65.99	68.13	70.49	73.14	75.86	77.79		6
7		70.77	71.52	63.54	63.75	65.84	68.01	70.93	73.21	75.14	77.31		7
		74.09	69.98	68.05	67.08	66.49	68.39	70.51	73.47	75.25	78.24		8
8		68.72	66.36	66.21	65.03	65.98	68.30	70.89	73.31	75.98	78.59		9
9		67.32	66.48	69.08	65.91	66.27	68.49	70.06	73.38	75.60	78.16		10
10		70.81	69.03	67.45	62.82	66.71	67.87	71.22	73.41	75.62	78.24		11
11	**		70.50	65.15	62.74	66.17	68.82	70.84	74.40	75.70	79.12		12
12	71+44	69.81	66.25	63.24	64.62	66.87	69.14	70.37	73.75	76.65	78.48		13
13	70.86	72.72	70.42	62.47	66.65	66.02	68.49	70.65	73.40	76.11	78.77		14
14	73-52	69.45	69.12	62.43	66.91	66.86	69.02	71.65	73.20	76.04	78.58		15
15	72.51	72.84		67.95	65.32	66.96	69.43	71.01	73.40	76.47	78.63		16
16	74.96	69.33	64.54	65.27	62.70	66.10	68.73	71.75	74.11	76.37	79.06		17
17	74.63	66.87	67.95	68.21	66.01	66.94	69.58	71.11	73.91	76.30	11/21/20/20/20		18
18	74.88	70.33		65.41	60.32	66.52	69.27	71.30	73.99	76.38			19
19	71.89	69.73	64.40	65.65	60.62	66.88	68.59	71.54	74.72	76.56			20
20	69.45	71.58	68.81	63.22	64.20	67.01	69.05	71.43	74-22	77.04			21
21	74.26	70.82	69.86	67.02	62.08	67.29	69.86	72.26	73.44	76.48			22
22	74.21	70.63	68.76	67.55	65.03	66.73	70-03	72.25	74.64	76.30			23
23	71.35	69.48	65.03	64.53	64.86	67.67	69.60	71.69	74.92	77.13			24
24	74.63	72.06	63.83	67.95	64.35	66.90	69.18	72.60	74.42	76.88			25
25	72.69	71.26	68.83	68.23	64.82	66.78	70.16	72.30	75.01	76.91			26
26	72.03	69.93	66.68	64.25	65.19	67.71	69.36	72.81	74.56	76.98			27
27	68.70	71.52	69.61	67.13	64.95	67.08	69-17	72.30	75.21	77.55			28
28	72.19	71.39	69.93	65.76	65.41	68.05	69.72	72.47	74.73	77.40			29
29	73.38		68.05	65.49	65.18	67.37	70.41	73.05	74.83	77.22			30
30	72.19		66.10	69.49	64.98	01.21	69,58	73.20		76.85			31
31	71.74		64.75		04.70		0,100	13420		10.05			-
						IONTHLY SUMM							
MEAN		70.62	68.06	66.17	64.62	66.58	68.83	71.32	73.98	76.22			MEAN
INST		66.61	60.12	59.11	56.96	64.83	66.36	69.12	71.92	74.21			INST
MAX		(18)	(31)	(1)	(19)	(3)	(3)	(10)	(14)	(8)			MAX
MAA		1101		W			250	William word		5a U.S			UScola.
INST		74.58	72.06	69.81	70.83	68.17	70.49	73.27	75.97	78.37			INST
MIN		(8)	(1)	(6)	(7)	(30)	(31)	(31)	(28)	(29)			MIN

OBSERVATION WELL 394

WELL REC #: 6503795 UTH CO-ORD: Z-17 E544080 N4798800 CONC. 11 LOT 32 LAT & LONG: 43-21NORTH 80-27WEST ENVIRONMENT ONTARIO TORONTO REGIONAL MUNICIPALITY OF MATERLOO TOWNSHIP OF N. DUMERIES

REC METHOD: A35 RECORDEP
REC COMMED: MAY 10 1973
MEASURE PT: 0.0 FEET ABOVE GROUND SURFACE
GND ELEV: 1040 FEET ABOVE SEA LEVEL
MELL LOG: OVERBURDEN 33.

DIAMETER OF WELL: 30 INCHES LENGTH OF CASING: 33 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 33 FEET

PUMP RATE: N.A. SPEC. CAP: N.A. AQUIFER : OVERBURDEN QUALITY : FRESH

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
													1
2	30.78	30.76	30.42										2
2	30.79	30.74	30.41										3
3	30.80	30.73	30.25										4
*	30.81	30.69	30.05										5
5		30.67	29.93										6
7		30.67	29.94										7
		30.67	29.94		RIF								1 2 3 4 5 6 7 8
Š		30.66	29.95										9
10		30.66	29.95										10
11		30.63	29.93										11
12		30.57	29.93										12
13		30.58											13
8 9 10 11 12 13 14 15 16		30.58											10 11 12 13 14 15 16
15		30.58											15
16		30.58											16
17		30.58											1.7
18	30.99	30.57											18
19	30.98	30.56											19
20	30.98	30.57											18 19 20 21 22 23 24 25 26 27 28 29
20 21 22	30.99	30.57											21
22	30.99	30.52											22
23	30.99	30.48											23
24	30.99	30-47											26
25	30.99	30.47											25
26	30.98	30.46									30		27
27	30.91	30.44											29
28	30.84	30.43											20
29	30.80												30
30	30.78												30 31
31	30.77		¥)										
					141	ONTHLY SUM	MARY-						MEAN
MEAN		30.59											
INST		30.43											INST
MAX		128)											MAX
INST		30.77											INST
MIN		(1)											MIN

ENVIRONMENT ONTARIO TORONTO REGIONAL MUNICIPALITY OF WATERLOO OBSERVATION MELL 395

TOWNSHIP OF N. DUMFRIES

MELL REC #: UTM CO-ORD: LAT & LONG: 6500679 Z-17 E547950 N4800000 43-21NORTH 80-25WEST

DIAMETER OF MELL: 8 INCHES LENGTH OF CASING: 41 FEET LENGTH OF SCREEN: 5 FEET DEPTH OF MELL: 46 FEET REC METHOD: "FF TYPE RECORDER DIAMETER OF MEI
REC COMMCD: MAY 9 1973 LENGTH OF CASIN
MEASURE PT: 2,0 FEET ABOVE GROUND SURFACE LENGTH OF SCREI
GND ELEV: 1015 FEET ABOVE SEA LEVEL DEPTH OF MEI
MELL LOG: PREDUG 17; QUICK SAND 45; COARSE SAND, FINE GRAVEL 50.

PUMP RATE: 40 IGPM SPEC. CAP: 1.54 IGPM/FT AQUIFER : SAND AND GRAVEL QUALITY : FRESH

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	oct	NOA	DEC	DAY
1	10.64	9.69	9.69	9.55									1
2	10.63	9.67	9.64	9.44									2
3	10.63	9.66	9.58	9.41									3
4	10-62	9.66	9.54	9.28									4
5	10-61	9.68	9.49	9.20									5
6	10.61	9.69	9.35	9.13									6 7 6 9
7	10.61	9.69	9.06	9.09									7
a	10.63	9.72	8.97	9.08									6
9	10.62	9.72	8.95	9.07									
10	10.62	9.76	8.96	9.07									10
11	10.62	9.77	9.00	9.10									11
12	10.62	9.79	9.01	9.10									12
13	10-62	9.82	9.06	9.11									13
14	10.63	9.84	9-10	9.10									14
15	10.64	9.87	9.12	9.10									15
16	10.64	9.90	9.13	9.13									16
17	10.65	9.90	9.17	9-13									17
18	10.65	9.90	9-22	9.14									18
19	10.65	9.93	9.24	9.18									19
20	10.65	9.92	9.30	9.19									20
21	10.65	9.93	9.31	9.19									21
22	10.64	9.98	9.34	9.18									22
23	10.63	9.91	9.38	9.21									23
24	10.61	9.75	9.42	9.24									24
25	10.58	9.73	9.46	9.26									25 26 27
26	10.54	9.70	9.46	9.26									26
27	10.46	9.69	9.48	9.27									27
28	10.26	9.69	9.50	9.28									28
29	10.01		9.52	9.30									29
30	9.82		9.51	9.31									30
31	9.72		9.53										31
					-40	INTHLY SUNH	ARY-						
ME AN	10.53	9.78	9.31	9.20									MEAN
INST	9.70	9.65	8.53	9.06									INST
MAX	(31)	1 31	(10)	(10)									MAX
INST	10.66	4.99	9.69	9.56				35					MIN
MIN	1171	(22)	(1)	(1)									17.4

ENVIRONMENT ONTARLU

REGIONAL MUNICIPALITY OF WATERLOO

WELL REC #: 6502371 UTM LO-ORD: Z-17 E533925 N4808600 LAT & LONG: 43-26NORTH 80-35WEST CHSERVATION WELL 247 LOT 1 TOWNSHIP UF WILMOT

REC METHOD: BRUTT RECORDER

REC COMMCD:
JUNE 1962

MEASURE PT:
B.5 FEET ABUVE GROUND SURFACE
LENGTH OF CASING:
LENGTH OF CASING:
LENGTH OF SCREEN:
LENGTH OF SCREEN:
LENGTH OF SCREEN:
LENGTH OF WELL:
LOG: TUPSOIL 4; BHOWN CLAY 8; BLUE CLAY 75; SILTY CLAY 88; CLAY 105; GRAVEL WITH THIN STREAKS OF CLAY 121. DIAMETER OF WELL: 2 INCHES LENGTH OF CASING: 109 FEET LENGTH OF SCREEN: 10 FEET CEPTH OF WELL: 119 FEET

PUMP RATE: 10 IGPM
SPEC. CAP: 10.7 IGPM/FT
AGUIFER : GRAVEL WITH CLAY
QUALITY : FRESH

						1974							
				DAILY ME	AN WATER	LEVELS REF	ERRED TO D	ISTANCE IN	FEET BELO	W GROUND SU	RFACE		
DAY	NAL	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	UCT	NOV	DEC	DAY
1	63.55	64.01	64.09	63.95	63.91						62.26		1
ž	63.52	63.90	63.94	63.90	63.76						62.32		2
3	63.71	63.96	63.81	63.93	63.68						62.17		3
	63.68	63.99	63.84	63.82	63.84					0.00000	62.18		2 3 4 5
4 5 6 7	63.72	64.07	63.94	64.00	63.61					63.17	62.18		5
6	63.79	63.89	63.92	64-01	63.60					63.06	62.35		6
7	63.69	63.93	64.05	63.92	63.77					63.65	62.35		7
8	63.50	63.85	64.09	64.00	63.70					62.70	62.30		8
9	63.61	03.97	63.93	63.86	63.62					62.59	62.29	7.2 .2.2	9
10	03.65	63.82	64.18	63.98	63.75					62.67	62.20	62.09	10
11	63.76	63.95	64.01	63.99	63.59					64.65	62.05	62.08	11
12	63.91	63.90	64.02	63.79	63.45					62.63	62.05	62.08	12
13	63.90	63.92	64.06	63.79	63.74					62.61	62.10	62.17	13
14	63.59	64.18	64.04	63.63						62.38	62.20	62.16	14
15	63.06	64.08	63.95	63.84						62.58	62.20	62.00	15
16	63.71	63.80	63.80	63.95						62.42	62.33	61.88	16
17	64.01	63.94	63.90	63.87						62-41	62.20	61.91	17
18	63.78	63.91	63.95	63.88						62.57	62.15	62.04	18
19	63.89	63.72	63.98	64.00						62.48	62.07	61.94	19
20	63.73	64.14	64.08	63.95						62-57	61.89	62.13	20
21	03.72	64.06	63.88	63.78						62.56	62.07	01.98	21
22	63.86	63.58	64.05	63.64						62.42	62.36	62.08	22
23	63.87	64.21	64-06	63.77						62.41	62-19	62.01	23
24	63.95	64.14	64.14	63.98						62.33	62.08	62.03	24
25	63.91	04-06	64-17	63.91						62-32	62-21	61.93	25
26	63.75	64.12	63.98	63.88						62.35	62.27	02.12	26
27	63.74	63.98	64.06	63.85						62.36		61.92	27
28	63.83	63.90	64.00	63.78						62.33		61.99	28
29	63.92		63.81	63.77						62.36		61.87	29
30	63.BL		63.68	63.74						62.32	62.24	61.98	30 31
31	63.83		63.95							62.27		61.93	31
					-M	IONTHLY SUM	MARY-						MEAN
ME AN	63.76	63.96	63.98	63.87									
INST	63.38	63.43	63.62	63.42									INST
MAX	(27)	(22)	(4)	(14)									
INST	64.11	64.29	64.31	64.11									INST
MIN	(17)	(23)	(25)	(1)									MIN
		Control of the contro											

WELL REC #: 6502145 UTM CO-ORD: Z-17 E530300 N4804475 LAT & LONG: 43-24NORTH 80-37WEST ENVIRONMENT ONTARIO OBSERVATION WELL 396 TORONTO REGIONAL MUNICIPALITY OF WATERLOO LOT 11 TOWNSHIP OF WILMOT REC METHOD: BRUTT RECORDER

REC COMMCD: JUN-13 1973

MEASURE PT: 4-6 FEET ABOVE GROUND SURFACE
GND ELEV: 1200 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 155 FEET

DRILLED

BROWN CLAY B; SAND 17; SAND AND GRAVEL 38; BOULDERS, GRAVEL AND BROWN CLAY 51; BROWN CLAY CHANGING TO GREY COLOR

60; SILTY SAND WITH CLAY STREAKS 128; GRAVEL, SAND WITH BOULDERS 155; SAND AND FINE GRAVEL 182; GREY CLAY 205;

GREY CLAY, GRAVEL 210; CEMENTED SAND, GRAVEL 218; BEDROCK 218. DIAMETER OF WELL: 2 INCHES LENGTH OF CASING: 144 FEET LENGTH OF SCREEN: 11 FEET DEPTH OF WELL: 155 FEET PUMP RATE: 25 IGPM SPEC. CAP: 6.58 IGPM/FT ACUIFER : SAND AND GRAVEL QUALITY : FRESH

DAY	JAN	FEB	MAR	APR	MAY	JUN LEVELS KEP	JUL	AUG	SEP	DCT	NOV	DEC	DAY
DAT			TAKE	er o		5.534	15.5				46.75		
1	45-17	44.46							46.22	46.45			1
1 2 3 4 5 6 7	45.22	44.44							46.27	46.60	46.77		2 3 4 5 6 7
3	45.01	44.40							46.23	46.63	46.70		3
4	44.93	44.33							46.26	46.61	46.68		-
5	44.86	44.39							46.35	46.71	46.69		2
6	44.76	44.32							46.31	46.80	46.87		9
7	44.76	44.29							46.24	46.95			
8	44.90	44.20							46.24	47.03			8 9
9	44.77	44.23							46.25	47.12			.,
10	44.72	44.15							46.21	47.34			10
11	44.68	44.24							46.18	47.53			12
12	44.65	44.21							46.13	47.72			13
13	44.76	44.21							46.16	47.94			13
14	44.88	44.42							46.29	47.92			14 15
15	44.65	44.41							46.27	48.19			15
16	44.54	44.15							46.33	48.29			16
17	44.57	44.17							46.23	48.40			17
18	44.76	44.15							46.34	48.63			18
19	44.75								46.37	48.33			19
20	44.64								46.36	48.09			20
21	44.64								46.30	47.85			21
22	44.50								46.36	47.47			22
23	44.62								46.41	47.15			22 23 24 25 26 27 28
24	44.53					÷.			46.33	46.87			24
24 25	44.58								46.13	46.54			25
26	44.61								46.13	46.63			26
27	44.54								46.21	46.68			27
28	44.26							46.13	46.26	46.71			28
29	44.42							46.10	46.26	46.75			29 30
30	44.32							46.11	46.41	46.76			30
31	44.28							46.10		46.74			31
					-м	ONTHLY SUMM	ARY-			Dian Sins			2000
MEAN	44.69								46.27	47.27			MEAN
INST	44.10								46.05	46.43			INST
MAX	(28)								(27)	(1)			MAX
INST	45.28								46.53	48.72			INST
MIN	(2)								(27)	(18)			MIN
1.1714													

ENVIRONMENT ONTARIC

WELL PEC #: 670C542 UTM CD-CRD: Z-17 E571167 N4827731 LAT E LCNG: 43-36NURTH 80-07WEST DESERVATION WELL 440 LOT 1 CONC. 5 TOWNSHIP OF ERAMOSA

REC METHOD: A25 RECORDER
REC COMMCD: JUNE 1966
MFASURF PT: 3-0 FFFT ABOVE URGUND SURFACE
GND ELEV: 1175 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
RELL LOG: FINE BROWN SANU AND SILT 10: D

DIAMETER OF WELL: 5 INCHES LENGTH OF CASING: 26 FEET LENGTH OF SCREEN: 5 FEET DEPTH OF WELL: 31 FEET

PUMP PATE: SPEC. CAP: AQUIFER : QUALITY : 38 1GPM 2.30 IGPM/FT SAND AND GRAVEL FRESH

DRILLED
FINE BROWN SAND AND SILT 10: DAMP DARK BROWN FINE SAND 16; FINE BROWN SAND AND SILT 26; SAND AND GRAVEL 29;
BEORDCK 31.

WELLINGTON COUNTY

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ec 1	NOV	DEC	DAY
UXI	DAN				200	U-10	4.07	6.27			11.50	12.37	1
1	10.84	8.92	7.37		3.22	3.45		6.33			11.53	12.38	2
2	10.82	8.70	7.32		3-17	3.37	4.14	6.38			11.57	12.41	3
3	10.78	8.53	7.25		3.17	3.29	4.19	6.44			11.61	12.44	4
4	10.73	8.35	6.89		3.05	3.21	4.24	6.51		10.39	11.65	12.46	5
5	10.68	8.22			3.01	3.13	4.29	6.59		10.41	11.69	12-46	2 3 4 5 6
6	10.63	8.10			3.00	3.06	4.38			10.46	11.75	12.47	7
7	10.00	7.98			2.90	2.96	4.44	6.67		10.51	11.79	12.47	8
8	10-57	7.90			2.84	2.99	4.49	6.89		10.55	11.82	12.47	9
9	10.55	7.89			2.85	3.04	4.55	6.96	8.85	10.58	11.86	12.46	10
10	10.53	7.84			2.82	3.10	4.63	7.02	8.72	10.63	11.89	12.46	11
11	10.52	7.78			2.82	3.19	4.73	7.09	8.58	10.67	11.91	12.46	12
12	10.52	7.76		3.67	2.90	3.27	4.79	7.15	8.45	10.71	11.95	12.52	13
13	10.52	7.71		3.71	2.89	3.36	4.86	7.21	8.40	10.73	11.99	12.77	14
14	10.48	7.71		3.74	2.95	3.41	4.92	7.28		10.77	12.03	12.81	15
15	10.43	7.69		3.69	2.94	3.44	5.00	7.35		10.62	12.06	12.85	16
16	10.42	7.67		3.63	2.93	3.45	5.10	7.40		10.86	12.10	12.89	17
17	10.40	7.65		3.63	3.34	3.52	5.19	7.46		10.01	12.13	12.94	18
18	10.37	7.63		3.59	3.71	3.60	5.27	7.54			12.15	12.96	19
19	10.36	7.61		3.53	3.90	3.64	5.33	7.63		10.95	12.15	12.99	20
20	10.35	7.61		3.49	4.01	3.60	5.41	7.71		10.99		13.00	21
21	10.33	7,61		3.51	4.09	3.58	5.50	7.79		11.04	12.17	13.02	22
22	10.31	7.56		3.55	4.12	3.65	5.58	7.87		11.08	12.21	13.04	23
23	10.30	7.52		3.53	4.10	3.72	5 . 65			11.12	12.22	13.06	24
24	10.29	7.48		3.47	4.03	3.78	5.72			11.14	12.23	13.08	25
25	10.28	7.46		3.42	3.97	3.83	5.78			11.18	12.25		26
26	10.23	7.45		3.40	3.91	3.88	5.84			11-24	12.27	13.12	27
27	10.05	7.44		3.36	3.83	3.97	5.89			11.29	12.28		28
28	9.81	7-41		3.38	3.78	4.04	5.95			11.34	12.29	13.18	29
29	9.57			3.34	3.76	4.05	6.02			11.38	12.33	13.21	
30	9.33			3.29	3.65	4.02	6.11			11.43	12.36	13.23	30
31	9.12				3,59		6.20			11.46		13.24	31
					- 40	NTHLY SUMM	ARY-				001 241		MEAN
MEAN	10.35	7.83			3-40	3.49	5.11				11.99	12.79	MEAN
***	9.02	7-40			2.80	2.94	4.04				11.4B	12.36	INST
INST	131)	(28)			(11)	(7)	(1)				(1)	(1)	MAX
MAX	1311	1401									13.37	13.25	INST
INST	10.85	9.02			4.12	4.07	6.24				12.36	(31)	MIN
MIN	())	(1)			(23)	(29)	(31)				(30)	1317	m a re
P4 4 P4		1 4 1											

WFLL REC #: 6700628 UTN CO-DRD: Z-17 E574860 N4835410 LAT & LONG: 43-40NORTH 80-04WEST OBSERVATION WELL 432 ENVIRONMENT ONTARIC TORONTO MELLINGTON COUNTY LOT 4 TOWNSHIP OF EPIN CONC . 4

DIAMETER OF WELL: 7 INCHES LENGTH OF CASING: 95 FEET LENGTH OF SCREEN: 5 FEET DEPTH OF WELL: 100 FEET REC METHOD: A35 RECORDER

REC COMMCD: MAY 1966

REASURE P1: 3.0 FEET ABOVE GROUND SURFACE LENGTH OF CASING: 95 FEET AUTHOR

MEASURE P1: 3.0 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 100 FEET AUTHOR

WELL TYPE: ORILLEO

WELL LOG: VERY STONY TILL 15: SILTY, STONY TILL 30: FINE BROWN SILT SAND WITH STONES 35: GREY SILTY, STONY TILL 70: STONY, BUFF TILL 93: COARSE SAND AND FINE GRAVEL 96: FINE TO MEDIUM GRAVEL 100: FINE 10 MEDIUM SAND 105. PUMP RATE: N.A.
SPFC. CAP: N.A.
AQUIFER : GRAVEL
QUALITY : FRESH

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE 5# P DAY DCT NOV DEC AUG MAY .11.104 JUL FEB DAY JAN 44.35 44.39 44.40 44.50 44.57 44.62 44.62 44.62 44.63 44.80 44.81 44.83 44.83 44.83 44.83 44.83 44.83 44.81 44.83 44.81 44.83 44.81 44.83 44.81 44.83 44.81 44.83 44.81 44.83 44.81 44.83 44.81 44.83 44.81 44.83 44.81 44.83 45.83 45.17 45.13 45.11 45.11 45.11 45.04 45.04 45.04 45.04 45.03 45.03 45.03 45.03 45.02 45.01 45.01 45.02 45.03 45.03 45.03 45.03 45.03 45.04 40.84 40.90 40.94 41.00 41.05 41.42 41.42 41.48 41.55 41.62 41.67 41.67 41.79 41.79 42.95 43.03 43.12 43.12 43.25 43.25 43.43 43.43 43.43 43.43 43.61 43.61 43.76 43.76 43.71 43.81 44.81 38.99 38.86 38.78 38.70 38.61 38.54 38.51 38.54 38.46 38.43 38.37 38.25 38.47 38.51 38.68 38.68 38.68 38.07 39.07 39.12 39.27 39.27 39.27 39.47 39.54 39.67 39.67 40.00 40.10 40.24 40.32 40.39 40.53 40.53 40.53 40.53 40.53 40.65 40.66 40.66 43.41 43.40 43.35 43.31 43.27 43.22 43.16 43.21 43.22 41.79 41.75 41.62 41.62 41.63 40.29 40.20 40.25 39.88 39.41 39.12 39.12 38.92 38.93 38.93 38.93 38.93 38.93 38.93 38.93 38.93 39.02 39.02 39.02 39.03 39.02 39.03 39.27 39.27 39.27 38.97 38.62 38.53 38.53 38.53 38.32 38.32 38.32 38.32 38.32 38.32 37.97 37.98 37.98 37.88 37.88 37.88 37.88 37.88 37.82 37.83 37.73 37.77 37.75 37.75 37.67 37.67 37.60 37.80 37.60 37.80 42.29 42.21 42.06 42.30 41.49 41.86 41.86 41.86 41.87 41.88 41.89 10 11 12 13 43.22 43.20 43.16 43.14 43.15 43.11 10 11 12 13 38.13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 15 16 17 43.11 43.07 43.07 43.10 43.15 43.13 43.12 43.07 43.05 38.03 38.05 38.11 38.27 38.30 38.27 38.32 38.37 38.41 38.47 38.48 38.48 41.98 42.03 42.10 42.28 42.35 42.47 42.58 42.58 42.63 42.63 42.59 42.82 42.82 20 43.05 43.01 43.00 42.95 42.82 42.76 26 28 29 30 31 42.63 42.48 42.33 -MONTHLY SUMMARY 0 38.40 44.83 45.39 45.05 MEAN 39.66 38.24 38-40 41.93 39.71 43.07 MEAN 45.00 INST 45.19 (30) 44.34 38.47 38.92 (18) 38.03 40.80 42.91 37.81 (20) 41.79 INST MAX 42.30 (311 1201 42.91 (30) 45.24 45.53 45.19 41.79 39.35 39.28 1NST MIN

ENVIRONMENT ONTARIO TORONTO WELLINGTON COUNTY


OBSERVATION WELL 397

WELL REC #: 6700871 UTM CO-ORD: Z-17 E566100 N4821250 LAT & LONG: 43-34NORTH 80-11WEST CONC. 9 LOT 4 TOWNSHIP OF PUSLINCH

REC METHOD: A35 RECORDER DIAMETER OF WELL: 10 INCHES PUMP RATE:
REC COMMCD: JUL. 25 1973 LENGTH OF CASING: 22.5 FEET SPEC. CAP:
MEASURE PT: 3.6 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: NOME AQUIFER:
GND ELEV: 1078 FEET ABOVE SEA LEVEL DEPTH OF WELL: 65 FEET QUALITY:
WELL TYPE: DRILLEO
WELL LOG: TOPSOIL 2; DIRTY SAND AND GRAVEL 6; GRAVEL AND CLAY 21; BRCWN LIMESTONE 29; GREY LIMESTONE 65.

PUMP RATE: 1200 IGPM SPEC. CAP: 141 IGOM/FT AQUIFER : LIMESTONE QUALITY : FRESH

DAY JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DAY 1 3.70 2.03 1.20 0.20 -0.59 -2.95 2.08 6.02 9.34 2 3.62 1.95 1.15 0.11 -0.61 -2.72 2.24 6.22 9.25 3 3.558 1.88 1.12 -0.04 -0.65 -2.45 2.47 6.22 9.25 4 3.557 1.87 0.08 -0.01 -0.05 -2.29 2.74 6.22 9.27 5 3.55 1.67 0.03 -0.01 -0.05 -2.29 2.74 6.22 9.27 5 3.55 1.17 0.03 -0.01 -0.05 -2.29 2.74 6.22 9.27 6 3.55 1.17 0.03 -0.04 -0.58 -2.25 2.47 6.22 9.27 7 8 3.55 1.17 0.03 -0.04 -0.58 -2.29 2.74 6.22 9.27 8 3.63 1.60 0.26 -0.31 -0.08 -2.29 2.74 6.22 9.17 8 3.63 1.60 0.26 -0.41 -0.48 -1.78 3.25 6.00 9.09 1.3 7 8 3.51 1.59 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9.09 10 3.41 1.53 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9.09 11 3.55 1.55 0.55 -0.49 -0.57 -1.27 3.76 6.52 9.00 111 12 3.63 1.51 0.03 -0.61 -0.64 -1.11 3.93 6.49 8.99 111 13 3.68 1.53 0.03 -0.61 -0.64 -1.11 3.93 6.49 8.99 111 13 3.68 1.53 0.03 -0.61 -0.64 -1.11 3.93 6.49 8.99 113 14 3.48 1.63 0.00 -0.09 -0.05 -0.49 -0.55 1.11 1.53 0.89 6.55 9.03 110 14 3.49 1.65 0.00 -0.00 -0.59 -0.61 -0.64 1.11 3.93 6.49 8.99 113 14 3.40 1.63 0.00 -0.00 -0.59 -0.61 -0.64 1.11 3.93 6.49 8.99 113 14 3.40 1.63 0.00 -0.00 -0.59 -0.61 -0.69 8.10 -0.59 9.2 8.10 114 15 3.50 1.60 0.00 -0.00 -0.59 -0.61 -0.59 9.2 8.10 114 18 3.40 1.63 0.00 -0.00 -0.59 -0.61 -0.59 9.2 8.10 119 18 3.30 1.40 -0.19 -0.66 -0.59 -0.61 -0.59 9.2 8.10 119 20 3.21 1.55 0.00 -0.00 -0.00 -0.59 -0.61 -0.59 9.22 9.20 127							1974			STEEDER TENEN ST				
1 3.70 2.03 1.20 0.20 -0.59 -2.95 2.08 6.03 9.34 1 2 3.62 1.95 1.15 0.11 -0.61 -2.79 2.24 6.22 9.28 2 3 3.58 1.88 1.12 -0.04 -0.63 -2.62 2.41 6.23 9.27 3 4 3.57 1.81 0.90 -0.11 -0.53 -2.45 2.57 6.26 9.23 4 5 3.56 1.77 0.68 -0.26 -0.60 -2.29 2.74 6.32 9.17 5 6 3.54 1.08 0.46 -0.31 -0.58 -2.12 2.91 6.34 9.15 6 7 3.55 1.64 0.33 -0.39 -0.47 -1.95 3.08 6.39 9.13 7 8 3.63 1.60 0.26 -0.41 -0.48 -1.78 3.25 6.60 9.09 8 9 3.51 1.59 0.15 -0.49 -0.54 -1.61 3.25 6.60 9.09 8 10 3.41 1.53 0.15 -0.49 -0.54 -1.61 3.25 6.60 9.09 8 11 3.55 1.55 0.05 -0.49 -0.52 -1.22 3.96 6.55 9.03 10 11 3.63 1.51 0.03 -0.66 -0.49 -0.47 -1.94 8.99 12 13 3.68 1.53 0.03 -0.66 -0.46 -1.11 3.59 6.52 9.03 11 13 3.48 1.60 0.03 -0.66 -0.64 -1.11 3.42 6.40 8.96 14 14 3.48 1.60 0.00 -0.09 -0.00 -0.59 -0.46 4.20 6.40 8.96 14 15 3.50 1.27 -0.13 -0.69 -0.00 -0.59 -0.47 4.5 6.26 14 15 3.50 1.57 -0.13 -0.69 -0.00 -0.59 -0.47 4.5 6.26 14 15 3.50 1.57 -0.13 -0.69 -0.00 -0.59 -0.49 4.2 6.31 18 18 3.91 1.55 -0.16 -0.09 -0.00 -0.59 -0.27 4.75 6.26 11 18 3.91 1.40 -0.19 -0.64 -0.55 -0.27 4.75 6.26 11 18 3.91 1.50 -0.10 -0.04 -0.59 -0.07 5.97 5.96 12 21 3.20 1.52 -0.19 -0.70 -0.10 4.91 6.17 18 22 3.40 1.29 -0.03 -0.66 -0.80 -0.77 5.97 5.99 22 23 3.40 1.22 -0.01 -0.70 -0.05 5.99 3.99 22 24 3.40 1.22 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 26 3.30 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 27 3.24 1.28 0.14 -0.69 -3.00 1.77 5.75 5.99 22 28 3.30 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 29 3.67 0.10 -0.69 -3.00 1.77 5.75 5.99 22 20 2.67 0.00 -0.69 -3.00 1.77 5.75 5.99 22 21 3.20 1.52 -0.19 -0.73 0.40 5.40 5.95 5.99 22 22 3.30 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 23 3.40 1.29 0.03 0.04 -0.69 -3.00 1.77 5.75 5.99 22 24 3.24 1.28 0.14 -0.69 -3.00 1.77 5.75 5.99 3.90 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 3.90 3.90 3.90 3.90 3.90 3.90 3.90 3					DAILY M	EAN WATER	LEVELS REFE	RRED TC DI	STANCE IN	FEET BELO	GROUND S	URFACE		
1 3 3.62 1.95 1.15 0.11 -0.61 -2.79 2.24 6.22 9.28 2 3 3.58 1.68 1.12 -0.04 -0.63 -2.62 2.41 6.23 9.27 3 4 3.57 1.81 0.90 -0.11 -0.53 -2.45 2.57 6.26 9.23 4 5 3.57 1.81 0.90 -0.11 -0.53 -2.45 2.57 6.26 9.23 4 5 3.56 1.77 0.68 -0.26 -0.60 -2.29 2.74 6.32 9.17 5 6 3.54 1.68 0.46 -0.31 -0.58 -2.12 2.91 6.34 9.17 5 6 3.55 1.64 0.33 -0.99 -0.47 -1.95 3.08 6.39 9.13 7 8 3.63 1.60 0.26 -0.41 -0.48 -1.78 3.25 6.60 9.09 8 9 3.51 1.59 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 10 3.41 1.53 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 11 3.55 1.55 0.05 -0.49 -0.52 -1.27 3.76 6.52 9.09 11 12 3.63 1.51 0.03 -0.61 -0.64 -1.13 3.99 6.55 9.03 10 11 3.55 1.51 0.03 -0.64 -0.64 -1.13 3.99 6.55 9.09 11 13 3.68 1.53 0.03 -0.65 -0.66 -1.13 3.99 6.59 9.09 12 13 3.68 1.63 0.0 -0.69 -0.66 -0.64 -1.11 3.99 6.68 8.96 13 14 3.68 1.63 0.0 -0.69 -0.66 -0.65 -0.66 6.86 8.96 13 14 3.68 1.63 0.0 -0.69 -0.66 -0.69 6.26 6.80 8.96 13 15 3.50 1.62 -0.04 -0.04 -0.59 -0.61 -0.49 6.20 8.86 145 16 3.50 1.52 -0.04 -0.04 -0.59 -0.61 -0.59 6.26 11 18 3.31 1.55 -0.16 -0.69 -0.69 -0.59 6.28 16 18 3.31 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 3.30 1.50 -0.19 -0.64 -0.59 -0.27 4.75 6.26 17 18 3.31 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 3.20 3.21 1.53 -0.16 -0.69 -0.73 0.40 5.40 6.02 22 23 3.40 1.32 -0.19 -0.73 0.40 5.40 6.02 22 23 3.40 1.32 -0.19 -0.73 0.40 5.40 6.02 22 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 24 3.24 1.28 0.14 -0.69 -3.00 1.74 5.65 5.99 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.95 5.99 22 26 27 3.24 1.28 0.14 -0.69 -3.02 1.49 5.75 5.95 5.99 30 22 27 3.24 1.28 0.14 -0.69 -3.00 1.91 5.84 5.87 5.95 5.99 30 23 31 2.12 0.03 -0.04 -0.05 -3.00 1.91 5.84 5.87 5.99 5.82 11 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 1.85 5.89 5.85 1.85 1.85 5.99 5.80 1.85 1.85 1.85 1.85 1.85 1.85 1.85 1.85	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
2 3.62 1.95 1.15 0.11 -0.61 -2.79 2.24 6.22 9.28 2 3 3.58 1.88 1.12 -0.04 -0.63 -2.62 2.41 6.23 9.27 3 4 3.57 1.81 0.90 -0.11 -0.53 -2.45 2.57 6.26 9.23 4 5 3.56 1.77 0.68 -0.26 -0.60 -2.29 2.74 6.32 9.17 5 6 3.54 1.68 0.46 -0.31 -0.58 -2.12 2.91 6.34 9.17 5 6 3.54 1.68 0.46 -0.31 -0.58 -2.12 2.91 6.34 9.17 5 8 3.63 1.60 0.26 -0.41 -0.48 -1.79 3.08 6.39 9.13 7 8 3.63 1.60 0.26 -0.41 -0.48 -1.78 3.25 6.00 9.09 8 9 3.51 1.59 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.03 9 10 3.41 1.53 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.03 10 11 3.55 1.55 0.05 -0.49 -0.52 -1.21 3.98 6.52 9.00 11 12 3.63 1.51 0.03 -0.61 -0.64 -1.11 3.98 6.52 9.00 11 12 3.63 1.51 0.03 -0.61 -0.64 -1.12 3.98 6.52 9.00 11 13 3.68 1.53 0.03 -0.61 -0.64 -1.12 3.98 6.52 9.00 11 14 3.48 1.63 0.03 -0.61 -0.64 -1.14 4.93 6.58 6.58 9.03 12 14 3.48 1.63 0.03 -0.65 -0.45 -0.49 4.26 6.40 8.96 11 15 3.50 1.52 -0.14 -0.64 -0.59 -0.49 4.20 6.40 8.96 11 18 3.90 1.52 -0.14 -0.64 -0.58 -0.49 4.20 6.80 8.86 11 19 3.91 1.40 -0.19 -0.64 -0.58 -0.49 1.11 18 20 3.21 1.53 -0.16 -0.65 -0.59 -0.27 4.75 6.26 11 19 3.30 1.40 -0.19 -0.64 -0.55 0.27 4.75 6.26 11 19 3.30 1.40 -0.19 -0.64 -0.55 0.27 4.75 6.26 11 19 3.30 1.40 -0.19 -0.64 -0.55 0.27 4.75 6.26 11 19 3.30 1.40 -0.19 -0.64 -0.55 0.27 4.75 6.26 11 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 22 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 24 3.24 1.28 0.14 -0.65 -3.09 1.07 5.75 5.96 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 26 3.30 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 3.85 22 27 3.24 1.28 0.14 -0.68 -3.00 1.91 5.84 5.87 3.99 3.85 3.91 3.91 3.91 3.91 3.91 3.91 3.91 3.91		3 70	2.03	1.20	0-20	-0.59	-2.95		6.03					1
3 3.57 1.01 0.00 -0.11 -0.53 -2.45 2.57 6.26 9.23 4 5 3.54 1.77 0.68 -0.26 -0.60 -2.29 2.74 6.32 9.17 5 6 3.54 1.08 0.46 -0.31 -0.58 -2.12 2.91 6.34 9.15 6 6 3.54 1.60 0.46 -0.31 -0.58 -2.12 2.91 6.34 9.15 6 7 3.55 1.66 0.36 -0.41 -0.58 -2.12 2.91 6.34 9.15 7 8 3.63 1.60 0.26 -0.41 -0.48 -1.78 3.25 6.00 9.09 8 8 3.63 1.50 0.26 -0.41 -0.48 -1.78 3.25 6.00 9.09 8 10 3.51 1.53 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 11 3.55 1.55 0.05 -0.49 -0.57 -1.44 3.59 6.55 9.03 10 11 3.55 1.51 0.03 -0.64 -0.47 -1.44 3.59 6.55 9.03 110 11 3.55 1.51 0.03 -0.64 -0.47 -1.44 3.59 6.55 9.00 111 12 3.53 1.51 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 113 13 3.68 1.63 0.0 -0.75 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 13 3.58 1.59 0.05 -0.60 -0.59 4.42 6.31 15 15 15 15 15 15 15 15 15 15 15 15 15								2.24	6.22	9.28				2
7 3.55 1.66 0.33 -0.39 -0.47 -1.99 3.08 0.37 9.15 7 8 3.63 1.60 0.26 -0.41 -0.48 -1.78 3.25 6.60 9.09 8 9 3.51 1.59 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 10 3.41 1.53 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 11 3.55 1.55 0.05 -0.49 -0.52 -1.27 3.76 6.52 9.00 111 12 3.63 1.51 0.03 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 13 3.68 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 13 14 3.48 1.63 0.0 -0.75 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 15 3.50 1.62 -0.06 -0.09 -0.60 -0.56 -0.94 6.10 6.48 8.96 13 16 3.50 1.52 -0.14 -0.64 -0.58 -0.43 4.59 6.28 16 17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 116 18 3.41 1.55 -0.16 -0.70 -0.99 -0.27 4.75 6.26 117 18 3.49 1.53 -0.10 -0.99 -0.27 4.75 6.26 117 18 3.49 1.53 -0.10 -0.73 0.40 5.40 6.02 22 22 3.41 1.53 -0.16 -0.55 0.24 5.23 5.92 22 23 3.40 1.32 -0.19 -0.73 0.40 5.40 6.02 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.99 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.99 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 26 3.32 1.26 0.00 -0.65 -3.09 1.07 5.75 5.99 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.99 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 26 3.32 1.26 0.00 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3	5						-2.62		6.23					
7 3.55 1.66 0.33 -0.39 -0.47 -1.99 3.08 0.37 9.15 7 8 3.63 1.60 0.26 -0.41 -0.48 -1.78 3.25 6.60 9.09 8 9 3.51 1.59 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 10 3.41 1.53 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 11 3.55 1.55 0.05 -0.49 -0.52 -1.27 3.76 6.52 9.00 111 12 3.63 1.51 0.03 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 13 3.68 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 13 14 3.48 1.63 0.0 -0.75 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 15 3.50 1.62 -0.06 -0.09 -0.60 -0.56 -0.94 6.10 6.48 8.96 13 16 3.50 1.52 -0.14 -0.64 -0.58 -0.43 4.59 6.28 16 17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 116 18 3.41 1.55 -0.16 -0.70 -0.99 -0.27 4.75 6.26 117 18 3.49 1.53 -0.10 -0.99 -0.27 4.75 6.26 117 18 3.49 1.53 -0.10 -0.73 0.40 5.40 6.02 22 22 3.41 1.53 -0.16 -0.55 0.24 5.23 5.92 22 23 3.40 1.32 -0.19 -0.73 0.40 5.40 6.02 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.99 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.99 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 26 3.32 1.26 0.00 -0.65 -3.09 1.07 5.75 5.99 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.99 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 26 3.32 1.26 0.00 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3	2					-0.53	-2.45	2.57	6.26					4
7 3.55 1.66 0.33 -0.39 -0.47 -1.93 3.08 0.37 9.15 7 8 3.63 1.60 0.26 -0.41 -0.48 -1.78 3.25 6.60 9.09 8 9 3.51 1.59 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 10 3.41 1.53 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 11 3.55 1.55 0.05 -0.49 -0.52 -1.27 3.76 6.52 9.00 11 12 3.63 1.51 0.03 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 13 3.68 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 13 14 3.48 1.63 0.0 -0.75 -0.61 -0.64 6.26 6.40 8.96 13 15 3.50 1.62 -0.06 -0.09 -0.60 -0.59 4.42 6.31 15 16 3.50 1.52 -0.14 -0.64 -0.58 -0.43 4.59 6.28 16 17 3.36 1.57 -0.13 -0.09 -0.27 4.75 6.26 11 18 3.41 1.55 -0.16 -0.70 -0.40 4.91 6.17 18 3.49 1.53 -0.10 -0.19 -0.64 0.07 5.07 5.96 11 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 11 22 3.41 1.27 -0.08 -0.80 -0.80 -0.57 5.55 5.99 22 23 3.40 1.32 -0.19 -0.73 0.40 5.40 6.02 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.93 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.93 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.93 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 22 26 3.32 1.26 0.00 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.79 5.89 29 30 2.31 0.08 0.08 -0.69 -3.01 1.74 5.79 5.89 29 30 2.31 0.08 0.08 -0.69 -3.01 1.74 5.79 5.89 31 1NST 3.74 2.08 1.15 -0.26 -0.85 -0.95 1.91 5.92 5.85 31 1NST 3.74 2.08 1.15 -0.26 -0.85 -0.95 1.99 5.92 6.91 1.01 1.01 1.01 1.01 1.01 1.01 1.01 1	2						-2.29	2.74	6.32					5
7 3.55 1.66 0.33 -0.39 -0.47 -1.99 3.08 0.37 9.15 7 8 3.63 1.60 0.26 -0.41 -0.48 -1.78 3.25 6.60 9.09 8 9 3.51 1.59 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 10 3.41 1.53 0.15 -0.49 -0.54 -1.61 3.42 6.58 9.05 9 11 3.55 1.55 0.05 -0.49 -0.52 -1.27 3.76 6.52 9.00 111 12 3.63 1.51 0.03 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 13 3.68 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 13 14 3.48 1.63 0.0 -0.75 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 15 3.50 1.62 -0.06 -0.09 -0.60 -0.56 -0.94 6.10 6.48 8.96 13 16 3.50 1.52 -0.14 -0.64 -0.58 -0.43 4.59 6.28 16 17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 116 18 3.41 1.55 -0.16 -0.70 -0.99 -0.27 4.75 6.26 117 18 3.49 1.53 -0.10 -0.99 -0.27 4.75 6.26 117 18 3.49 1.53 -0.10 -0.73 0.40 5.40 6.02 22 22 3.41 1.53 -0.16 -0.55 0.24 5.23 5.92 22 23 3.40 1.32 -0.19 -0.73 0.40 5.40 6.02 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.99 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.99 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 26 3.32 1.26 0.00 -0.65 -3.09 1.07 5.75 5.99 22 24 3.40 1.29 0.03 -0.65 -3.09 1.07 5.75 5.99 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.99 22 26 3.32 1.26 0.00 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 22 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3.02 1.41 5.77 5.97 3	2							2.91	6.34					6
10 3.41 1.59 0.15 -0.48 -0.47 -1.44 3.59 6.55 9.03 10 11 3.55 1.55 0.05 -0.49 -0.52 -1.27 3.76 6.52 9.00 111 12 3.63 1.51 0.03 -0.61 -0.44 -1.11 3.93 6.49 8.99 112 13 3.68 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 113 14 3.48 1.63 0.0 -0.75 -0.61 -0.76 4.26 6.40 8.86 114 15 3.50 1.62 -0.06 -0.69 -0.60 -0.59 4.42 6.31 15 16 3.50 1.52 -0.14 -0.64 -0.98 -0.43 4.59 6.28 115 17 3.36 1.57 -0.13 -0.69 -0.40 4.75 6.26 117 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.86 117 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.86 119 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.40 1.32 -0.05 -0.37 -3.09 0.74 5.65 5.99 22 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 24 3.40 1.29 -0.03 -0.64 -3.09 0.90 5.69 5.95 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 22 26 3.24 1.28 0.14 -0.69 -3.00 1.57 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.74 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.74 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.74 5.69 5.99 5.85 31 INST 2.08 1.15 -0.26 -0.85 -3.00 1.91 5.84 5.87 30 30 2.31 0.08 -0.69 -3.00 1.77 5.89 5.85 31 INST 3.74 2.08 1.15 -0.26 -0.85 -3.00 1.99 5.92 5.85 31 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.99 5.92 5.82 1.99 5.85 31 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.29 5.90 5.80 5.90 5.85 31 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.29 5.90 5.80 5.80 5.80 5.80 5.80 5.80 5.80 5.8	2						-1.95		6.39	9.13				7
10 3.41 1.59 0.15 -0.48 -0.47 -1.44 3.59 6.55 9.03 10 11 3.55 1.55 0.05 -0.49 -0.52 -1.27 3.76 6.52 9.00 111 12 3.63 1.51 0.03 -0.61 -0.44 -1.11 3.93 6.49 8.99 112 13 3.68 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 113 14 3.48 1.63 0.0 -0.75 -0.61 -0.76 4.26 6.40 8.86 114 15 3.50 1.62 -0.06 -0.69 -0.60 -0.59 4.42 6.31 15 16 3.50 1.52 -0.14 -0.64 -0.98 -0.43 4.59 6.28 115 17 3.36 1.57 -0.13 -0.69 -0.40 4.75 6.26 117 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.86 117 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.86 119 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.40 1.32 -0.05 -0.37 -3.09 0.74 5.65 5.99 22 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 24 3.40 1.29 -0.03 -0.64 -3.09 0.90 5.69 5.95 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 22 26 3.24 1.28 0.14 -0.69 -3.00 1.57 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.74 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.74 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.74 5.69 5.99 5.85 31 INST 2.08 1.15 -0.26 -0.85 -3.00 1.91 5.84 5.87 30 30 2.31 0.08 -0.69 -3.00 1.77 5.89 5.85 31 INST 3.74 2.08 1.15 -0.26 -0.85 -3.00 1.99 5.92 5.85 31 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.99 5.92 5.82 1.99 5.85 31 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.29 5.90 5.80 5.90 5.85 31 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.29 5.90 5.80 5.80 5.80 5.80 5.80 5.80 5.80 5.8								3.25	6.60	9.09				8
10 3.41 1.59 0.15 -0.48 -0.47 -1.44 3.59 6.55 9.03 10 11 3.55 1.55 0.05 -0.49 -0.52 -1.27 3.76 6.52 9.00 111 12 3.63 1.51 0.03 -0.61 -0.44 -1.11 3.93 6.49 8.99 112 13 3.68 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 113 14 3.48 1.63 0.0 -0.75 -0.61 -0.76 4.26 6.40 8.86 114 15 3.50 1.62 -0.06 -0.69 -0.60 -0.59 4.42 6.31 15 16 3.50 1.52 -0.14 -0.64 -0.98 -0.43 4.59 6.28 115 17 3.36 1.57 -0.13 -0.69 -0.40 4.75 6.26 117 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.86 117 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.86 119 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.40 1.32 -0.05 -0.37 -3.09 0.74 5.65 5.99 22 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 24 3.40 1.29 -0.03 -0.64 -3.09 0.90 5.69 5.95 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 22 26 3.24 1.28 0.14 -0.69 -3.00 1.57 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.74 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.74 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.00 1.77 5.76 5.92 29 30 2.31 0.08 -0.69 -3.00 1.74 5.69 5.99 5.85 31 INST 2.08 1.15 -0.26 -0.85 -3.00 1.91 5.84 5.87 30 30 2.31 0.08 -0.69 -3.00 1.77 5.89 5.85 31 INST 3.74 2.08 1.15 -0.26 -0.85 -3.00 1.99 5.92 5.85 31 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.99 5.92 5.82 1.99 5.85 31 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.29 5.90 5.80 5.90 5.85 31 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.29 5.90 5.80 5.80 5.80 5.80 5.80 5.80 5.80 5.8								3.42	6.58	9.05				9
12 3.63 1.51 0.03 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 13 3.66 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 13 14 3.48 1.63 0.0 -0.75 -0.61 -0.76 4.26 6.40 8.86 14 15 3.50 1.62 -0.06 -0.69 -0.60 -0.53 4.42 6.31 15 16 3.50 1.52 -0.14 -0.64 -0.88 -0.43 4.59 6.28 16 17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 17 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 19 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.41 1.27 -0.08 -0.80 -0.80 0.57 5.55 5.99 22 23 3.40 1.22 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 24 3.40 1.29 0.03 -0.64 -3.09 0.90 5.69 5.95 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 22 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 22 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.97 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.78 5.99 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.78 5.99 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.78 5.99 29 2.67 3.20 1.52 0.15 -0.69 -3.10 1.74 5.79 5.89 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.78 5.99 29 2.67 3.00 1.00 -0.69 -3.00 1.57 5.89 5.85 31 MEAN 3.35 1.55 0.20 -0.52 -0.65 -3.09 1.91 5.86 5.87 30 MEAN 3.35 1.55 0.20 -0.52 -0.65 -3.09 1.91 5.86 5.87 30 INST 2.08 1.15 -0.26 -0.85 -3.09 1.91 5.82 5.85 1.85 1.85 1.85 1.85 1.85 1.85 1.85									6.55	9.03				10
12 3.63 1.51 0.03 -0.61 -0.64 -1.11 3.93 6.49 8.99 12 13 3.66 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 13 14 3.48 1.63 0.0 -0.75 -0.61 -0.76 4.26 6.40 8.86 14 15 3.50 1.62 -0.06 -0.69 -0.60 -0.53 4.42 6.31 15 16 3.50 1.52 -0.14 -0.64 -0.88 -0.43 4.59 6.28 16 17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 17 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 19 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.41 1.27 -0.08 -0.80 -0.80 0.57 5.55 5.99 22 23 3.40 1.22 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 24 3.40 1.29 0.03 -0.64 -3.09 0.90 5.69 5.95 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 22 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 22 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.97 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.78 5.99 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.78 5.99 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.78 5.99 29 2.67 3.20 1.52 0.15 -0.69 -3.10 1.74 5.79 5.89 29 2.67 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.78 5.99 29 2.67 3.00 1.00 -0.69 -3.00 1.57 5.89 5.85 31 MEAN 3.35 1.55 0.20 -0.52 -0.65 -3.09 1.91 5.86 5.87 30 MEAN 3.35 1.55 0.20 -0.52 -0.65 -3.09 1.91 5.86 5.87 30 INST 2.08 1.15 -0.26 -0.85 -3.09 1.91 5.82 5.85 1.85 1.85 1.85 1.85 1.85 1.85 1.85		3.41						3.76		9.00				11
13 3.68 1.53 0.03 -0.66 -0.56 -0.94 4.10 6.48 8.96 13 14 3.48 1.63 0.0 -0.75 -0.61 -0.76 4.26 6.40 8.86 14 15 3.50 1.62 -0.16 -0.69 -0.60 -0.59 4.42 6.31 15 16 3.50 1.52 -0.14 -0.64 -0.58 -0.43 4.59 6.28 16 17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 17 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 19 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.41 1.27 -0.08 -0.80 0.57 5.55 5.99 22 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 24 3.40 1.29 0.03 -0.64 -3.09 0.90 3.69 5.95 24 3.40 1.29 0.03 -0.64 -3.09 0.90 3.69 5.95 25 26 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 25 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 25 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 26 3.09 2.31 0.08 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 29 29 30 2.31 0.08 -0.69 -3.02 1.41 5.77 5.89 5.89 30 2.31 0.08 -0.69 -3.02 1.41 5.77 5.89 5.89 30 2.31 0.08 -0.69 -3.02 1.91 5.84 5.87 30 30 2.31 0.08 -0.69 -3.02 1.91 5.84 5.87 30 30 2.31 0.05 -0.69 -3.02 1.91 5.88 5.87 30 30 2.31 0.15 -0.26 -0.85 -3.09 1.91 5.88 5.87 30 30 2.31 0.15 -0.26 -0.85 -3.09 1.91 5.88 5.87 30 30 2.31 0.15 -0.26 -0.85 -3.07 1.24 5.89 5.85 30 30 2.31 0.15 -0.26 -0.85 -3.07 1.24 5.89 5.85 30 30 2.31 0.15 -0.26 -0.85 -0.69 -3.02 1.99 5.82 1NST NAX (331) (28) (19) (22) (11) (11) (11) (11) (11) (11) (11								3.93	6.49	8.99				12
14 3.48 1.63 0.0 -0.75 -0.61 -0.76 4.26 6.40 8.86 15 3.50 1.62 -0.06 -0.69 -0.60 -0.59 4.42 6.31 16 3.50 1.52 -0.14 -0.64 -0.58 -0.43 4.59 6.28 17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 22 3.41 1.27 -0.08 -0.80 0.57 5.55 5.99 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 24 3.40 1.29 0.03 -0.64 -3.09 0.90 5.49 5.95 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.95 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 29 2.67 0.10 -0.69 -3.01 1.57 5.99 29 2.67 0.10 -0.69 -3.01 1.57 5.99 29 2.67 0.10 -0.69 -3.00 1.91 5.84 5.87 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 31 2.12 0.15 -0.26 -0.65 -0.67 -0.52 4.39 6.18 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 5.85 INST NAX (311 (28) (19) (22) (11) (11) (11) (11) (11) (11) (11									6.48	8.96				13
15 3.50 1.62 -0.06 -0.69 -0.60 -0.59 4.42 6.31 16 3.50 1.52 -0.14 -0.64 -0.58 -0.43 4.59 6.28 17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 3.20 1.52 -0.19 -0.73 5.55 5.99 22 3.41 1.27 -0.08 -0.80 0.57 5.55 5.99 23 3.40 1.32 -0.05 -0.77 -3.09 0.77 5.55 5.99 24 3.40 1.29 0.03 -0.64 -3.09 0.90 9.69 5.95 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.97 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 31 2.12 0.15 -0.25 4.39 6.18 MEAN INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.85 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.99 5.92 6.61									6-40	8.86				14
16 3.50 1.52 -0.14 -0.64 -0.58 -0.43 4.59 6.28 16 17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 17 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 19 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.41 1.27 -0.08 -0.80 0.57 5.55 5.99 21 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 24 3.40 1.29 0.03 -0.64 -3.09 0.74 5.65 5.99 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 24 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 25 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 26 27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.01 1.57 5.78 5.92 28 29 2.67 0.10 -0.69 -3.01 1.57 5.78 5.92 28 29 2.67 0.10 -0.69 -3.08 1.91 5.84 5.87 30 31 2.12 0.15 -0.26 -0.85 -3.09 1.91 5.84 5.87 30 31 2.12 0.15 -0.26 -0.85 -3.09 1.91 5.84 5.87 30 31 2.12 0.15 -0.26 -0.85 -3.09 1.91 5.84 5.87 30 31 1NST 2.08 1.15 -0.26 -0.85 -3.08 1.91 5.84 5.87 30 31 1NST 3.74 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 1NST MAX (311 (281 (19) (22) (11) (11) (11) (311) MAX									6.31					15
17 3.36 1.57 -0.13 -0.69 -0.27 4.75 6.26 17 18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 18 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 19 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.41 1.27 -0.08 -0.80 0.57 5.55 5.99 22 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 23 3.40 1.29 0.03 -0.64 -3.09 0.90 5.69 5.95 23 24 3.40 1.29 0.03 -0.64 -3.09 0.90 5.69 5.95 22 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 25 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 25 26 3.32 1.26 0.06 -0.67 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.92 28 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 31 2.12 0.15 -3.07 5.89 3.07 5.89 30 31 2.12 0.15 -3.07 5.89 5.85 31 INST 2.08 1.15 -0.26 -0.85 -3.09 1.99 5.82 INST MAX (311 (281 (191 (22) (11 (1) (1) (31) MAX INST 3.74 2.08 1.22 0.40 1.22 0.40 1.99 5.92 6.61									6.28					
18 3.41 1.55 -0.16 -0.70 -0.10 4.91 6.17 19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 22 3.41 1.27 -0.08 -0.80 -0.57 5.55 5.99 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 24 3.40 1.29 0.03 -0.64 -3.09 0.90 9.69 5.95 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.69 -3.02 1.51 5.77 5.99 29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.99 29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.99 29 2.31 0.08 -0.69 -3.08 1.91 5.84 9.87 30 2.31 0.08 -0.69 -3.08 1.91 5.84 9.87 31 1NST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST 3.74 2.08 1.22 0.40 1.22 0.40 1.99 5.92 6.61						1556								17
19 3.39 1.40 -0.19 -0.64 0.07 5.07 5.96 19 20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.41 1.27 -0.08 -0.80 0.57 5.55 5.99 22 23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 23 3.40 1.29 0.03 -0.64 -3.09 0.90 5.69 5.95 24 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 25 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 25 27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.01 1.57 5.78 5.92 28 29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.89 29 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 31 2.12 0.15 -3.07 5.89 5.85 31 INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.85 INST MAX (311 (281 (191 (22) (11) (1) (31) MAX INST 3.74 2.08 1.22 0.40 1.22 0.40 1.99 5.92 6.61 INST MAX (311 (281 (191 (22) (11) (1) (31) MAX														
20 3.21 1.53 -0.16 -0.65 0.24 5.23 5.92 20 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 3.41 1.27 -0.08 -0.80 -0.80 0.57 5.55 5.99 22 3.41 1.27 -0.05 -0.07 -3.09 0.74 5.65 5.99 22 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 23 24 3.40 1.29 0.03 -0.64 -3.09 0.90 9.69 5.95 25 26 27 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 25 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 25 26 3.32 1.26 0.06 -0.67 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.01 1.57 5.78 5.92 28 3.04 1.23 0.14 -0.069 -3.01 1.57 5.78 5.92 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.92 28 3.04 1.23 0.15 -0.69 -3.08 1.91 5.84 5.87 3.0 3.0 3.31 2.12 0.15 -0.069 -3.08 1.91 5.84 5.87 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0								5.07	5.96					19
21 3.20 1.52 -0.19 -0.73 0.40 5.40 6.02 21 22 3.41 1.27 -0.08 -0.80 0.57 5.55 5.99 22 3 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 3 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 22 3 3.40 1.29 0.03 -0.64 -3.09 0.90 9.69 5.95 24 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 25 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 26 27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.69 -3.02 1.41 5.77 5.97 27 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.76 5.92 28 2.67 0.10 -0.69 -3.10 1.74 5.79 5.89 29 30 2.31 0.08 -0.69 -3.10 1.74 5.79 5.89 29 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 31 2.12 0.15 -3.07 5.89 5.85 31 31 31 3.74 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 1.91 5.82 1.91 MAX (311 (281 (191 (221 (11 (11 (11 (11 (11 (11 (11 (11 (20
23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 24 3.40 1.29 0.03 -0.64 -3.09 0.90 9.69 5.95 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 26 3.32 1.26 0.06 -0.67 -3.07 1.24 9.80 5.95 27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.92 29 2.67 0.10 -0.69 -3.08 1.91 5.84 9.87 30 2.31 0.08 -0.69 -3.08 1.91 5.84 9.87 31 2.12 0.15 -3.07 5.89 5.85 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN 3.35 1.55 0.20 -0.52 -0.85 -3.02 1.99 5.82 INST MAX (311 (281 (19) (22) (11) (1) (31) MAX							0.40		6.02					21
23 3.40 1.32 -0.05 -0.77 -3.09 0.74 5.65 5.99 24 3.40 1.29 0.03 -0.64 -3.09 0.90 5.69 5.95 25 3.38 1.24 0.07 -0.65 -3.09 1.07 5.75 5.93 26 3.32 1.26 0.06 -0.67 -3.07 1.24 5.80 5.95 27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.92 29 2.67 0.10 -0.69 -3.01 1.57 5.78 5.92 29 2.67 0.10 -0.69 -3.08 1.91 5.84 5.87 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 31 2.12 0.15 -3.07 5.89 5.85 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN 3.35 1.55 0.20 -0.52 1.99 5.82 INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST 3.74 2.08 1.22 0.40 1.29 5.92 6.61									5.99					22
27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.92 29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.89 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 31 2.12 0.15 -3.07 5.89 5.85 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST						-3-09								23
27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.92 29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.89 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 31 2.12 0.15 -3.07 5.89 5.85 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST							0.90							24
27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.92 29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.89 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 31 2.12 0.15 -3.07 5.89 5.85 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST														25
27 3.24 1.28 0.14 -0.69 -3.02 1.41 5.77 5.97 28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.92 29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.89 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 31 2.12 0.15 -3.07 5.89 5.85 MEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST MAX (311 (281 (191 (22) (11) (1) (31) (31) MAX INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61														26
28 3.04 1.23 0.14 -0.70 -3.01 1.57 5.78 5.92 28 29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.89 29 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 30 2.12 0.15 -3.07 5.89 5.85 31						-3.02								27
29 2.67 0.10 -0.69 -3.10 1.74 5.79 5.89 29 30 2.31 0.08 -0.69 -3.08 1.91 5.84 5.87 30 31 2.12 0.15 -3.07 5.89 5.85 31 31 31 2.12 0.15 -3.07 5.89 5.85 31 31 31 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN 1.5T 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 1.95 MAX (311 (281 (191 (22) (1) (1) (1) (31) MAX 1.95 1.99 5.92 6.61 1.95 1.95 1.95 1.95 1.95 1.95 1.95 1.9														28
HEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST MAX (311 (28) (19) (22) (1) (1) (31) MAX INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST			4.53											29
HEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST MAX (311 (28) (19) (22) (1) (1) (31) MAX INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST														30
HEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST MAX (311 (281 (19) (22) (1) (1) (31) MAX INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST					1			5.89	5.85					31
HEAN 3.35 1.55 0.20 -0.52 -0.52 4.39 6.18 MEAN INST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST HAX (311 (281 (19) (22) (11 (1) (31) HAX INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST	31	2.14				10000								
TINST 2.08 1.15 -0.26 -0.85 -3.02 1.99 5.82 INST MAX (311 (281 (19) (22) (1) (1) (31) MAX INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST						-91	ONTHLY SUMM	ARY-						
MAX (31) (28) (19) (22) (1) (1) (31) MAX INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST	HEAN	3.35	1.55	0.20	-0.52				6.18					MEAN
MAX (31) (28) (19) (22) (1) (1) (31) MAX INST 3.74 2.08 1.22 0.40 1.99 5.92 6.61 INST	INST	2.08	1.15	-0.26										
INST 3,74 2,00 1.22 0.70				(19)	(22)		(1)	(1)	(31)					XA M
	TNST	3.74	2.08											
				(1)	(1)		(30)	(31)	(8)					MIM



Central Region Ontario Ministry of the Environment

OBSERVATION WELL DATA

REGIONAL OFFICE DON MILLS 150 Ferrand Dr. 416-424-3000

DISTRICT OFFICES

Barrie 12 Fairview Rd. 705-726-1730

Muskoka – Haliburton Gravenhurst Shopping Centre

705-687-3408

Peterborough 139 George St. N. 705-743-2972

Halton - Peel 125 Cross Ave. Oakville 416-822-2566

LEGEND

Regional Office



District Office

Recording Observation Well

.

Number of Recording Wells in same location

_2

OBSERVATION WELL DISTRIBUTION

VIRONMENT ONTARIO OBSERVATION WELL 302

ENVIRONMENT ONTARIO TORONTO REGIONAL MUNICIPALITY OF DURHAM

TOWNSHIP OF PICKERING

5005 7 107 31 1

WELL REC #: 4605198 UTM CO-ORD: Z-17 E650180 N4866820 LOT 21 LAT & LONG: 43-57NORTH 79-08WEST

REC METHOD: 'F' TYPE RECORDER
REC COMMCO: JUN, 9 1970
MEASURE PT: 0.0 FEET ABOVE GROUND SURFACE
GND ELEV: 830 FEET ABOVE SEA LEVEL
MELL TYPE: DUG
WELL LOG: TILL OVERBURDEN 20.

DIAMETER OF WELL: 48 INCHES LENGTH OF CASING: 20 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 20 FEET PUMP RATE: N.A. SPEC. CAP: N.A. AQUIFER : TILL QUALITY : FRESH

	19									
DAILY MEAN WATER	LEVELS	REFERRED	TO	DISTANCE	IN	FEET	BELOW	GROUND	SURFACE	

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
	3.31	2.02			2.77	3.98	3.90	5.57	6.44	7.86	8.14		1
1	3.33	2.01			2.91	4.09	3.91	5.58	6.50	7.89	8.18		2
2		2.01			3.01	4.21	2.77	5.59	6.56	7.95	8.18		3
3	3.34	2.02			3.14	4.35	3.01	5-60	6.62	7.97	8.12	6.15	4
5	3.35	2.02			3.17	4.48	3.37	5.62	6.71	7.96	8.10	6.21	5
6		2.02			2.97	4.61	3.62	5.67	6.76	7.94	8.06	6.23	6
	3.38	2.01			3.08	4.74	3.81	5.69	6.79	7.92	8.00	6.19	7
7	3.40				3.16	4.83	3.96	5.70	6.81	7.95	7.94	6.07	8
8	3-40	2.00			2.87	4-90	4-10	5.71	6.85	7.95	7.90	6.01	9
9	3.41	2.00			2.87	4.94	4-29	5.74	6.89	7.96	7.87	5.98	10
10	3.42	2.01			3.06	5.02	4.51	5.75	6.93	8.00	7.77	5.96	11
11	3.44	2.01			2.26	5.08	4.71	5.75	6.96	8.03	7.63	5.93	12
12	3.42	2.03			2.30	5.13	4.87	5.77	6.99	8.08	7.45	5.90	13
13	3.42	2.05			2.51	5.17	4.98	5.81	7.06	8.04	7.33	5.87	14
14	3.42	2.08			2.54	5.11	5.08	5.85	7.13	7.95	7.21	5.81	15
15	3.47	2.09			2.62	4.75	5.18	5.86	7.18	7.90	7.15	5.69	16
16	3.66	2.09			2.24	4.41	5.24	5-84	7.24	7.80	7.11	5.61	17
17	3.71	2.10				4.27	5.26	5.86	7.28	7.83	7.07	5.60	18
18	3.72	2.12		3.10	2.66	3.91	5.28	5.91	7.36	7.87	7.00	5.57	19
19	3.75	2-16		3.26	2.90	3.50	5.34	5.98	7-41	7.92	6.83	5.58	20
20	3.76	2.19		3.32	3.13		5.37	6.02	7.48	7.98	6.63	5.56	21
21	3.65	2.24		3.30	3.33	3.62	5.39	6.06	7.53	8.01	6.55	5.56	22
22	3.41	2.28		3.11	3.46	3.79	5.41	6.08	7.62	8.00	6.40	5.56	23
23	3.35	2.28		2.68	3.60	3.95	5.43	6-11	- 7.72	8.02	6.23	5.54	24
24	3.33	2.29		2.81	3.71	4-08	5.45	6.16	7.77	7.98	6.13	5.49	25
25	3.35	2.29		2.95	3.79	4.15	5.47	6.19	7.71	8.00	6.07	5.52	26
26	3.35	2.30		3.04	3.84	4-04			7.74	8.02	5.97	5.49	27
27	2.69	2.31		3-11	3.89	4-08	5-48	6.21	7.81	8.05	5.89	5.48	28
28	2.02	2.30		3.11	3.93	4.22	5.48	6.25	7.85	8-08	5.97	5-48	29
29	2.40			3.06	3.77	4-12	5.48	6.29	7.83	8.13	3.71	5.47	30
30	2.51			2.98	3.76	3.85	5.52	6.34	(.85	8.15		5.51	31
31	2.09				3.87		5.55	6.38		8.12		3.31	,,,
						NTHLY SUMM			0.00	10 00			MEAN
MEAN	3.28	2.12			3.13	4.38	4.75	5.90	7.18	7.97			MEAN
INST	1.89	2.00			1.88	3.45	2.41	5.57	6-41	7.76			INST
MAX	(28)	(8)			(12)	(20)	(3)	(1)	(1)	(17)			MAX
MAA	1201	, 0,			2000				1144 (2004)	TWO WHAT			
INST	3.77	2.31			3.96	5.18	5.57	6.41	7.87	8-17			INST
MIN	(20)	(27)			(28)	(14)	(31)	(31)	(29)	(31)			MIN
THE IN	1201												

REGIONAL MUNICIPALITY OF DURMAN TOWNSHIP OF PICKERING CONG. 1 LOT 27 LAT 6 LONG 2-17 E651900 N4853850

REG COMMOD: JUN, 4 1970 LENGTH OF CASING: 44 FEET SPEC. CAP: N.A.

MEASURE PT: 0.5 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: NONE AQUIFER: SAND

MELL TYPE: DUG

WELL LOG: QVERBURDEN 44.

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
		4.05	5.41			4.81		6.90	8.76		9.81	8.62	1
1	4.96		5.43		4.64	4.88		6.98	8.82	9.76	9.84	8.61	2
2	4.96	4-11			4.67	4.94		7.04	8.86	9.75	9.86	8.58	3
3	4.97	4.16	5.42	3.63	4.74	5.01		7.10	8.89	9.72	9.86	8.54	4
4	4.97	4.24	5.00	3.76	4.80	5.07		7.16	8.92	9.69	9.85	8.50	5
5	5.00	4.37		3.93	4.80	5.13		7.25	8.96	9.66	9.81	8.47	6
6	5.03	4.49	4.66	4-02	4.79	5.19		7.33	8.98	9.65	9.77	8.42	7
7	5.07	4.57	4-48		4.82	5. 23		7.41	9.01	9.65	9.74	8.33	8
8	5.15	4.68	4.36	4.11	4.77	5.29		7-48	9.04	9.64	9.70	8.19	9
9	5.21	4.78	4-26		4.68	5.33		7.55	9.07	9.64	9.66	8.11	10
10	5.29	4.88	4.22	4.16	4.64	5.37		7.62	9.10	9.65	9.63	8.05	11
11		4.97	4.22	4.21		5.44		7.68	9-14	9.66	9.57	7.99	12
12		5.07	4.22	4-23	4.15	5.51		7.75	9.17	9.69	9.51	7.93	13
13		5.15	4.23	4.22	3-68	5.55		7.82	9.23	9.68	9.45	7.85	14
14		5.25	4.27	4.22	3.85	5.55		7.90	9.28	9.65	9.38	7.78	15
15		5.37	4.29	4-18	3.95	5.49		7.97	9.32	9.62	9.33	7.70	16
10		5.42	4.28	4.19	4.02			8-02	9.37	9.58	9.30	7.60	17
17		5.45	4-29	4.23	3.72	5.42		8.07	9.41	9.56	9.27	7.51	18
18		5.51	4.32	4.27	3.80			8.13	9.44	9.56	9.23	7.46	19
19		5.53	4.34	4.31	3.98	5.29		8.20	9.48	9.55	9.18	7.42	20
20		5.56	4.37	4.36	4-11	5.08		8.27	9.51	9.57	9.11	7.37	21
21		5.65	4.36	4.36	4.20	4.95		8.35	9.56	9.59	9.01	7.33	22
22		5.62	4.37	4.33	4.26	4.89		8.41	9.60	9.58	8.96	7.29	23
23		5.54	4.38	4.28	4.31	4.92		8.47	9.65	9.59	8.89	7.21	24
24		5.50	4.40	4.31	4.40	4.96			9.70	9.58	8.80	7.14	25
25		5.46	4.41		4.47	5.00		8.51		9.59	8.74	7.09	26
26		5.44	4.38		4.54	5.01		8.56	9.72	9.63	8.70	7.05	27
27		5.43	4.37		4-62			8.59	9.75	9.67	8.66	7.02	28
28		5.41	4.36		4.71			8.62		9.70	8.62	6.98	29
29	3.74		4.33		4-76			8.66	9.79	9.75		6.92	30
30	3.87		4.29		4.76			8.70		9.79	8.61	6.90	31
31	3.96		4.31		4.77		6.83	8.73		9.19		0.70	31
					-40	NTHLY SUMM	ARY-				101.105	2.21	
MEAN		5.06	4.50					7.91			9.33	7.74	MEAN
INST		4.01	4.21					6.86			8.60	6.88	INST
MAX		(1)	(11)					(1)			(30)	(31)	MAX
		c 47	5.44					8.74			9.87	8.62	INST
INST		5.67	(2)					(31)			(3)	(1)	MIN
MIN		1711	1 61					5.7					

ENVIRONMENT ONTARIO TORONTO REGIONAL MUNICIPALITY OF DURHAM

WELL REC #: 4601666 UTM CO-ORD: Z-17 E650830 N4867400 LOT 19 LAT & LONG: 43-58NORTH 79-08WEST OBSERVATION WELL 304 CONC. 7

REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG:

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 420 FEET LENGTH OF SCREEN: 4 FEET DEPTH OF WELL: 424 FEET

PUMP RATE: 5 IGPM SPEG. CAP: .094 IGPM/FT AQUIFER : GRAVEL QUALITY : FRESH

A35 RECORDER

DIAMETER OF WELL: 6 INCHES

PUMP RATE: 5 IGPN

LENGTH OF CASING: 420 FEET SPEC. CAP: .094 IGPM/FT

2.0 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 424 FEET QUALITY: FRESH

DRILLED

TOPSGIL 1: BROWN SANDY CLAY 38; BROWN SANDY GRAVEL 58; GREY SANDY CLAY, PEBBLES 135; BROWN SAND, PEBBLES 185;

GREY CLAY 290; BLACK SANDY CLAY 350; BLACK SAND, PEBBLES AND CLAY 417; BLACK SANDY GRAVEL 424.

TOWNSHIP OF PICKERING

						1974							
				DAILY	MEAN WATER	LEVELS REF	ERRED TO D	ISTANCE IN	FEET BELO	GROUND S	URFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	188. 32	187.50	187.64	187.70	187.80	187.62	187.66	187.95	189.11	190.32	190.67	189.72	1
2	188-14	187.58	187-64	187.71	187.78	187.62	187.68	188.12	189.16	190.39	190.65	189.65	2
3	187-86	187.62	187.65	187.73	187.80	187.62	187.71	188.18	189.21	190-42	190.60	189.59	3
4	187.63	187.64	187.63	187.68	187.78	187.62	187-73	188.15	189.28	190.46	190.51	189.62	4
5	187.63	187-66	187.60	187.69	187.76	187-63	187.76	188.13	189.37	190-48	190.47	189-61	5
6	187-62	187.68	187-62	187.74	187.75	187-64	187.79	188.17	189.41	190-47	190.42	189.59	6
7	187-60	187.63	187-68	187.76	187.69	187-66	187.84	188.19	189.46	190.50	190.40	189.58	7
8	187.64	187.52	187.81	187.82	187-66	187.70	187.86	188-20	189.49	190.53	190.39	189-47	8
9	187-69	187.65	187.85	187.83	187.67	187.74	187.84	188-20	189.52	190.57	190.39	189.43	9
10	187.68	187.64	187.85	187.84	187.71	187.75	187.82	188.20	189.55	190.61	190.37	189.43	10
ii	187-66	187.60	187.86	187.86	187-71	187.74	187-79	188.21	189.59	190.67	190.30	189.44	11
12	187.68	187.59	187.89	187.85	187.71	187.74	187.78	188.23	189.63	190.72	190.21	189.42	12
13	187.70	187.61	187.92	187.85	187.70	187.73	187.80	188.25	189.67	190.70	190-15	189.41	13
14	187-67	187.71	187.91	187.79	187-61	187.73	187.83	188-25	189.72	190.64	190.08	189-42	14
15	187.60	187.75	187.91	187-72	187.58	187-73	187.83	188.25	189.76	190.69	190.06	189.39	15
16	187.55	187.72	187.81	187.80	187.59	187-68	187.82	188.26	189.80	190.71	190.05	189.30	16
17	187.64	187-65	187.76	187-85	187.59	187-66	187.83	188.26	189.84	190.69	190.02	189.24	17
18	187.69	187.63	187.73	187.86	187.62	187.66	187.85	188.25	189.88	190.77	189.99	189.21	18
	187.69	187.55	187.76	187-87	187.65	187.67	187.88	188.25	189.91	190.83	189.98	189.20	19
19	187.66	187.56	187.77	187.88	187.66	187.69	187.88	188.26	189.93	190.92	189.86	189.18	20
20	187.58	187.71	187.76	187.89	187.69	187.71	187.89	188.31	189.99	190.99	189.73	189.16	21
	187.56	187.49	187.78	187.83	187.71	187-71	187.88	188.35	190-10	191.02	189.85	189.17	22
22		187.53	187.80	187.77	187.72	187.67	187-88	188.36	190-16	191-04	189.87	189.16	23
23	187.52 187.57	187.70	187.79	187-77	187.70	187.66	187.89	188.36	190.14	191.03	189.81	189.14	24
24		187.71	187-88	187.83	187.66	187-66	187.91	188.36	190.13	190.99	189.79	189.09	25
25	187.58	187.71	187.89	187.84	187.64	187-69	187.92	188.37	190.14	191.02	189.82	189.13	26
26	187.57	187.70	187.85	187.84	187.65	187-69	187.93	188.41	190-17	191.06	189.78	189.11	27
27	187.39		187.87	187-83	187-65	187.69	187.93	188.43	190.16	191:10	189.78	189.06	28
28	187-44	187.67		187.83	187.65	187.68	187.93	188.43	190-14	191-13	189.75	189.02	29
29	187.50		187.84	187.82	187-65	187.65	187-93	188.99	190-21	191.16	189.74	189.01	30
30	187.53		187.73	101-02	187-64	101.00	187.93	189.05	.,,,,,,	190.96		189.02	31
31	187.49		187.70					207203		.,,,,,			
				100000000000000000000000000000000000000		IONTHLY SUM!		100 30	100 75	190.76	190.12	189.32	MEAN
MEAN	187.65	187-64	187.78	187.80	187.68	187.68	187.84	188.30	189.75	140*10	170.12	(B)(5)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)	
INST	187.33	187.38	187.58	187.67	187.58	187.62	187.66	187.93	188.45	190.26	189.71	188.98	INST
MAX	1 27 1	(22)	1 51	(4)	(14)	(2)	(1)	(1)	(1)	(1)	(21)	(31)	MAA
INST	188.44	187.76	187.93	187.89	187.82	187.75	187.93	189.08	190.26	191.20	190.68	189.73	INST
MIN	(1)	(15)	(15)	(21)	(3)	1 91	(28)	(31)	(30)	(31)	(1)	(1)	MIN
17.816	1 .7	,		Garage Co.	1000	121 212							

ENVIRONMENT ONTARIO TORONTO REGIONAL MUNICIPALITY OF DURHAM

TOWNSHIP OF PICKERING

OBSERVATION WELL 308

WELL REC #: UTM CO-ORD: LAT & LONG: 4605089 Z-17 E655500 N4862053 43-54NORTH 79-04WEST LOT 13 CONC. 4

REC METHOD: A35 RECORDER
REC COMMCD: DEC. 29 1970
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE
GND ELEV: 379 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LOG: BROWN SAND 2; GREY CLAY 14.

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 12 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 14 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. Clay Fresh

				on Loss and		1974	T O 01	STANCE IN	EEET DELOW	COOUND SU	DEACE		
							JUL JUL	STANCE IN AUG	SEP	OCT OCT	NOV	DEC	DAY
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	321	GC.	110.4	5.2.5	0,855,000
		0.73	1.01	0.90	1.11	1.42	1.28	3.73	4.50		3.42	1.59	1 2
1	0.94	0.99	1.04	0.63	1.23	1.72	1.56	3.76	4.51	4.18	3.40	1.41	2
2	1.00		1.05	0.79	1.30	2.02	0.59	3.78	4.52	4-12	3.38	1.12	3
3	1.08	1.23	0.56	0.42	1.39	2.18	1.10	3.80	4.51	4.06	3.35	1.32	4
4 5			0.49	0.42	1.36	2.28	1.50	3.81	4.49	4-02	3.32	1.48	5
,		1.82	0.70	0.76	0.80	2.40	1.84	3.83	4.49	3.97	3.23	1.47	6
6		2.07	0. 73	0.80	1.00	2.47	2.14	3.84	4.49	3.93	3.17	1.41	7
7		2.13	0.92	0.88	1.08	2.59	2.37	3.87	4.50	3.92	3.13	0.86	8
8		2.17	1.03	0.99	0.44	2.66	2.56	3.89	4.50	3.88	3.08	0.85	. 9
9		2.21	1.09	1.02	0.68	2.72	2.63	3.92	4.51	3.86	3.05	1.17	10
10		2.23	1.09	1.02	0.96	2.74	2.80	3.93	4.51	3.84	3.00	1.25	11
11		2.21	1.10	0.88	0.32	2.77	2.90	3.95	4.52	3.82	2.94	0.83	12
12			1.17	0.64	0.50	2.84	3.01	3.99	4-51	3.81	2-80	0.85	13
13		2.13		0.61	0.81	2.89	3.10	4.01	4.51	3.79	2.64	1.01	14
14		2.09	1-34	0.54	0.70	2.88	3.17	4.02	4.51	3.76	2.35	1-14	15
15		2.15	1.48	0.84	0.72	1.87	3.23	4-03	4.5 L	3.72	2-24	0.92	16
16		2.24	1.37	0.96	0.36	1.49	3-29	4.06	4.51	3.69	2.18	0.87	17
17		2.29	1.26		0.85	1.64	3.33	4-09	4.54	3.67	2.14	1.04	18
18		2.30	1.25	0.99		1.02	3.39	4.12	4.53	3.64	2.13	1.16	19
19		2.30	1.06	1.05	1.05	0.48	3.41	4.14	4.52	3.62	1.77	1.23	20
20		2.27	1.09	1.07		0.99	3.45	4.17	4.52	3.61	0.75	1.25	21
21		2.20	1.07	1.07		1.36	3.48	4-19	4.52	3.60	1.00	1.24	22
22		1.30	1-14	0.77			3.51	4-21	4.52	3.58	1.19	1.15	23
23		0.64	1.12	0.56		1.72	3.56	4-22	4.51	3.56	0.93	0.99	24
24		0.65	1.12	0.81		2.01		4.22	4.50	3.52	1.08	1.02	25
25		0.66	1.16	0.97		1.97	3.60		4.49	3.51	1.25	1.23	26
26		0.65	1.17	1.04		1.90	3.62	4.23	4.43	3.50	1.37	1.30	27
27		0.65	1.10	1.09		2.18	3-64	4.23	4.43	3.49	1.42	1.29	28
28		0.71	1.06	1.11	VII. 927521	2.33	3.67	4.31		3.48	1.47	1.21	29
29	0.52		1.07	1.01	1.80	1.38	3.69	4.36		3.46	1.58	1.18	30
30	0.50		1.07	1.02	1.02	1.04	3.70	4-48		3.44	1.00	1.28	31
31	0.46		0.91		1.26		3.71	4.49		3.44		1.20	3.
					-MO!	THLY SUMMA		W 1 250			2 20	1.17	MEAN
HEAN		1.66	1.06	0.86		2.00	2.87	4.05			2.29	1.021	HEAR
INST		0.50	0.35	0.29		0.25	0.30	3.71			0.66	0.65	INST
MAX		(1)	1 51	(4)		(20)	(3)	(1)			(21)	(9)	MAA
INST		2.31	1.53	1.13		2.92	3.73	4.49			3.43	1.61	INST
MIN		(19)	(15)	(28)		1151	(31)	(31)			(1)	(1)	MIN

WELL REC #: UTM CO-CRD: LAT & LCNG: 4605090 2-17 E653700 N4869025 43-58NORTH 79-06WEST ENVIRONMENT CATARIO CBSERVATION WELL 329 LOT 2 CONC.7 REGIONAL MUNICIPALITY OF CURHAM TCWASHIP OF PICKERING

CIAMETER OF WELL: 6 INCHES
LENGTH OF CASING: 16 FEET
LENGTH OF SCREEN: NONE
DEPTH OF WELL: 16 FEET PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : REC METHOD: A35 RECGRDER
REC COMMCD: CEC. 21 1970
MEASURE PT: 3.3 FEET ABOVE GROUND SURFACE
GNO ELEV: 618 FEET ABOVE SEA LEVEL
RELL TYPE: CRILLED

BROWN FINE SAND, SILT B; GREY CLAYEY SILT, SAND, PEBBLES & GREY TILL 16. LOGI

				64444 95		1974	DDEN TO DI	STANCE IN	FEET BELOW	GROUND SU	RFACE		
									SEP	OCT	NGV	DEC	DAY
CAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	uc.	HOV	OLO	
		7.38	6.61	6.01	5.54	5.08	5.02	5.12	5.74	6.65	7.40	7.92	1
1	7.62	7.38	6.58	5.99	5.53	5.06	5.02	5.13	5.76	6.66	7.42	7.93	2
2	7.63	7.36	6.54	5.98	5.50	5.05	5.02	5.15	5.81	6.69	7.46	7.93	3
3	7.61		6.45	5.95	5.48	5.05	5.01	5.18	5.86	6.72	7.49	7.95	4
4	7.60	7.33	6.46	5.94	5.46	5.04	5.02	5.20	5.89	6.75	7.51	7.95	5
5	7.61	7.30		5.91	5.46	5.04	5.00	5.23	5.91	6.77	7.55	7.96	6
6	7.56	7.28	6.42	5.88	5.45	5.04	5.01	5.25	5.94	6.81	7.57	7.98	7
7	7.56	7.26	6.39	5.87	5.44	5.03	5.01	5.26	5.98	6.83	7.58	7.99	8
8	7.56	7.24	6.37		5.42	5.03	5.00	5.29	6.01	6.84	7.59	8.00	9
9	7.56	7-20	6.37	5.85	5.42	5.03	5.00	5.32	6.04	6.87	7.62	8.02	10
10	7.56	7.16	6.37	5.83	5.41	5.02	4.98	5.33	6.07	6.89	7.63	8.03	11
11	7.56	7.11	6.34	5.83		5.02	4.97	5.35	6.11	6.92	7.64	8.02	12
12	7.56	7.08	6.34	5.82	5.41		4.95	5.38	6.13	6.96	7.66	8.02	13
13	7.54	7.04	6.3C	5.82	5.40	5.01	4.94	5.38	6.17	6.98	7.66	8.01	14
14	7.52	6.99	6.26	5.80	5.38	5.02	4.94	5.39	6.20	7.00	7.68	8-02	15
15	7.50	6.97	6.24	5.78	5.34		4.95	5.43	6.22	7.02	7.69	8.00	16
16	7.50	6.57	6.23	5.76	5.33	5.00	4.96	5.43	6.25	7.06	7.71	8.03	17
17	7.51	6.95	6.20	5.74	5.30	4-99	4.94	5.44	6.27	7.08	7.72	8.04	18
18	7.5C	6.91	6.17	5.71	5.28	4.99		5.46	6.32	7.12	7.73	8.06	19
19	7.50	6.91	6.15	5.73	5.26	5.00	4.92	5.48	6.35	7.13	7.73	8.07	20
20	7.50	6.87	6.13	5.70	5.23	5.00	4-95		6.38	7.17	7.75	8.06	21
21	7.48	6.83	6.13	5.70	5.22	4-99	4.96	5.51	6.40	7-19	7.77	8.05	22
22	7.50	6.79	6.13	5.66	5.22	4.99	4.96	5.51	6.40	7.20	7.78	8.08	23
23	7.47	6.77	6.13	5.64	5.19	4.98	4.96	5.54	6.44	7.23	7.80	8.09	24
24	7.47	6.74	6-10	5.64	5.18	4.99	4.97	5.54	6.48	7.25	7.85	8.10	25
25	7.45	6.74	6.07	5.63	5.15	4-99	4.99	5.56	6.52	7.25	7.86	8.10	26
26	7.49	6.71	6.07	5.60	5.14	4.98	5.02	5.59	6.54	7.30	7.87	8.09	27
27	7.47	6.69	6.05	5.57	5.13	4.99	5.04	5.61	6.58	7.32	7.88	8.10	28
28	7.48	6.65	6.02	5.59	5.12	5-01	5.05	5.63	6.61	7.34	7.89	8.10	29
29	7.43		6.03	5.57	5.10	5.02	5.07	5.65	6.63	7.36	7.91	8.11	30
30	7.41		6.02	5.55	5.09	5.03	5.09	5.69	0.03	7.39	4.5	8.11	31
31	7.40		6.00		5.08		5.10	5.73		1.39			
						NTHLY SUMM				7.00	7 40	8.03	MEAN
PEAN	7.52	7.02	6.25	5.77	5.31	5.02	4.99	5.41	6.20	7.02	7.68		
	- 1/2		6.00	5.55	5.07	4.98	4.90	5.11	5.74	6.65	7.38	7.91	INST
INST	7.40	6.62	(31)	(30)	(31)	(23)	(19)	(1)	(2)	(1)	(2)	(1)	MAX
MAX	(31)	(28)	(31)	1307	1241								II. IFENE
	2.12	7.40	6.62	6.01	5.55	5.08	5.11	5.75	6.65	7.41	7.92	8.12	INST
INST	7.63		(1)	(1)	(1)	(1)	(31)	(31)	(30)	(31)	(30)	(3)1	MIN
MIN	(2)	(1)				. (M): D: 000	A 45.55.55	ACC-300-0					

4605197 Z-17 E648450 N4872000 EDMORTH 79-09WEST ENVIRONMENT ONTARIO OBSERVATION WELL 301 WELL REC #: UTM CO-ORD: LAT & LONG: TOWNSHIP OF UXBRIDGE LOT L REGIONAL MUNICIPALITY OF DURHAM

REC METHOO: "F" TYPE RECORDER
REC COMMCO: JUN 3 1970
MEASURE PT: 0.0 FEET ABOVE GROUND SURFACE
GND ELEV: 935 FEET ABOVE SEA LEVEL
WELL TYPE: DUG PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : 48 INCHES 23 FEET NONE N.A. N.A. GRAVEL FRESH DIAMETER DF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: 23 FEET

OVERBURDEN 18; SAND AND GRAVEL 23. LOG:

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE SEP OCT DAY MAY JUN AUG MAR DAY FEB 16.01 16.13 16.05 16.18 16.22 16.12 16.24 16.33 16.26 17.56 17.66 17.72 17.74 17.67 17.69 17.67 17.71 16.97 16.97 16.96 16.97 17.02 17.06 17.07 17.08 17.09 17.11 17.12 17.12 17.13 17.68 16.90 16.92 16.15 16.22 16.25 16.30 16.34 16.40 16.43 16.44 16.48 16.59 16.66 16.59 17.38 17.68 17.74 17.72 17.64 17.68 17.70 17.74 17.73 17.40 17.37 17.39 17.43 17.43 17.40 17.41 17.45 17.45 17.45 17.46 17.48 17.48 17.49 17.50 17.51 17.55 17.59 17.61 17.56 17.55 17.55 17.56 17.60 17.68 17.61 17.65 17.65 17.62 17.27 17.18 16.96 15.53 15.02 15.46 15.74 15.94 15.99 16.10 16.22 16.30 16.64 17.59 17.67 17.65 17.64 17.58 17.49 17.47 17.51 17.54 17.56 17.60 17.59 16.91 16.93 16.91 16.95 17.03 17.14 17.26 17.35 17.43 17.43 17.53 17.53 17.57 17.57 17.57 17.51 17.64 17.51 17.64 17.51 17.64 17.51 16.10 15.74 15.68 15.69 15.82 15.84 15.93 16.02 15.95 15.95 15.95 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 17.84 17.85 17.85 17.85 17.85 17.84 17.77 17.76 17.77 17.87 17.73 17.74 17.71 17.65 17.62 17.59 10 11 12 13 14 15 16.29 16.07 15.75 15.56 15.41 15.47 15.13 14.78 14.83 14.83 15.00 15.09 15.18 15.50 15.64 15.31 15.57 15.57 15.79 17.21 17.21 17.17 17.20 17.56 17.58 17.54 17.65 17.64 17.67 17.69 17.63 17.64 17.64 17.64 17.63 17.52 17.63 17.65 17.70 17.69 17.66 17.65 17.59 16 17 18 19 20 21 22 16.30 16.34 16.48 16.54 16.65 16.62 15.53 15.53 15.67 15.77 15.78 15.75 15.71 15.80 15.82 15.82 15.83 15.83 16.56 17.20 17.26 17.31 17.33 17.33 16.56 16.58 16.48 16.40 16.45 16.56 17.59 17.56 17.62 17.55 17.56 17.56 17.60 17.62 17.54 17.55 17.55 17.55 17.79 17.79 17.79 17.78 17.76 17.58 17.14 16.95 16.92 16.83 17.47 17.56 17.58 17.48 17.47 17.53 17.58 17.50 17.53 17.62 17.60 17.56 17.61 17.61 17.60 17.59 16.69 16.74 16.79 16.91 16.83 16.85 16.89 16.86 16.76 23 24 25 17.30 17.29 17.31 17.33 26 27 28 29 30 31 26 27 28 29 30 31 17.68 17.69 17.71 17.69 17.67 16.96 17.33 16.03 -MONTHLY SUMMARY-MEAN 17.58 15.75 17.18 17.48 17-62 17.63 17.33 MEAN 17.67 16.96 (2) 17.35 (1) 17.48 17.44 (25) 17.46 INST 14.73 INST 16.86 (1) 17.71 17.76 17.69 16.35 17.35 17.63 17.87 INST

ENVIRONMENT UNTARIO-TURUNTO HALTON COUNTY

CASERVATION WELL 414

WELL REC #: 2600838 UTM CC-ORD: 2-17 E582900 N4826900 LOT 16 LAT & LONG: 43-35NORTH 79-59WEST CONC. 3

DIAMETER OF WELL: 7 INCHES LENGTH OF CASING: 9.5 FEET LENGTH OF SCREEN: MONE DEPTH OF WELL: 38.5 FEET

PIMP PATE: N.A.
SPEC. CAP: N.A.
AQUIFER : LIMESTONE
QUALITY : FRESH

REC METHOL: A35 RECORDER DIAMETER OF MELL: 7 INCHES
REC CUMMCO: AUGUSI 1966 LENGTH OF CASING: 9.5 FEET
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: MONE
GND FLEV: 1075 FEET ABOVE SEA LEVEL DEPTH OF MELL: 38.5 FEET
WELL TYPE: DRILLED
WELL LOG: BROWN SAND AND STONES 5; WHITE GREY LIMESTONE 25; GREY BLACK LIMESTONE 38.5.

TOWNSHIP OF ESQUESING

				74								
DATLY	MEAN	WATER	LEVELS	REFERRED	TO	DISTANCE	IN	FEET	BELOW	GROUND	SURFACE	

1 2-70 2-11 3-60 4-12 4-16 4-83 7-99 9-0.05 9-66 5-70 1 1 2 2 2-89 2-26 3-51 3-00 4-26 4-95 7-055 9-11 9-46 5-58 2 3 3 3 2 2-89 3-60 2-83 4-0 2-83 5-12 7-70 9-11 9-46 5-58 2 3 3 2 2-89 3-60 2-83 4-0 2-83 5-12 7-70 9-11 6-60 4-83 4-95 7-91 4-91 4-91 4-91 4-91 4-91 4-91 4-91 4	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
\$\frac{1}{2} \begin{array}{c c c c c c c c c c c c c c c c c c c		2 20	2.21	3 40	4.12		4.14	4.83	7.59	9.05	9.46			
\$ 2.49								4.95	7.65	9.11	9.46			
\$ 3.00	2									9.11				3
\$ 3.10	3								7.72	9.14				4
6 3.15 3.00 1.20 4.75 5.95 7.82 9.21 6.01 6 6 7 3.24 3.15 1.10 4.85 5.70 7.87 9.23 6.01 7 8 3.24 3.15 1.10 4.85 5.70 7.87 9.29 9.28 5.84 8 9 9 3.58 3.41 1.76 5.50 5.00 5.88 7.99 9.28 5.84 8 9 9 3.58 3.41 1.76 5.00 5.00 5.08 7.99 9.28 5.84 8 9 9 3.58 3.41 1.76 5.00 5.00 5.00 5.00 5.00 9.00 5.88 7.99 9.25 5.84 11 1.77 11 1.10 1.10 1.10 1.10 1.10 1.1										9.18			6.11	
\$ 3.59 3.26 1.50 \$ 4.96 5.80 7.93 9.28 \$ 5.84 8 9 \$ 3.59 3.26 1.55 \$ 4.96 5.80 7.93 9.28 \$ 5.84 8 9 9 9.33 \$ 5.60 9 9 9.31 \$ 5.60 9 9 9 9.31 \$ 5.60 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2			1-20						9.21				
8 3.59 3.20 1.25 4.06 5.80 7.93 9.28 5.84 8 5.84 8 9 3.58 3.41 1.76 5.00 6.04 8.06 9.35 5.00 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.33 5.60 9 9.35 5.31 10 3.70 3.45 2.03 5.60 9 5.25 6.21 8.13 9.37 5.40 11 3.73 3.61 2.00 9 5.25 6.21 8.13 9.37 5.40 11 3.73 3.61 2.00 9 5.25 6.21 8.13 9.37 5.40 11 3.73 3.61 2.00 9 5.25 6.21 8.13 9.37 5.40 11 3.73 3.61 2.00 9 5.25 6.21 8.13 9.37 5.40 11 3.40 3.74 2.44 5.62 6.39 8.25 9.40 5.53 13 4.03 3.74 2.44 5.62 6.39 8.25 9.40 5.53 13 4.03 3.74 2.44 5.62 6.39 8.25 9.40 5.53 13 5.21 15 3.68 4.05 2.68 5.68 5.65 6.44 8.33 9.42 5.21 14 5.36 6.68 8.63 9.43 5.21 14 5.36 6.68 8.64 9.43 5.21 14 5.30 6.68 8.61 9.43 5.07 16 7.20 9 0.73 5.42 6.68 8.41 9.43 5.07 17 18 4.15 4.18 3.07 1.47 5.54 6.67 8.50 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.17 18 9.20 9.43 5.21 19 9.20 9.43 5.21 19 9.20 9.43 5.21 19 9.20 9.43 5.21 19 9.20 9.43 5.20 9.43 5.21 19 9.20 9.43 5.20 9.20 9.43 5.2	0													
9 3.98 3.41 1.76 5.01 5.88 7.99 9.33 5.60 9 10 3.70 3.45 2.03 5.09 6.04 8.06 9.35 5.51 10 13.70 3.45 2.03 5.60 5.20 6.04 8.06 9.35 5.40 11 12 3.63 3.68 2.29 5.45 6.21 8.13 9.37 5.40 11 13 4.03 3.74 2.44 5.62 6.30 8.25 9.40 5.53 13 14 3.85 4.01 2.54 5.62 6.30 8.25 9.40 5.41 14 15 3.88 4.05 2.68 5.51 6.49 8.37 9.42 5.41 14 16 3.97 3.94 2.73 5.55 6.44 8.33 9.42 5.41 14 17 4.26 4.07 2.89 0.73 5.42 6.68 8.41 9.43 5.07 16 18 4.15 4.18 2.07 1.47 3.54 6.67 8.50 9.43 5.17 18 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.17 18 20 4.19 4.37 3.37 2.12 4.33 6.68 8.69 9.44 6.80 5.29 20 21 3.85 4.41 3.36 2.40 6.66 8.66 9.44 6.00 5.23 2.20 4.46 6.69 8.75 9.44 4.80 5.33 22 23 3.02 3.06 3.68 2.58 2.44 4.05 6.82 8.79 9.43 4.80 5.33 22 23 3.02 3.06 3.68 2.64 4.05 6.82 8.79 9.43 4.80 5.33 22 24 2.94 3.21 3.60 2.67 4.75 7.13 8.87 9.44 5.02 5.31 24 25 3.00 3.31 3.97 3.08 4.75 7.13 8.87 9.44 5.02 5.31 24 25 3.00 3.31 3.97 3.08 4.75 7.13 8.87 9.44 5.02 5.31 24 26 4.94 3.21 3.60 2.67 4.75 7.13 8.87 9.44 5.02 5.31 24 27 1.66 3.52 4.16 3.56 2.67 4.75 7.13 8.87 9.44 5.42 5.37 26 28 1.60 3.53 4.21 3.50 2.68 4.77 9.48 5.70 9.44 5.42 5.37 26 28 1.60 3.53 4.21 3.50 4.87 7.20 8.79 9.44 5.42 5.37 26 29 1.85 4.18 3.61 4.87 7.20 8.79 9.44 5.42 5.37 26 29 1.85 4.18 3.61 4.87 7.20 8.79 9.44 5.42 5.37 26 28 1.60 3.53 4.21 3.59 4.87 7.20 8.80 9.45 5.44 5.42 5.37 26 29 1.85 4.18 3.61 4.87 7.20 8.80 9.45 5.47 MEAN MEAN 3.24 3.48 2.96 4.97 7.38 8.90 9.45 5.40 5.30 28 1NST 1.50 2.05 0.75 4.07 4.77 7.55 9.02 5.40 5.37 30 1NST 1.50 2.05 0.75 4.07 4.77 7.55 9.02 5.40 5.37 31 1NST 4.51 4.51 4.48 4.32 5.68 7.55 9.02 5.40 5.31 1NST 1NST 4.51 4.51 4.48 4.32 5.68 7.55 9.02 5.40 5.31 1NST 1NST 4.51 4.51 4.48 4.32 5.68 7.55 9.02 5.40 5.31 1NST						8								
10 3.10 3.45 2.03 5.09 6.04 8.06 9.35 5.51 10 11 3.73 3.61 2.09 5.25 6.21 8.13 9.35 5.49 11 12 3.93 3.68 2.29 5.45 6.31 8.18 9.37 5.48 12 13 4.03 3.74 2.44 5.62 6.39 8.25 9.40 5.31 14 15 3.88 4.01 2.54 5.65 6.44 8.33 9.42 5.41 14 15 3.88 4.05 2.68 5.51 6.49 8.37 9.43 5.21 15 16 3.97 3.94 2.73 5.66 6.44 8.33 9.42 5.21 15 17 4.26 4.07 2.89 0.73 5.42 6.68 8.41 9.43 5.07 16 18 4.15 4.18 3.07 1.47 5.54 6.67 8.50 9.43 5.07 17 18 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.17 18 17 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.15 19 20 4.19 4.37 3.37 2.12 4.33 6.66 8.68 9.44 8.60 5.29 20 21 3.85 4.41 3.36 2.30 4.46 6.69 8.75 9.44 4.94 5.24 21 22 3.46 3.48 3.58 2.44 4.56 6.69 8.75 9.44 5.00 5.31 23 24 2.94 3.21 3.50 2.30 4.46 6.69 8.79 9.43 5.00 5.31 23 24 2.94 3.21 3.50 2.30 4.46 6.69 8.82 8.79 9.43 5.00 5.31 23 24 2.94 3.21 3.50 2.30 4.46 6.69 8.82 8.79 9.43 5.00 5.31 23 24 2.94 3.21 3.50 2.30 4.46 6.69 8.82 8.79 9.44 5.00 5.33 22 23 3.00 3.30 3.68 3.68 2.44 4.55 6.82 8.79 9.45 5.00 5.31 23 24 2.94 3.21 3.50 2.87 4.75 7.13 8.82 9.44 5.07 5.31 23 25 3.00 3.31 3.97 3.00 2.87 4.75 7.13 8.82 9.44 5.07 5.31 24 26 3.04 3.50 3.99 3.26 4.72 7.24 8.77 9.44 5.42 5.22 5.37 26 27 1.04 3.50 4.16 3.59 4.81 3.59 4.89 7.32 8.86 9.45 5.44 5.07 5.31 24 28 1.60 3.53 4.21 3.50 2.87 4.75 7.13 8.82 9.44 5.07 5.31 24 29 1.85 4.18 3.50 3.59 4.89 7.32 8.86 9.45 5.44 5.07 5.31 24 29 1.85 4.18 3.46 4.87 7.38 8.80 9.45 5.44 5.40 5.37 30 31 1.99 4.26 3.99 3.26 4.72 7.24 8.77 9.44 5.42 5.37 30 31 1.99 4.26 3.99 3.26 4.77 7.48 8.97 9.45 5.44 5.42 5.37 30 31 1.99 4.26 3.99 3.99 3.26 4.77 7.48 8.99 9.45 5.40 5.30 28 3.90 3.50 3.59 3.59 3.50 3.50 3.59 3.50 3.50 3.59 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50														
11 3.73 3.61 2.09 5.25 6.21 8.13 9.35 5.49 11 12 3.93 3.68 2.29 5.65 5.31 8.18 9.37 5.48 12 13 4.03 3.74 2.44 5.62 6.39 8.25 9.40 5.41 14 14 3.85 4.01 2.54 5.62 6.39 8.25 9.40 5.41 14 15 3.68 4.05 2.66 5.51 6.49 8.37 9.43 5.21 15 16 3.97 3.94 2.73 5.35 6.64 8.38 9.43 5.07 16 17 4.26 4.07 2.89 0.73 5.42 8.68 8.41 9.43 5.07 17 18 4.15 4.18 2.07 1.47 5.54 6.67 8.50 9.43 5.17 18 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.17 18 20 4.19 4.37 3.37 2.12 4.53 6.68 8.68 9.44 6.60 5.29 20 21 3.85 4.41 3.30 2.30 4.46 6.69 8.75 9.44 4.94 5.22 21 22 3.46 3.48 2.58 2.44 4.45 6.82 8.79 9.43 4.80 5.32 22 23 3.02 3.00 3.68 2.44 4.05 6.82 8.79 9.43 4.80 5.33 22 24 2.94 3.21 3.60 2.87 4.75 7.13 8.82 9.44 5.02 5.31 23 24 2.94 3.21 3.60 2.87 4.75 7.13 8.82 9.44 5.02 5.31 23 24 2.94 3.21 3.60 2.87 4.75 7.13 8.82 9.44 5.02 5.31 23 25 3.00 3.31 3.97 2.08 4.75 7.13 8.82 9.44 5.02 5.31 23 26 3.04 3.50 3.59 3.40 5.40 5.50 5.50 5.31 23 27 1.64 3.52 4.16 3.50 3.99 3.26 4.72 7.20 8.77 9.44 5.42 5.27 5.27 5.20 5.50 5.20 1.50 5.20 1.50 5.20 1.50 5.20 1.50 5.20 1.50 5.20 5.31 23 28 1.60 3.53 4.21 3.50 4.26 3.49 4.81 7.26 8.80 9.45 5.40 5.30 28 29 1.85 4.18 3.61 4.87 7.38 8.90 9.45 5.40 5.30 28 29 1.85 4.18 3.61 4.87 7.38 8.90 9.45 5.40 5.30 28 29 1.85 4.18 3.61 4.87 7.38 8.90 9.45 5.74 5.24 5.20 2.5 1.81 1.50 1.97 1.70 1.70 1.70 1.70 1.70 1.70 1.70 1.7													5.51	
12 3.093 3.68 2.299 5.65 6.31 8.18 9.37 5.66 5.68 13 4.03 3.74 2.44 5.65 6.34 5.65 6.44 8.33 9.42 5.21 15 3.88 4.05 2.68 5.68 5.51 6.49 8.37 9.43 5.07 16 17 4.26 4.07 2.89 0.73 5.42 6.68 8.41 9.43 5.07 16 18 4.15 4.18 2.07 1.47 5.54 6.67 8.50 9.43 5.07 17 18 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.15 19 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.15 19 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.15 19 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.15 19 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.15 19 10 10 10 10 10 10 10 10 10 10 10 10 10													5,49	
13 4 03 3.74 2.444 5.62 6.39 8.25 9.40 5.53 13 14 2.85 4.01 2.54 5.65 6.44 8.33 9.42 5.41 15 15 3.88 4.05 2.68 5.51 6.49 8.37 9.43 5.21 15 16 3.97 3.94 2.73 5.55 6.64 8.38 9.43 5.07 16 17 4.26 4.07 2.89 0.73 5.42 8.68 8.41 9.43 5.07 17 18 4.15 4.18 3.07 1.47 3.54 6.67 8.50 9.43 5.17 18 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.15 19 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.15 19 20 4.19 4.37 3.37 2.12 4.53 6.68 8.66 9.44 8.80 5.29 20 21 3.85 4.41 3.30 2.30 4.66 6.69 8.75 9.44 4.94 5.22 21 22 3.46 3.48 3.58 2.44 4.65 6.82 8.79 9.43 4.80 5.33 22 23 3.02 3.06 3.68 2.64 4.60 7.06 8.82 9.44 5.02 5.31 23 24 2.94 3.21 3.60 2.87 4.75 7.13 8.82 9.44 5.07 5.31 24 25 3.00 3.31 3.97 2.08 4.75 7.13 8.82 9.44 5.07 5.31 24 25 3.00 3.31 3.97 3.26 4.75 7.20 8.79 9.44 5.22 5.37 26 27 1.64 3.52 4.12 3.50 3.99 3.26 4.75 7.20 8.79 9.44 5.22 27 28 1.60 3.53 4.21 3.59 4.81 3.59 4.89 7.32 8.86 9.45 5.34 5.22 27 28 1.60 3.53 4.21 3.59 4.81 3.59 4.89 7.32 8.86 9.45 5.34 5.22 27 28 1.60 3.53 4.21 3.59 4.81 3.59 4.89 7.32 8.86 9.45 5.34 5.22 27 28 1.60 3.53 4.21 3.59 4.81 3.59 4.89 7.32 8.80 9.45 5.34 5.22 27 39 1.97 4.17 3.78 4.87 7.44 8.93 9.45 5.37 30 31 1.99 4.20 3.90 3.50 3.99 3.78 4.80 7.32 8.80 9.45 5.34 5.22 27 39 1.97 4.17 3.78 4.87 7.48 8.93 9.45 5.37 30 31 1.99 4.20 3.90 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.5														
14														
15 3.68 4.05 2.68 5.51 6.49 8.37 9.63 5.21 15 16 3.97 3.94 2.73 5.56 5.55 5.66 8.38 9.43 5.07 15 17 4.26 4.07 2.89 0.73 5.42 8.68 8.41 9.43 5.07 17 18 4.15 4.18 3.07 1.47 5.54 6.67 8.50 9.43 5.17 18 19 4.20 4.07 3.818 1.79 5.30 6.68 8.59 9.43 5.15 10 20 4.19 4.37 3.37 2.12 4.53 6.68 8.68 9.44 8.80 5.29 20 21 3.85 4.41 3.30 2.40 4.66 6.69 8.75 9.44 4.94 5.22 21 22 3.46 3.48 3.58 2.46 4.60 7.66 8.82 8.79 9.43 4.80 5.33 22 23 3.02 3.06 3.68 2.46 4.60 7.06 8.82 9.44 5.07 5.31 24 24 2.94 3.21 3.60 2.87 4.75 7.13 8.82 9.44 5.07 5.31 24 25 3.00 3.31 3.97 2.08 4.75 7.20 8.79 9.44 5.20 5.31 24 25 3.00 3.31 3.97 2.08 4.75 7.20 8.79 9.44 5.22 5.20 25 26 3.04 3.50 3.59 3.26 4.72 7.24 8.77 9.44 5.42 5.37 26 27 1.64 3.52 4.16 3.43 4.81 7.26 8.80 9.45 5.34 5.22 27 28 1.60 3.53 4.21 3.60 3.48 3.61 4.81 7.28 8.80 9.45 5.34 5.22 27 28 1.60 3.53 4.21 3.89 4.81 7.26 8.80 9.45 5.30 28 29 1.85 4.17 3.88 4.76 7.44 8.93 9.45 5.84 5.37 30 31 1.98 4.26 3.90 7.51 4.77 7.55 9.02 9.45 INST 1.50 2.05 0.75 4.07 4.77 7.55 9.02 9.45 INST 1.50 2.05 0.75 4.07 4.77 7.55 9.02 9.46 INST 1.50 2.05 0.75 4.07 4.77 7.55 9.02 9.46 INST 4.31 4.48 4.32 5.68 7.55 9.02 9.46							5-65						5.41	
16 3.97 3.94 2.73 5.35 6.66 8.38 9.43 5.07 17 17 4.26 4.07 2.89 0.73 5.42 8.68 8.41 9.43 5.07 17 18 18 4.15 4.18 3.07 1.47 5.54 6.67 8.50 9.43 5.17 18 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.17 18 19 4.20 4.07 3.18 1.79 5.30 6.68 8.59 9.43 5.15 19 20 4.19 4.37 3.37 2.12 4.53 6.88 8.68 9.44 8.80 5.29 20 21 3.85 4.41 3.35 2.30 4.46 6.69 8.75 9.44 4.94 5.24 21 22 3.48 3.48 3.58 2.44 4.65 6.82 8.79 9.43 4.80 5.33 22 23 3.02 3.00 3.68 2.64 4.60 7.06 8.82 9.44 5.02 5.31 23 23 3.02 3.00 3.31 3.97 2.08 4.75 7.13 8.82 9.44 5.02 5.31 23 24 2.94 3.21 3.60 2.87 4.75 7.13 8.82 9.44 5.02 5.31 23 25 3.00 3.31 3.97 2.08 4.75 7.20 8.79 9.44 5.24 5.20 25 25 25 3.00 3.31 3.97 3.26 4.72 7.24 8.77 9.44 5.24 5.22 5.37 26 25 3.04 3.50 3.99 3.26 4.72 7.24 8.77 9.44 5.42 5.37 26 25 3.04 3.52 4.16 3.43 4.81 7.26 8.80 9.45 5.47 5.24 5.20 25 25 3.00 3.51 3.97 3.26 4.72 7.24 8.77 9.44 5.42 5.37 26 27 1.64 3.52 4.16 3.43 4.81 7.26 8.80 9.45 5.47 5.24 5.20 25 3.00 3.51 3.97 3.26 4.72 7.24 8.77 9.44 5.42 5.37 26 28 1.60 3.53 4.21 3.59 4.89 7.32 8.86 9.45 5.40 5.30 28 29 1.65 4.18 3.43 4.81 7.26 8.80 9.45 5.40 5.30 28 29 1.65 4.18 3.41 3.41 4.87 7.38 8.90 9.45 5.40 5.30 28 29 1.65 4.18 3.41 3.41 3.41 4.87 7.38 8.97 5.40 5.30 28 29 1.65 5.41 3.59 4.89 7.32 8.86 9.45 5.40 5.30 28 29 1.65 5.41 3.59 4.89 7.32 8.86 9.45 5.40 5.30 28 29 1.65 5.40 5.40 28 20 20 20 20 20 20 20 20 20 20 20 20 20													5.21	15
17 4-26 4-07 2-89 0-73 5-42 8-68 8-41 9-43 5-07 17 18 18 4-15 4-18 3-07 1-477 5-54 6-67 8-50 9-43 5-17 18 19 4-20 4-07 3-18 1-79 5-30 6-68 8-59 9-43 5-15 19 20 4-19 4-37 3.37 2-12 4-53 6-68 8-68 9-44 8-80 5-29 20 21 3-85 4-41 3-30 2-30 4-66 6-69 8-75 9-44 4-94 5-72 21 22 3-46 3-48 3-98 2-44 4-45 6-82 8-79 9-43 4-80 5-33 22 23 3-02 3-06 3-68 2-64 4-60 7-06 8-82 9-44 5-02 5-31 23 24 2-94 3-21 3-60 2-87 4-75 7-13 8-82 9-44 5-07 5-31 24 25 3-00 3-31 3-97 2-08 4-75 7-13 8-82 9-44 5-07 5-31 24 25 3-00 3-31 3-97 2-08 4-75 7-13 8-82 9-44 5-07 5-31 24 25 3-04 3-50 3-99 3-26 4-75 7-20 8-79 9-44 5-72 5-72 5-72 5-72 5-72 5-72 5-72 5-72													5.07	16
18 4-15 4-18 2-07 1-47 3-54 6-67 8-50 9-43 5-17 18 19 4-20 4-07 3-18 1-79 5-30 6-68 8-59 9-43 5-15 19 20 4-19 4-37 3-37 2-12 4-53 6-68 8-59 9-43 5-15 19 21 3-85 4-41 3-36 2-30 4-46 6-69 8-75 9-44 4-94 5-22 20 21 3-85 3-48 3-58 2-44 4-5 6-82 8-79 9-43 4-80 5-33 22 23 3-02 3-06 3-68 2-64 4-60 7-06 8-82 9-44 5-02 5-31 23 24 2-94 3-21 3-800 2-87 4-75 7-13 8-82 9-44 5-02 5-31 23 25 3-00 3-31 3-97 3-08 4-75 7-13 8-82 9-44 5-22 5-31 23 26 3-04 3-50 3-99 3-26 4-72 7-24 8-77 9-44 5-42 5-37 26 27 1-64 3-52 4-16 3-32 4-16 3-32 4-81 7-26 8-60 9-45 5-67 5-31 5-27 28 1-60 3-53 4-21 3-59 4-89 7-32 8-86 9-45 5-40 5-30 28 29 1-85 4-18 3-59 4-89 7-32 8-86 9-45 5-40 5-30 28 29 1-85 4-18 3-78 4-76 7-44 8-93 9-45 5-74 5-20 25 30 1-97 3-78 4-17 3-78 4-76 7-44 8-93 9-45 5-74 5-20 28 1NST 1-50 2-05 0-75 4-07 4-77 7-55 9-02 5-05 INST MAX (271 (1) (5) (5) (1) (1) (1) (1) (1) INST 4-31 4-48 4-32 5-68 7-55 9-02 9-46						0.72							5.07	17
19 4 20 4 207 3 218 1279 5 30 6 68 8 59 9,43 5.15 19 20 4 19 4 37 3.37 2 12 4 53 6 68 8 8 68 9,44 8 8 80 5 29 20 4 19 4 37 3.37 2 212 4 53 6 68 8 8 68 9,44 8 4 94 5 22 21 21 3 28 5 4 41 3 20 2 20 0 4,46 6 6.69 8 8.75 9,44 4 4,94 5 22 21 22 3 24 8 3 24 8 2 58 2 24 4 4 6.5 6 82 8 79 9,43 4 80 5 23 22 23 3 20 2 3 20 6 3 26 8 2 26 4 4 20 7 20 6 8 82 9,44 5 20 2 5 31 23 24 2 2 9 4 2 2 1 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2													5.17	18
20 4-19 4-37 3-37 2-12 4-53 6-88 8-68 9-44 8-80 5-29 2-12 3-85 4-41 3-30 2-30 4-46 6-69 8-75 9-44 4-94 5-22 21 3-85 4-41 3-30 2-30 4-46 6-82 8-75 9-44 4-80 5-33 22 23 3-02 3-06 3-68 2-64 4-60 7-06 8-82 9-44 5-02 5-31 23 24 2-94 3-21 3-60 2-87 4-75 7-13 8-82 9-44 5-07 5-31 24 25 3-00 3-31 3-97 2-08 4-75 7-13 8-82 9-44 5-07 5-31 24 25 3-00 3-31 3-97 2-08 4-75 7-20 8-79 9-44 5-24 5-20 25 26 3-04 3-50 3-99 3-26 4-72 7-24 8-77 9-44 5-24 5-37 26 25 27 1-64 3-52 4-16 3-43 4-81 7-26 8-80 9-45 5-34 5-22 27 28 1-60 3-53 4-21 3-59 4-89 7-32 8-86 9-45 5-46 5-30 28 29 1-85 4-18 3-59 4-89 7-32 8-86 9-45 5-46 5-30 28 29 1-85 4-18 3-59 4-89 7-32 8-86 9-45 5-76 5-30 28 30 1-97 4-17 3-78 8-97 7-51 8-97 7-													5.15	19
21 3.85 4.41 3.35 2.44 4.45 6.82 8.75 9.44 4.94 5.22 21 22 3.48 3.58 2.44 4.45 6.82 8.75 9.43 4.80 5.33 22 23 3.02 3.00 3.68 2.44 4.45 7.06 8.82 9.44 5.02 5.31 23 24 2.94 3.21 3.60 2.87 4.75 7.13 8.82 9.44 5.02 5.31 23 24 2.94 3.21 3.60 2.87 4.75 7.13 8.82 9.44 5.02 5.31 23 24 2.94 3.50 3.97 3.26 4.75 7.20 8.79 9.44 5.24 5.20 25 25 3.00 3.31 3.97 3.26 4.72 7.24 8.77 9.44 5.42 5.37 26 25 3.04 3.50 3.99 3.26 4.72 7.24 8.77 9.44 5.42 5.37 26 27 1.64 3.52 4.16 3.43 4.81 7.26 8.80 9.45 5.34 5.22 27 28 1.60 3.53 4.21 3.49 7.32 8.86 9.45 5.34 5.20 25 29 1.85 4.18 3.41 4.87 7.38 8.90 9.45 5.34 5.20 25 3.00 1.97 4.17 3.78 4.76 7.44 8.93 9.45 5.37 30 31 1.98 4.26 3.90 7.25 8.90 7.35 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 5.37 4.26 5.37 31 1.98 4.26 5.37 4.26 5.37 5.37 31 1.98 4.26 5.37 4.26 5.40 5.30 6.41 8.36 9.35 5.47 MEAN 1.85 1.50 2.05 0.75 4.07 4.77 7.55 9.02 9.46 5.37 31 1.98 1.98 4.28 4.29 5.40 5.30 6.41 8.36 9.35 5.47 MEAN 1.85 1.50 2.05 0.75 4.07 4.07 7.75 9.02 9.46 5.31 1.85 1.85 1.85 1.85 1.85 1.85 1.85 1.8												8.80	5.29	20
21 3-85 3-41 3-88 2-88 2-64 4-60 7-60 8-82 9-44 5-02 5-31 23 3-02 3-05 3-68 2-64 4-60 7-60 8-82 9-44 5-02 5-31 23 24 2-94 3-21 3-60 2-87 4-75 7-13 8-82 9-44 5-07 5-31 24 25 3-00 3-31 3-97 2-08 4-75 7-13 8-82 9-44 5-07 5-31 24 25 3-00 3-31 3-97 2-08 4-75 7-20 8-79 9-44 5-24 5-20 25 26 3-04 3-50 3-99 3-26 4-71 7-24 8-77 9-44 5-42 5-37 25 27 1-64 3-52 4-16 3-43 4-81 7-26 8-80 9-45 5-34 5-22 27 28 1-80 3-53 4-21 3-59 4-89 7-32 8-86 9-45 5-40 5-30 28 29 1-85 4-18 3-59 4-89 7-32 8-86 9-45 5-40 5-30 28 29 1-85 4-18 3-59 4-89 7-32 8-86 9-45 5-74 5-24 29 30 1-97 4-17 3-78 8-90 9-45 5-37 30 1-97 30 1-97 3-78 4-17 3-78 8-97 5-37 30 1-98 4-26 3-90 7-51 8-97 5-37 30 1-98 4-26 3-90 7-51 8-97 5-37 30 1-98 4-26 3-90 7-51 8-97 5-37 30 1-98 4-26 3-48 4-76 7-44 8-93 9-45 5-84 5-37 30 1-98 4-26 3-90 7-51 8-97 5-37 30 1-98 4-26 3-90 7-51 8-97 5-37 30 1-98 4-26 3-90 7-51 8-97 5-37 30 1-97 3-417 3-78 3-78 4-76 7-44 8-93 9-45 5-84 5-37 30 1-98 4-26 3-90 7-51 8-97 5-37 30 1-98 4-26 3-90 7-98 4-98 4-26 3-90 7-98 4-98 4-26 3-90 7-98 4-98 4-26 3-90 7-98 4-98 4-26 3-90 7-98 4-98 4-26 3-98 4-26 3-98 4-26 3-98 4-26 3-98 4-26 3-98 4-26 3-98 4-26 3-98 4-26 3-98 4-26 3-98 4-26 3-98 4-26 3-98 4-26 3-98 4														21
23 3-02 3-06 3-58 2-64 4-60 7-06 8-82 9-44 5-02 5-31 23 24 2-94 3-21 3-60 2-67 4-75 7-13 8-82 9-44 5-07 5-31 23 25 3-00 3-31 3-97 2-08 4-75 7-20 8-79 9-44 5-24 5-20 25 26 3-04 3-50 3-99 3-26 4-72 7-24 8-77 9-44 5-42 5-37 26 27 1-64 3-52 4-16 3-63 4-21 3-69 4-89 7-26 8-80 9-45 5-34 5-22 27 28 1-60 3-53 4-21 3-69 4-89 7-32 8-86 9-45 5-34 5-22 27 29 1-85 4-18 3-61 4-87 7-38 8-90 9-45 5-74 5-24 29 30 1-97 4-17 3-78 4-17 3-78 8-90 9-45 5-74 5-24 29 30 1-97 3-10 4-26 3-90 7-51 8-97 5-37 31 MEAN 3-24 3-44 2-96	21													22
24 2.94 3.21 3.60 2.67 4.75 7.13 8.82 9.44 5.07 5.31 24 25 3.00 3.31 3.97 3.08 4.75 7.20 8.79 9.44 5.24 5.20 25 26 3.04 3.55 3.99 3.26 4.72 7.24 8.77 9.44 5.42 5.37 26 27 1.64 3.52 4.16 3.43 4.81 7.26 8.80 9.45 5.34 5.22 7.28 1.60 3.53 4.21 3.59 4.89 7.32 8.86 9.45 5.40 5.30 28 29 1.85 4.18 3.61 4.87 7.38 8.90 9.45 5.40 5.30 28 29 1.85 4.18 3.61 4.87 7.38 8.90 9.45 5.74 5.22 29 30 1.97 4.17 3.78 4.76 7.44 8.93 9.45 5.84 5.37 30 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 1.98 4.26 3.90 7.51 8.97 5.37 31 3.90 5.47 MEAN	22												5.31	23
25 3.00 3.31 3.97 3.08 4.75 7.20 8.79 9.44 5.42 5.20 25 26 3.04 3.50 3.99 3.26 4.72 7.24 8.77 9.44 5.42 5.37 26 27 1.64 3.52 4.16 3.43 4.81 7.26 8.80 9.45 5.37 3.28 2.29 1.85 4.18 3.61 4.87 7.38 8.90 9.45 5.40 5.30 28 29 1.85 4.18 3.61 4.87 7.38 8.90 9.45 5.40 5.30 28 29 1.85 4.17 3.78 4.77 7.38 8.90 9.45 5.40 5.30 28 3.0 1.97 3.1 1.98 4.26 3.90 7.75 8.97 5.37 3.1 1.98 4.26 3.90 7.51 8.97 5.37 3.1 1.98 4.26 3.90 7.51 8.97 5.37 3.1 1.98 4.26 3.90 7.51 8.97 5.37 3.1 1.98 4.26 3.90 7.51 8.97 5.37 3.1 1.50 2.05 0.75 4.07 4.77 7.55 9.02 5.05 1NST MAX (27) (1) (5) (1) (1) (1) (1) (1) (1.75 MAX 1.75 4.31 4.48 4.32 5.68 7.55 9.02 9.46 5.18 1.85														24
25 3-00 3-51 3-77 26 4-12 7-24 8-77 9-44 5-42 5-27 26 27 1-04 3-52 4-12 3-43 4-81 7-26 8-80 9-45 5-34 5-22 27 28 1-06 3-53 4-21 3-59 4-89 7-32 8-86 9-45 5-40 5-30 28 29 1-85 4-18 3-61 4-87 7-38 8-90 9-45 5-74 5-22 27 30 1-97 4-17 3-78 4-76 7-44 8-93 9-45 5-74 5-22 29 30 1-97 4-17 3-78 4-76 7-44 8-93 9-45 5-84 5-37 30 31 1-98 4-26 3-90 7-51 8-97 5-37 31 1-98 1-98 1-98 1-98 1-98 1-98 1-98 1-9													5.20	25
27 1.66 3.52 4.16 3.43 4.81 7.26 8.80 9.45 5.34 5.22 27 28 1.60 3.53 4.21 3.59 4.89 7.32 8.86 9.45 5.40 5.30 28 29 1.85 4.18 3.61 4.87 7.38 8.90 9.45 5.74 5.24 29 30 1.97 4.17 3.78 4.76 7.44 8.93 9.45 5.74 5.24 29 31 1.98 4.26 3.90 7.51 8.97 MEAN 3.24 3.44 2.96 ——MONTHLY SUMMARY— 4.91 5.41 8.36 9.35 5.47 MEAN INST 1.50 2.05 0.75 4.07 4.77 7.55 9.02 5.05 INST MAX (27) (1) (5) (1) (1) (1) (1) (1) INST 4.31 4.48 4.32 5.68 7.55 9.02 9.46 (5.13 INST) INST 4.31 4.48 4.32 5.68 7.55 9.02 9.46							4 72							
27 1.66 3.52 4.12 3.59 4.89 7.32 8.86 9.45 5.40 5.30 28 28 1.60 3.53 4.21 3.59 4.89 7.32 8.80 9.45 5.74 5.22 29 29 1.85 4.18 3.61 4.87 7.38 8.90 9.45 5.74 5.23 30 1.97 4.17 3.78 4.76 7.44 8.93 9.45 5.37 30 31 1.98 4.26 3.90 7.51 8.97 MEAN 3.24 3.44 2.96														
28 1.60 3.53 4.21 3.61 4.67 7.38 9.90 9.45 5.74 5.24 29 29 1.85 4.18 3.61 4.67 7.38 9.90 9.45 5.74 5.24 29 30 1.97 4.17 3.78 4.76 7.44 8.93 9.45 5.84 5.37 30 31 1.98 4.26 3.90 7.51 8.97 5.37 31 MEAN 3.24 3.44 2.96														
29 1-85 30 1-97 4-17 3-78 4-76 7-44 8-93 9-45 5-84 5-37 30 31 1-98 4-26 3-90 7-51 8-97 5-37 31			3.53											
30 1.99 4.26 3.90 7.51 8.97 5.37 31 MEAN 3.24 3.44 2.96														
-MONTHLY SUMMARY- MEAN 3.24 3.44 2.96 4.91 6.41 8.36 9.35 5.47 MEAN INST 1.50 2.05 0.75 4.07 4.77 7.55 9.02 5.05 INST MAX (271 (1) (5) (1) (1) (1) (1) (17) MAX INST 4.31 4.48 4.32 5.68 7.55 9.02 9.40 6.13 INST							4010			****		4.6.2		
MEAN 3.24 3.44 2.96 4.91 6.41 8.36 9.35 5.47 MEAN INST 1.50 2.05 0.75 4.07 4.77 7.55 9.02 5.05 INST MAX (271 (1) (5) (1) (1) (1) (1) (1) (1) MAX INST 4.31 4.48 4.32 5.68 7.55 9.02 9.40 6.13 INST INST 4.31 4.48 4.32 5.68 7.55 9.02 9.40 6.13 INST	31	1.99		4.26		3.90		7.071	0.971					JP 및
INST 1.50 2.05 0.75 4.07 4.77 7.55 9.02 5.05 INST MAX (27) (1) (5) (1) (1) (1) (1) (17) MAX INST 4.51 4.68 4.32 5.68 7.55 9.02 9.40 6.13 INST MAX						- MOI			2.724	2 22			£ 47	MEAN
1NST 1.50 2.05 0.17 11 (1) (1) (1) (17) MAX (271 (1) (5) (1) (1) (1) (1) (1) (17) MAX 1NST 4.51 4.68 4.32 5.68 7.55 9.02 9.46 6.13 1NST (1.5) NST	MEAN	3.24	3.44	2.96			4.91	6,41	8.36	4.30			2471	TIL MIS
MAX (27) (1) (5) (1) (1) (1) (1) (17) INST 4-51 4-68 4-32 5-68 7-55 9-02 9-46 6-13 INST INST INST INST INST INST INST INST	INST	1.50	2.05	0.75										
INST 4-31 4-48 4-32							1 11	(1)	1 1)	(1)			1173	MAX
AND THE CONTRACT OF A STATE OF A	INST	6.31	4.48	4.32			5.68	7.55						
								(31)	(31)	128)			(4)	MIN

ENVIRONMENT ONTARIO TORONTO HALTON COUNTY

OBSERVATION WELL 437

TOWNSHIP OF ESQUESING

CONC. 1

WELL REC #: 2800686
UTM CO-ORD: Z-17 E576800 N4828000
LOT 26 LAT & LONG: 43-36NORTH 80-03WEST

DIAMETER OF MELL: 7 INCHES LENGTH OF CASING: 26 FEET LENGTH OF SCREËN: NONE DEPTH OF MELL: 50 FEET

PUMP RATE: 4 IGPM SPEC. CAP: 0.41 IGPM/FT AQUIFER : HDCK QUALITY : FRESH

REC METHOD: A35 RECORDER
REC COMMCO: MAY 1966
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE
GND ELEV: 1200 FEET ABOVE SEA LEVEL
MELL LDG: CLAY TILL 4.5; BEDRCCK 50.

DAY	MAL	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC T	NOV	DEC	DAY
i.	1.07	0.17	1.36	1.05	1.10	1.26			5.72	6.40	6.7L	4.29	1 2
2	1.20	0.36	1.30	0.28	1.21	1.38			5.78	6.43	6.71	4.28	
3	1.29	0.53	1.01	0.08	1.20	1.50			5.80	6.45	6.71	4.40	3
4	1.38	0.73	0.03	-0.31	1.41	1.64			5.83	6.46	6.69	4.52	*
5	1.52	4.92	-0.34	-0.16	1.45	1.75			5.87	6.47	6.63	4.59	5
6	1.63	1.12	-0.29	-0.04	1.29	1.84			5.90	6.48	6.53	4.63	b
7	1.75	1.28	-0.29	-0-05	1.37				5.95	6.50	6.54	4.61	7
é	1.96	1.39	-0.13	0.09	1.44				5.99	0.51	6.55	4.56	8
9	2.02	1.57	-0.07	0.19	0.68				6.02	6.53	6.56	4.50	9
10	2.16	1.65	-0.02	0.29	0.59				6.03	6.55	6.56	4.44	10
11	2.22	1.81	-0.03	0.31	0.06				6.05	6.58	0.53	4.41	11
12	2.38	1.92	0.07	0.20	0.11				6.05	6.60	6.45	4.44	12
13	2.50	1.98	0.24	0.16	0.07				6.05	6.59	6.29	4.45	13
14	2.46	2.14	0.38	0.08	0.18				6.09	6.56	6.24	4.41	14
	2.52	2.24	9.42	0.07	0.16				6.14	6.43	6.19	4.32	15
15	2.59	2.25	0.41	0.23	0.10				6.16	6.46	6.22	4.24	16
16		2.35	0.49	0.33	-0.54			5.10	4.19	6.46	6.22	4-20	17
17	2.75	2.46	0.56	0.45	-0.33			5-19	6.22	6.52	6.22	4.16	18
18	2.79	2.45	0.59	0.62	-0.15			5.24	0.25	6.57	6.21	4.14	19
19	2.85	2.64	0.66	0.70	0.0			5.31	6.28	0.61	5.54	4.19	20
20		2.70	0.58	0.76	0.12			5.37	6.34	6.63	3.84	4.17	41
21	2.64	1.82	0.72	0.57	0.21			5.39	6.30	4.64	3.61	4.17	22
22	2.39	1.28	0.75	0.26	0.33			5.41	6.39	6.65	3.90	4.18	23
23	2.00	1.39	C. 82	0.37	0.51	÷ i		5.39	6.42	6.64	3.82	4-17	24
24	1.87	1.49	0.93	0.50	0.63			5.45	6.39	4.64	3 - 84	4.11	25
25		1.68	0.99	0.62	0.74			5.46	6.41	6.67	3.95	4.14	26
26	1.70	1.75	1.13	0.73	0.86			5.49	6.44	6.69	3.97	4.11	27
27	0.03	1.64	1.19	0.85	0.92			5.56	6.45	0.70	4-07	4.12	28
28	0.11	1.04	1.21	0.93	0.84			5.60	0.38	6.71	4.22	4.11	29
29	0.17		1.24	1.00	0.98			5.04	0.35	0.71	4.29	4.15	30
30			1.23	1.00	1.10			5.64		6.71		4.15	31
31	0. 03		1.23										
			0.0	THE PERSON		NTHLY SUMMARY	-		0.14	6.57	5.60	4.30	MEAN
MEAN	1.77	1.63	0.55	0.37	0.62				0.14	6.31	,,,,,		
INST	-0.03	0.07	-0.44	-0.41	-0.66				5 .68	6.39	3.71	4.08	INST
KAN	(31)	1 11	(5)	1 41	(17)				1 13	4 11	1211	(30)	MAA
INST	2.88	4.74	1-44	1.19	1.48			14	6.46	6.72	6.71	4.64	INST
MIN	(20)	(21)	(1)	1 11	1 51				1291	1291	1 33	(6)	MIN

ENVIRONMENT ONTARIO TORONTO HALTON COUNTY DBSERVATION WELL 377

TOWN OF GEORGETOWN

CONC. - LOT -

WELL REC #: 2804289 UTM CO-ORD: Z-17 E5 LAT & LONG: 43-39ND

2 80 42 89 Z-17 E586 240 N 483 290 0 43-39NORTH 79-55 WEST

REC METHOD: A35 RECORDER
REC COMMCD: APR. 26 1973
MEASURE PT: 2.0 FEET ABOVE GROUND SURFACE
GND FLEV: 860 FEET ABOVE SEA LEVEL
HELL TYPE: DRILLED

DIAMETER OF WELL: 5 INCHES
LENGTH OF CASING: 87 FEET
LENGTH OF SCREEN: 22 FEET
DEPTH OF WELL: 109 FEET

PUMP RATE: 45 IGPM SPEC. CAP: N.A. AQUIFER : COARSE SAND QUALITY : FRESH

WELL LOG: RED CLAY, SAND AND GRAVEL 27; FINE SAND 80; COARSE SAND 109.

						1974							
				DAILY M	EAN WATER	LEVELS REFE	FRED TO D	STANCE IN	FFET BELOW	GROUND SE	JRFACE		
YAO	JAN	FFB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YAG
1		6.19	3.68	1.85	0.98	0.23	3.20	3.68	5.00	5.69	6.71	7.53	1
		6-09	3.62	1.53	0.96	0.25	3.49	3.73	4.93	5.75	6.73	7.56	2
2		5.92	3.44	1.30	0.95	0.26	4.13	3.75	4.98	5.77	6.75	7.56	3
4		5.78	3.13	1.11	1.02	0.28	3.77	3.77	5.23	5.79	6.78	7.57	3
5	7.28	5.86	2.93	1.14	0.85	0.51	4.28	3.77	5.17	5.79	6.77	7.70	5
6	7.27	5.70	2.81	1.15	0.85	0.43	3.29	3.78	5.14	5.95	6.83	7.75	5 6 7
7	7.27	5.60	2.73	1.04	1.07	1.02	3.13	4.08	5.11	5.86	6.90	7.77	7
8	7.38	5.49	2.71	1.11	1.07	1.51	3.27	4.07	5.03	5.96	6.94	7.75	8
9	7.36	5.40	2.63	1.08	0.84	2.12	3.49	4.03	5.15	5.99	6.98	7.79	9
10	7.36	5.20	2.53	1.07	0.77	2.56	3.28	4.03	5.19	6.04	7.01	7.82	10
11	7.27	5.09	2.39	1.07	0.94	2.10	3.12	4.04	5.22	6.13	7.02	7.92	11
12	7.29	5.03	2.45	0.97	0.52	2.19	3.35	4.08	5.24	6.15	7.05	7.98	12
13	7.22	5.00	2.41	0.81	0.77	2.26	3.75	4.26	5.25	6.00	7.07	7.97	13
14	7.12	4.50	2.39	0.75	1.02	2.37	3.52	4-18	5.27	5.98	7.11	7.94	14
15	7.18	4.54	2.32	0.79	0.91	2.32	3.47	4.47	5.40	6.14	7.16	7.90	15
16	7.19	3.83	2.18	0.95	0.85	2.36	3.83	4.66	5.44	6.15	7.15	7.85	16
17	7.25	4.44	2.14	0.88	0.50	3.21	3.59	4.50	5.35	6.21	7.19	7.84	17
18	6.86	4.39	2.13	0.87	0.37	3.63	3.51	4.41	5.44	6.23	7.18	7.81	18
19	7-17	4.37	2.06	0.90	0.37	3.72	3.78	5.13	5.42	6.26	7.24	7.77	19
20	6.80	4.39	2.02	0.91	0.53	3.79	3.86	5.66	5.50	6.31	7.32	7.75	20
21	6.43	4.50	2.03	1.04	0.43	3.70	4.08	5.45	5.03	6.43	7.23	7.73	21
22	7.00	4.13	2.04	0.84	0.30	3.04	3.99	5.48	4.53	6.59	7.20	7.71	22
23	6.90	4.08	1.95	0.83	0.31	3.76	3.93	4.64	5.26	6.55	7.20	7.56	23
24	6.83	3.93	1.88	0.86	0.33	4.14	3.62	4.77	5.47		7.26	6.95	24
25	6.79	3.78	1.89	0.85	0.18	4.23	3.60	4.80	5.52		7.28	8.03	25
26	6.80	3.82	1.88	0.85	0.19	4.01	3.60	4.81	5.42	6.54	7.30	8.00	26
27	6.59	3.35	1.89	1.30	0.19	4.26	3.28	4.80	5.58	6.58	7.31	7.94	27
28	6.42	3.68	1.88	0.85	0.18	4.20	2.72	4.80	5.60	6.62	7.42	7.87	28
29	6.41		1.89	0.87	0.15	3.92	3.51	4.81	5.61	6.65	7.44	7.81	29
30	6.36		1.89	0.96	0+20	4.28	3.63	4.77	5.67	6.68	7.49	7.82	30
31	6.28		1.89		0.18		3.68	4.84		6.70		7.75	31
					-40	NTHLY SUMM	ARY-						
MEAN		4.79	2.38	1.02	0.61	2.56	3.57	4.45	5.27		7.10	7.76	MEAN
INST		2.44	1.49	-0.14	-0.55	0.02	2.19	3.12	4.02		5.89	5.37	TNST
MAX		(27)	(11)	(15)	(20)	(5)	(28)	(7)	(2)		1201	(4)	MAX
INST		8.15	5.28	3.74	3.32	6.98	6.65	7.69	7.93		7.97	9.20	INST
MIN		(5)	(5)	(27)	(14)	(25)	(23)	(23)	(21)		(20)	(25)	MIN

WELL REC #: UTM CO-ORD: LAT & LONG: 2802097 Z-17 E574490 N4829950 ENVIRONMENT ONTARIO **GBSERVATION WELL 438** HALTON COUNTY TOWNSHIP OF NASSAGAMEYA CONC. 7 LOT 31 43-37NORTH 80-05WES1 REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: A35 RECORDER
MAY 1966
3.0 FEET ABOVE GROUND SURFACE
1185 FEET ABOVE SEA LEVEL
DRILLED DIAMETER OF WELL: 7 INCHES LENGTH OF CASING: 33 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 85 FEET PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. ROCK FRESH DARK BROWN, SANDY TOPSOIL 2; BOULDERS AND SILTY TILL 18; BEDROCK 85.

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE APR MAY JUN JUL AUG SEP OCT NOV FER MAR DEC DAY DAY JAN 25.85 27.10 24.51 24.41 24.49 24.49 24.49 24.54 24.61 24.71 24.80 25.12 25.16 25.21 25.21 25.33 25.21 25.36 25.60 25 25.20 24-74 24.54 27.62 27.65 27.59 27-48 26-09 25.65 24.74 24.81 24.76 24.93 24.92 24.87 25.03 25.85 25.91 25.95 25.98 26.04 26.12 26.17 26.18 27.10 27.12 27.14 27.16 27.19 27.25 27.27 27.27 27.64 27.65 27.64 27.64 27.64 27.65 27.65 27.65 27.66 27.65 27.65 27.65 27.64 27.62 27.63 27.48 27.46 27.46 27.49 27.50 27.49 27.48 27.44 25.70 25.64 25.08 24.05 23.32 27.90 22.58 22.31 22.48 22.70 22.99 23.35 23.64 23.78 23.82 25.10 24.99 24.54 24.21 23.79 23.88 23.89 24.02 24.13 24.14 24.15 24.28 24.46 24.46 24.53 24.53 24.53 24.65 24.72 24.79 24.86 24.93 25.01 25.07 25.13 25.17 25.28 25.39 27.61 27.69 27.59 27.59 27.60 27.61 27.62 27.62 27.61 27.58 27.57 26.06 25.90 25.82 25.75 25.69 25.75 25.77 25.72 25.71 25.89 25.78 25.78 25.78 25.10 25.05 25.13 25.09 27.30 27.32 27.35 27.35 27.38 27.66 27.66 27.66 27.66 27.66 27.63 27.63 27.63 27.63 27.63 27.62 26.21 26.28 26.36 26.44 26.49 26.59 26.63 26.65 26.67 26.77 26.80 26.84 26.94 26.94 26.94 26.94 26.94 27.00 27.44 27.45 27.45 27.47 27.47 27.47 27.43 27.43 27.45 27.45 27.45 27.45 27.45 27.45 27.46 27.48 27.48 27.48 24.93 24.96 24.75 24.57 24.52 23.73 22.35 25.46 25.52 25.50 25.52 25.56 25.60 25.62 27.40 27.41 27.42 27.43 27.46 27.49 27.50 27.51 27.52 27.54 27.55 27.55 27.68 27.69 27.69 27.70 27.70 27.71 27.71 27.72 27.73 27.74 27.76 27.69 27.69 27.69 27.69 27.58 27.55 27.55 27.55 27.55 27.57 27.57 27.58 27.58 27.56 27.56 27.56 27.56 27.56 27.56 27.56 27.58 27.59 27.62 27.63 27.62 27.65 27.44 27.45 27.45 27.46 27.45 27.46 27.46 16 26.04 26.04 26.04 26.07 26.02 26.05 24.01 24.21 24.29 24.48 24.46 24.59 24.67 24.74 24.88 24.83 24.95 25.02 25.01 24.95 21.80 22.04 22.42 22.85 25.60 25.54 25.55 25.61 20 21 22 23 24 25 26 27 28 29 30 31 25.61 25.70 25.76 25.82 25.84 25.84 25.83 26.07 26.07 26.00 25.75 25.47 25.12 24.67 24.68 24.67 24.65 24.64 24.63 24.69 23.29 24 25 26 27 29 29 30 23-82 24.13 24.15 24.30 24.37 27.56 27.57 27.58 27.59 27.61 25.08 31 24.46 MONTHLY SUMMARY MEAN 25.77 25.32 24.20 24.09 26.53 27.40 27.68 27.60 27.55 27.46 MEAN 21.71 24.44 25.82 (1) 27.09 27.61 27.51 27.42 (25) 27.42 INST INST 24.35 24.40 22.23 23.75 27.61 27.50 (5) 27.75 INST 26.11 25.63 25.71 25.23 25.14 25.84 27.09 27.66 27.64 (24) 1) (21)

ENVIRONMENT CHTARIO ORSERVATION WELL 439

WFLL REC #: 2801739 UTM CO-ORD: Z-17 E572160 N4820550 LAT & LONG: 43-32NDRTH 80-06WEST LOT 24 CONC. 1 TOWNSHIP OF NASSAGAWEYA

REC METHOD: A35 RECORDER
REC COMMCD: JUNE 1966
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE
GNO ELEV: 1125 FEET ABOVE SEA LEVEL
MELL TYPE: DRILLED

HALTON COUNTY

DIAMETER OF WELL: 8.0 INCHES LENGTH OF CASING: 25 FEET LENGTH OF SCREEN: 23 FEET DEPTH OF WELL: 48 FEET

PUMP RATE: SPEC. CAP: N.A. N.A. SAND AND GRAVEL FRESH AQUIFER QUALITY

DRILLED TOPSOIL 2: BROWN SILTY TILL 15: GRFY SILTY TILL 25: MEDIUM TO COARSE SAND 30: MEDIUM TO COARSE SAND AND FINE GRAVEL 37: DIRTY CUARSE GRAVEL 39: MEDIUM TO COARSE SAND 48: GREY SILTY TILL 51.

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE DOT NOV DEC DAY JUL AUG APR MAY JUN JAN FES MAR DAY 6.00 6.01 6.01 6.01 6.01 6.01 6.01 5.47 5.50 5.51 5.51 5.52 5.54 5.57 4.293724.4.33724.4.55074.674.872.220.0955.33474.3372.6074.3372.60347.3370.3370 12345 4.42 4.39 4.34 4.10 3.75 3.44 3.25 3.09 3.97 3.84 3.75 3.45 3.29 3.20 3.16 3.18 3.17 5.56 3.61 3.63 3.67 3.72 3.75 3.75 3.75 3.78 3.72 3.68 4-02 4.74 5.59 5.61 5.62 5.65 5.65 5.67 4.67 4.77 4.77 4.78 4.88 4.89 4.97 5.09 4.97 5.19 4.02 4.05 4.09 4.12 4.13 4.15 4.74 4.75 4.75 4.75 4.75 4.80 4.80 4.82 4.87 4.60 4.61 4.60 4.57 4.54 5.62 5.64 5.66 5.67 5.69 6.02 4-19 4-28 4-29 4-31 4-41 4-39 4-46 4-45 4-56 4-41 4-38 4-39 4-40 4-38 4-39 4-40 4-31 3.00 3.04 3.18 3.11 3.18 3.27 3.31 2.33 3.40 3.58 3.56 3.77 3.80 3.77 3.80 3.89 3.91 3.91 3.90 3.90 3.90 10 11 12 13 14 15 16 17 18 19 20 21 22 23 6.013 66.003 66.007 66.007 66.007 67.99 67.90 67 10 3.26 3.27 3.27 3.26 3.32 3.36 3.38 3.45 3.44 3.44 3.44 3.44 3.46 3.50 3.50 3.51 3.65 2.52 3.46 3.38 3.35 3.28 2.23 1.77 1.87 2.02 2.13 2.27 12 13 14 15 16 17 4.90 4.86 4.88 4.95 4.95 4.96 4.96 4.75 4.71 4.71 4.75 4.71 4.75 4.76 4.75 4.76 5.74 5.76 5.78 5.79 5.82 5.85 5.86 5.91 5.95 5.99 6.01 18 19 20 21 22 23 24 25 26 27 4.86 4.73 4.63 4.60 4.59 4.56 4.55 4.57 5.21 5.23 5.24 5.26 5.32 5.36 5.39 2.38 2.51 2.63 2.75 2.85 2.93 2.98 3.07 3.17 24 25 26 27 28 5.42 5.45 5.49 5.51 5.53 6.02 6.01 6.00 5.99 28 29 30 31 29 30 5.54 4.02 AMMUZ YJHTHOM-5.39 4.50 MEAN 5.76 5-98 3.41 4.29 3.61 4.72 MEAN 4.54 INST 5.45 4.42 3.15 1.73 3.23 4.21 4.01 (2) 2.96 4.63 INST MAX 3.99 5.95 INST 5.55 4.28 5.70 6.02 6.05 3.80 4.98 4.56 INST MIN 4.44 4.02

ENVIRONMENT ONTARIO TORUNTO HALTON COUNTY

OBSERVATION WELL 415

TOWNSHIP OF GAKVILLE CONC . 6 LOT 1

2802576 Z-17 F599450 N4817100 WELL REC #: UTM CG-DRD: LAT & LONG:

REC METHOD: A35 RECORDER
REC COMMCD: AUGUST 1966
MEASURE PT: 2.0 FEET ABOVE GROUND SURFACE
GNO ELEY: 600 FEET ABOVE SEA LEVEL
MELL TYPE: DRILLED DRILLED REDDISH TILL 5; RED SHALE 50.

DIAMETER OF WELL: 7 INCHES LENGTH OF CASING: 16.8 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 50 FEET

PUMP PATE: N.A. RED SHALF FRESH SPEC. CAP: AOUIFFR T

1974.
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE NOV DEC DAY SEP OCT ALK APR MAY JAN FEB MAR DAY 4.85 4.86 4.88 4.90 4.91 4.90 4.87 4.83 4.81 5.05 4,35 3,95 3,57 1,83 2,44 2,97 4-493 4-557 4-557 4-663 4-669 4-778 2-664 4-673 4-673 4-673 13-019 3-019 4-275 4-641 5-04 4.4525 4.559 4.667 4.670 4.775 4.883 4.883 4.889 4.889 4.89 3.01 4.50 4.54 4.54 4.60 4.57 4.56 4.60 4.13 3.86 3.12 2.68 3.12 3.36 3.48 3.59 3.53 3.54 3.61 3.72 3.68 4.06 4.10 4.21 4.26 4.20 4.25 4.30 4.33 4.30 3.80 3.16 5.05 5.03 5.02 5.02 5.00 5.00 5.07 5.07 5.05 5.05 5.04 5.05 5.06 5.05 5.06 5.05 5.06 4.99 4.99 5.01 3.32 3.26 3.41 3.57 3.91 3.99 3.88 3.88 3.57 13.98 3.88 4.17 4.21 4.21 4.21 4.21 4.33 4.46 5.01 10 5.02 5.01 4.99 4.95 4.95 4.95 4.97 4.97 4.97 4.69 4.72 4.72 4.72 4.81 4.81 4.89 4.88 4.80 10 11 12 13 14 4.78 4.76 4.73 4.72 4.70 4.70 4.71 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 4.99 5.08 5.09 5.10 5.11 5.09 3-20 16 17 18 19 20 21 22 23 24 25 26 27 -0.03 1.97 2.73 3.13 3.37 3.58 3.79 3.97 4.19 4.25 4.27 4.28 4.73 4.78 4.78 4.81 4.83 4.94 4.93 4.93 4.93 4.90 4.91 4.91 4.89 4.90 4.89 4.86 4.83 4.80 4.81 4.78 4.82 4.85 4.87 2.50 2.46 2.39 0.96 1.44 2.37 2.73 5.05 5.08 5.08 5.08 5.09 4.88 4.84 4.85 4.85 4.85 4.86 28 29 30 4.42 2.72 -MONTHLY SUMMARY-MEAN 4.92 4.81 4.90 4.94 3.87 3.78 3.83 MEAN 3.51 INST 4.84 4.65 4.70 4.86 1.11 -1.27 3.76 (22) TOME 0.11 4.91 (6) 5.06 INST 4.81 5.10 4.95 INST 4.48 4.32 (29) 1201

ENVIRONMENT ONTARIO TORONTO HALTON COUNTY

OBSERVATION WELL 374

WELL REC #: UTM CD-ORD: LOT L4 LAT & LONG: 2803707 Z-17 E591175 N4818750 43-31NDRTH 79-52WEST CONC. 3

INST MIN

REC METHOD: 'F' TYPE RECORDER DIAMETER OF WELL: 4 INCHES PUMP
REC COMMCD: SEP, 29 1971 LENGTH OF CASING: 8 FEET SPEC
MEASURE PT: 2.4 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: NONE AQU
NON ELE: 659 FEET ABOVE SEA LEVEL DEPTH OF WELL: 9 FEET QUAL
WELL TYPE: CRILLED
WELL LOG: TOPSOIL 1; VERY HARC CLAY TILL 7; GRAVEL AND SOME GREY CLAY 8.5; BRUWNISH CLAY 11.5. PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. CLAY FRESH

TOWNSHIP OF TRAFALGAR

						1974							
				DAILY ME	AN WATER L	EVELS REFE	RRED TO DI	STANCE IN	FEET BELOW	GROUND SU	RFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	0.38	0.24				0.91	1.25	3.72	5.55		8.09		1
2	0.38	0.24	1.18			1.03	1.32	3.79	5.61		8-10		2
2 3 4	0.38	0.24	1.04	0.51		1.15	1.43	3.86	5.60		8.11		2 3 4 5 6 7
	0.37	0.24	0.88	0.44		1.45	1.54	3.92	5-72	6.94			4
5	0.38	0.24	0.73	0.41		1.67	1.66	4.00	5.78	6.98			5
6	0.38	0.25	0.62	0.40		1.76	1.79	4.06	5.83	7.00			6
7	0.38	0.25	0.54	0.38		1.85	1.90	4.10	5.88	7.04			7
8	0.42	0.25	0.48	0.37		1.93	2.00	4.16	5.93	7.08			8
9	0.49	0.25	0.43	0.36		2.00	2.09	4.20	5.90	7.12			8
10	0.57	0.25	0.39	0.37		2.07	2-16	4.24	5.99	7.16			10
11	0.62	0.25	0.35	0.39		2.16	2.22	4.26	6.02	7.19			11
12	0.67	0.25	0.34	0.39		2.26	2.28	4.30	6.06	7.22			12
13	0. 75	0.27	0.34	0.37		2.35		4.35	6.10	7.28			13
14	0.78	0.29	0.39	0.34		2.44		4.41	0.14	7.33		8.31	14
15	0.78	0.29	0.45	0.33		2.48		4.44	6.19	7.37		8.33	15
16	0.78	U. 29	0.48	0.34		2.51		4.45	6.21	7-41		8.33	16
17	0.80	0.31	0.51	0.35		2.53		4-47	6.24	7.40		8.34	17
18	0.83	0.34	0.54	0.41		2.51		4.53	6.27	7.51		8.35	18
19	0.93	0.42	0.53	0.49		2.17		4.59	6.32	7.56		8.35	19
20	0.86	0.97	0.52	0.57		1.76		4.65	6.36	7.62		8.35	20
21	0.83	1.17	0.50	0.63		1.45		4.69	6.40	7.66		8.36	21
22	0.73	1.23	0.50	0.60		1.27		4.73	6.44	7.70		8.36	22
23	0.50	1.21	0.50	0.56		1.21		4.76	6.49	7.72		8.36	23
24	0.52	1.17	0.50	0.54		1.15		4.80	6.53	7.77		8.37	24
25	0-45	1.12	0.51	0.54		1.10		4.83	6.57	7.81		8.30	25
26	0.39	1.12	0.53	0.56		1.09		4.87	6.59	7.85		8.33	26
27	0.32	1.14	0.56	0.63					6.62	7.89		8.29	27
28	0.29	1.15	0.58	0.69		per section			6.66	7.93		8.24	28
29	0.27		0.60	0.76		1.21		5.41		7.97		8.20	29
30	0.25		0.60			1.23		5.45		8.00		8.16	30
31	0.24		0.57		0.77		3.63	5.49		8.04		8.09	31
No. age control	150 500	10 49			-MOM-	THLY SUMMA	RY-						
MEAN	0.54	0.55											MEAN
INST	0.24	0.24											INST
MAX	(31)	(1)											MAX

ENVIRUNMENT ONTARIO TORONTO PEEL COUNTY WELL REC #: UTM CO-ORD: LAT & LONG: 4904160 2-17 E594400 N4864030 43-57NORTH 79-49WEST OBSERVATION WELL 253 TOWNSHIP OF ALBION CONC. 6 LOT 23 REC METHOD: REC COMMCD: MEASURE PT: GNO ELEV: WELL TYPE: WELL LOG: FF' TYPE RECORDER

OIAMETER OF WELL: 5 INCHES

MAR. 3 1970

LENGTH OF CASING: 215 FEET

SPEC. CAP: N.A.

3.6 FEET ABOVE GROUND SURFACE

LENGTH OF SCREEN: 3 FEET

QUALITY: FRESH

DEPTH OF WELL: 218 FEET

QUALITY: FRESH

BROWNISH YELLOW SILT, CLAY 106; BLUE CLAY AND STONES 130; BROWNISH YELLOW SILT, CLAY 214; GREY HARDPAN 218.

				DAILY M	EAN WATER	1974 LEVELS REF	ERRED TO C	ISTANCE IN	FEET BELO	W GROUND S	URFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	OEC	DAY
1	42.63	42.66	42.61	41.92	41.35	41.17	41.39	41.79	42+23	42.57	42.80	43.46	1
2	42.61	42.65	42.61		41.35	41.17	41.39	41.80	42.24	42.58	42.80	43.48	2
3	42.61	42.65	42.61	41.91	41.35	41.17	41-40	41.81	42.24	42.60	42.82	43.50	3
4	42.61	42.64	42.60	41.89	41.35	41.17	41.42	41-82	42.26	42.61	42.85	43.52	4
5	42.62	42.63	42.58	41-84	41.36	41-17	41.42	41.83	42.28	42.62	42.87	43.54	5
6	42.62	42.63	42.54	41.79	41.35	41.18	41.43	41.84	42.28	42.63	42.89	43.52	5
7	42.63	42.63	42.49	41.73	41.34	41.18	41.44	41.88	42.30	42.63	42.92	43.52	7
8	42.65	42.62	42.42	41.70	41.34	41.19	41.44	41.89	42.31	42.65	42.94	43.51	8
9	42.62	42.61	42.35	41.67	41.34	41.20	41.45	41.91	42.32	42.66	42.97	43.51	9
10	42.62	42.61	42.28	41-64	41.34	41.21	41.47	41.93	42.32	42.66	42.99	43.51	10
11	42.62	42.01	42.23	41.61	41.34	41.21	41.48	41.93	42.33	42.66	43.00	43.50	11
12	42.63	42.61	42.17	41.58	41.33	41.22	41.49	41.94	42.34	42.07	43.02	43.49	12
13	42.64	42.61	42.14	41.55	41.32	41.23	41.50	41.95	42.35	42.67	43.04	43.50	13
14	42.64	42.62	42.10	41.53	41.33	41.24	41.51	41.97	42.39	42.68	43.07	43.49	14
15	42.64	42.62	42.07	41.50	41.32	41.24	41.52	41.98	42.40	42.68	43.13	43.49	15
16	42.65	42.62	42.03	41.47	41.32	41.25	41-54	41.99	42.40	42.69	43.16	43.48	16
17	42.64	42.63	42.00	41.45	41.31	41.26	41.55	42.01	42.42	42.70	43-18	43.48	17
18	42.65	42.63	41.98	41.45	41.30	41.26	41.57	. 42.03	42.43	42.70	43.20	43.48	18
19	42.65	42.62	41.96	41.43	41.28	41.27	41.58	42.05	42.44	42.71	43.22	43.47	19
20	42.65	42.62	41.96	41.42	41.27	41.29	41.57	42.08	42.45	42.73	43.25	43.47	20
21	42.65	42.62	41.94	41-42	41.25		41-60	42.09	42.47	42.74	43.27	43.48	21
22	42.65	42.62	41.93	41.41	41.23		41.61	42-10	42.48	42.75	43.29	43.47	22
23	42.66	42.62	41-92	41.40	41.21		41.62	42.12	42.48	42.74	43.31	43.46	23
24	42.68	42.63	41.91	41.40	41.20		41-65	42.13	42.49	42.75	43.33	43.46	24
25	42.68	44.62	41.91	41.39	41.19		41.66	42.14	42.51	42.75	43.35	43.46	25
26	42.68	42.62	41.91	41.40	41.18		41.67	42-15	42.52	42.76	43.38	43.46	26
27	42.68	42.63	41.91	41.40	41.18		41.69	42.16	42.53	42.77	43.39	43.46	27
28	42.69	42.63	41.92	41.36	41.18		41.70	42.18	42.54	42.78	43.40	43.46	28 -
29	42.68		41.92	41.35	41.18	41.40	41.71	42.19	42.55	42.80	43.42	43.45	29
30	42.68		41.92	41.35	41.18	41.40		42.20	42.57	42.80	43.44	43.48	30
31	42.67		41.91		41.18			42.21		42.81		43.53	31
						NTHLY SUMM	ARY-						
MEAN	42.65	42.63	42.16		41.28			42.00	42.40	42.70	43.12	43.49	MEAN
INST	42.61	42.61	41.91		41.17			41.78	42.21	42.56	42.80	43.45	INST
MAX	())	(13)	(25)		(28)			(1)	1 11	(1)	(2)	(29)	MAX
INST	42.65	42.67	42.63		41.36			42.21	42.57	42.81	43.45	43.54	INST
MIN	(28)	(1)	(1)		1 61			(31)	(30)	(31)	(30)	(5)	MIN

ENVIRONMENT ONTARLO DESERVATION WELL 018

TOWN OF BRAMPTON PEFL COUNTY

CONC - -

101 -

WELL REC #: UTM CO-ORD: LAT & LONG:

4903777 7-17 E599220 N4838300 43-42NDRTH 79-46WEST

REC METHOD: REC COMMON: MEASURE PT: GNC ELEV: WELL TYPE: WELL LOG: A35 RECORDER
APR. 19 1952
1.0 FFET ABOVE GROUND SURFACE
719 FEET ABOVE SEA LEVEL
DUG
DVERBURDEN 30. DIAMETER OF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: 48 INCHES 30 FEET NONE 30 FEET

N.A. N.A. OVERBURGEN FRESH PUMP RATE: SPEC. CAP: AQUIFER : QUALITY :

						1974	100	edines on	Berde in stiller.				
				DAILY ME	AN WATER L	EVELS REFE	RRED TC DI	STANCE IN	FFET BELOW	GROUND SU	RFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
		4.22	5.11	4.89	5.07	4.98	4.63	6.37	7.58	7.91	7.64	5.14	1
1		4.19	5.13	4.53	5.11	5.07	4.69	6.41	7.60	7.86	7.62	5.12	2
2		4.23	5.09	4.39	5-16	5.15	4.72	6.46	7.64	7.80	7.58	5.09	3
3	5.30	4.27	4.40	3.92	5.20	5.22	4.48	6.51	7.66	7.75	7.52	5.03	4
4	5.29	4.34	4.22	3.91	5.23	5.27	4.43	6.54	7.69	7.71	7.42	4.98	5
5	5.29	4.43	4.20	3.97	5.25	5.34	4.52	6.60	7.71	7.69	7.35	4.91	6
6	5.31	4.49	4.18	4.06	5.28	5.40	4.64	6.65	7.73	7.70	7.28	4.82	7
7	5.30	4.54	4.19	4.14	5.30	5-47	4.74	6.69	7.76	7.71	7.20	4.73	8
8	5.35	4.62	4.22	4.20	5.30	5.51	4.86	6-74	7.78	7.73	7.11	4-67	9
9	5.37	4.69	4.28	4.27	5.26	5.56	4.97	6.78	7.82	7.72	7.03	4.67	10
10	5.40	4.74	4.33	4.35	5.21	5.62	5.07	6.81	7.83	7.73	6.92	4.66	11
11	5.41		4.38	4.41	5.03	5.67	5.18	6.85	7.84	7.76	6.82	4.63	15
12	5.42	4.84	4.45	4.46	4.68	5.72	5.27	6.90	7.86	1.77	6.72	4.61	13
13	5-47	5.06	4.51	4.50	4.53	5.75	5.34	6.94	7.88	7.78	6.63	4.61	14
14	5.50	5.11	4.56	4.53	4.48	5.79	5.41	6.99	7.89	7.80	6.53	4.6L	15
15	5.54	5.16	4.61	4.56	4.29	5.60	5.49	7.02	7.92	7.81	6.41	4.57	16
16	5.56	5.22	4.66	4.60	3.28	5.19	5.57	7.05	7.94	7.82	6.31	4.57	17
17	5.58	5.26	4.71	4.63	3.74	5.18	5.64	7.07	7.97	7.85	6.21	4.58	18
1.8	5.61	5.30	4.76	4.69	3.91	5.14	5.72	7.12	7.98	7.87	6.10	4-61	19
19	5.64	5.35	4.81	4.75	4.04	4.98	5.78	7.16	7.99	7.91	5.79	4.60	20
20	5.67	5.24	4.86	4.79	4.14	4.82	5.85	7.19	8.01	7.92	5.64	4.58	21
21	5.71	5.06	4.92	4.81	4.22	4.40	5.92	7.22	8.03	7.94	5.51	4.57	22
22	5.66	5.03	4.98	4.81	4.30	4.40	5.97	7.26	8.05	7.95	5.43	4.59	23
23	5.64	5.04	5.02	4.83	4.40	4.44	6.04	7.27	8.06	7.95	5.30	4.58	24
24	5.58	5.06	5.08	4.84	4.51	4.26	6.10	7.32	8.05	7,93	5.23	4.59	25
25	5.52	5.09	5.11	4.87	4.59	4.27	4.15	7.36	8.05	1.90	5.14	4.59	26
26	5.49		5.14	4.89	4.69	4.32	6.20	7.39	8.06	7.87	5.04	4.59	27
27	5.26	5.10	5.18	4.93	4.75	4.42	6.24	7.43	8.03	7.83	4.99	4.59	28
28	4.52	5.10	5.18	4.95	4.80	4.50	6.27	7.47	7.98	7.79	5.07	4-58	29
29	4.31		5.15	5.01	4.83	4.55	4.28	7.50	7.94	7.74	5.13	4.58	30
30	4.26		5.09	,	4.91		6.33	7.53	. N#30/C31/O	7.71		4.59	31
31	4.26		2.07		7.								
					-806	MTHLY SUMM	ARY-						
Coditat single		4.85	4.73	4.55	4.69	5.07	5.44	6.99	7.88	7.81	6.36	4.70	MEAN
MEAN		9+85	4.62	7.23	7107			77.5					
INST		4.18	4.17	3.88	2.75	4.26	4.41	6.35	7.55	7.61	4.97	4.56	INST
MAX		(2)	(7)	1 51	(16)	1261	(5)	1 13	(1)	(31)	(28)	(17)	MAX
		0.00	2 4.5						_			2.00	
INST		5.36	5.19	5.08	5.34	5.80	6.35	7.55	8.07	7.98	7.67	5.17	INST
MIN		(21)	1291	(1)	(6)	(15)	(31)	(31)	(24)	(231	(1)	t 11	MIN
E. F. 14		~	200										

WELL REC #: UTM CO-ORD: LAT & LONG: 4901999 Z-17 E596500 N483Z160 43-38NORTH 79-48WEST ENVIRONMENT ONTARID TOHONTO PEEL COUNTY OBSERVATION WELL 167 TOWNSHIP OF CHINGUACOUSY HSW 5 LOT 5 DIAMETER OF MELL: 6 INCHES LENGTH OF CASING: 15 FEET LENGTH OF SCREEN: 5 FEET DEPTH OF WELL: 20 FEET PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. CLAY AND GRAVEL FRESH REC METHOD: A35 RECORDER DIAMETER DF MELL: 6 INCHES REC COMMCD: DEC. 15 1965 LENGTH OF CASING: 15 FEET MEASURE PT: 4.5 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: 5 FEET GND ELEV: 675 FEET ABOVE SEA LEVEL DEPTH OF MELL: 20 FEET MELL TYPE: DRILLED WELL LOG: TUPSOIL 2; BROWN CLAY, GRAVEL 7; SAND AND GRAVEL 17; CLAY AND GRAVEL 20.

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE NOV AUG SEP DOT DEC DAY MAY FEB MAR DAY JAN 5.77 5.78 5.79 5.80 5.99 5.94 6.00 6.07 6.10 6.11 6.24 6.24 6.24 6.31 6.45 6.52 6.55 6.61 6.65 6.61 0.09 0.73 0.73 0.77 0.81 0.81 0.81 0.81 0.81 0.81 0.81 0.81 0.91 7.32 4.70 4.64 4.63 4.03 1 2 3 4 5 6 7 8 9 10 112 13 14 15 16 17 18 9 20 21 22 23 24 5 26 7 28 29 31 7.35 7.39 7.44 7.46 7.46 7.46 7.51 7.54 7.51 7.54 7.59 7.59 7.59 7.59 7.59 7.59 7.50 7.71 7.71 7.71 7.71 5.931 5.899 5.890 5.990 5.994 5.994 5.994 5.994 6.003 6.003 6.004 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 27 28 29 4.04 4.06 4.06 4.09 4.08 4.09 4.13 4.14 4.15 30 -MONTHLY SUMMARY 3.87 4.26 5.04 6.21 7.03 7.50 1.59 7.33 MEAN MEAN 7.31 1.24 INST 4.24 5.76 7.28 2.93 3.98 129) 7.73 7.50 INST 7.73 5.76 7.34 4.37 (8) 4.63 6.66 INST (1) (30)

ENVIRONMENT CNTARIO TORONTO PFEL COUNTY

TOWNSHIP OF CHINGUACOUSY

HSE 2

WELL REC W: 4901205 UTM CO-DRD: 7-17 E597150 N4844050 LOT 15 LAT & LONG: 43-45NORTH 79-48WEST

DIAMETER OF WELL: 12 INCHES LENGTH OF CASING: 53 FEET LENGTH OF SCREEN: 20 FEET DEPTH OF WELL: 73 FEET

REC METHOD: REC COMMCD: MEASURE PT: GND FLEV: WELL TYPE: WELL LOG:

PUMP RATE: N.A.
SPEC. CAP: N.A.
ADUIFER : SAND AND GRAVEL
QUALITY : FRESH

A35 RECORDER

DIAMETER OF WELL: 12 INCHES

A48, 4 1966

LENGTH OF CASING: 53 FEET

SPEC. CAP: N.A.

A50, FEET ABOVE GEDIND SURFACE

LENGTH OF SCREEN: 20 FEET

DEPTH OF WELL: 73 FEET

OUALITY: FRESH

DRILLED

DRILLED

GRAVEL, ODD BIT OF CLAY, ODD BIT OF GRAVEL 29; SAND, CLAY AND SOME GRAVEL 35; SAND AND GRAVEL 47; FINE SAND, AND

GRAVEL, ODD BIT OF CLAY 51; CLAY, SAND, GRAVEL 55; SAND, GRAVEL AND DDD BIT OF CLAY 80.

	1974							
DAILY MEAN WATER	LEVELS REFI	ERRED TC	DISTANCE	IN	FEET	BELOW	GROUND	SUPFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	ΔUG	SEP	OCT	NOV	DEC	DAY
1		30.36	30.13	28.92	27.88						26.29	26.63	1
2		30.27	30.03	28.82	27.76						26.39	26.50	2
3	30.37	30.26	29.94	28.82	27.68						26.29	26.61	3
4	30.36	39.26	29.97	28.69	27.81						26.27	26.77	4
5	30.32	33.29	29.98	28.78	27.63						26.27	26.77	5
6	30.25	30.20	29.90	28.75	27.59						26.42	26.77	6
7	30.26	30.15	29.90	28.67	27.68						26.47	26.66	7
Ŕ	30.43	30.09	29.92	28.69	27.65						26.48	26.57	8
9	30.33	30.13	29.73	28.54	27.53						26.49	26.67	9
10	30.32	30.06	29.84	28.54	27.61						26.44	26.72	10
11	30.28	30.13	29.70	28.51							26.32	26.75	11
1.2	30.39	30.10	29.64	28.36							26.27	26.74	12
13	30.44	30.08	29.59	28.30							26-31	26.85	13
14	30.23	30.26	29.54	28.16							26.39	26.87	14
15	30.24	30.22	29.47	28.26							26.46	26.80	15
16	30.23	30.01	29.32	28.31							26.57	26.67	16
17	30.47	30.06	29.31	28.23							26.54	26.67	17
18	30.33	30.07	29.31	28.18							26.52	26.78	18
19	30.35	29.94	29.29	28.22							26.49	26.76	19
20	30.30	30.20	29.33	28.15							26.32	26.87	20
21	30.22	30.22	29.16	28.02							26.40	26.82	21
22	33.34	29.87	29.20	27.94							26.67	26.90	22
23	30.29	30.24	29.16	27.97							26.62	26.88	23
24	30.38	30.26	29.18	28.11							26.52	26.92	24
25	30.34	30.17	29.21	28.03						26.18	26.66	26.86	25
26	30.27	30.21	29.08	27.95						26.25	26.74	27.02	26
27	30.23	30.11	29.10	27.90						26.28	26.59	26.90	27
28	30.31	30.02	29.03	27.85						26.30	26.57	26.96	28
29	30.35		28.91	27.83						26.33	26.76	26.92	29
33	30.26		28.83	27.78						26.34	26.78	27.00	30
31	30.22		28.89							26.30		26.99	31
					-MOM-	THLY SUMM	ARY-						
MEAN		30 - 15	29.47	28.31							26.48	26.79	MEAN
INST		20.77	28.79	27.72							26.19	26.45	INST
MAX		(22)	(30)	(30)							(3)	(21	MAX
INST	4	30.39	30.18	29.00							26.82	27.09	INST
MIN		(1)	(1)	(1)							(30)	(30)	MIN

4902206 Z-17 E609543 N4820409 43-32NORTH 79-39WEST ENVIRONMENT ONTARIO TORONTO PEEL COUNTY WELL REC #: UTM CO-ORD: LOT 13 LAT & LONG: OBSERVATION WELL 065 TOWNSHIP OF TORONTO R 3 CIR

A35 RFCORDER
JUN. 4 1954
1.0 FEET ABOVE GROUND SURFACE
360 FEET ABOVE SEA LEVEL
DUG
SAND AND GRAVEL 27; RED SHALE 31. REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG: OTAMETER OF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: 36 INCHES 31 FEET NONE 31 FEET PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. SHALE FRESH

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1		22.31	21.89	21.71	21.48	20.11	20.26	20.91	21.60	22.38	23.15	23.73	1
2		22.26	21.88	21.69	21.50	20.12	20.27	20.91	21.64	22.41	23.18	23.73	2
3	23.03	22.20	21.86	21.70	21.47	20.13	20.30	20.90	21.65	22.45	23.19	23.75	3
4	23.01	22.18	21.87	21.66	21.52	20.14	20.32	20.92	21.69	22.46	23.21	23.78	4
5	22.99	22.19	21.83	21.64	21.48	20.15	20.34	20.96	21.73	22.49	23.23	23.80	6
6	22.97	22.18	21.75	21.62	21.46	20.15	20.37	20.99	21.74	22.50	23.26	23.81	6
7	22.98	22.13	21.76	21.62	21.50	20.18	20.39	21.01	21.76	22.52	23.29	23.82	7
8	23.00	22.08	21.79	21.64	21.52	20.19	20.40	21.04	21.78	22.55	23.32	23.83	8
9	22.99	22.08	21.75	21.61	21.50	20.19	20.40	21.06	21.81	22.58	23.34	23.85	
10	22.99	22.07	21.79	21.62	21.53	20.18	20.42	21.09	21.83	22.59	23.35	23.88	10
11	22.97	22.06	21.77	21-61	21.51	20.23	20.44	21.10	21.85	22.62	23.37	23.89	11
12	22.99	22.06	21.75	21.59	21.45	20.24	20.47	21.12	21.87	22.65	23.37	23.91	12
13	23.01	22.05	21.74	21.55	21.41	20.27	20.49	21.15	21.90	22.68	23.39	23.94	13
14	22.97	22.10	21.74	21.54	21.38	20.29	20.49	21.18	21.94	22.70	23.43	23.96	14
15	22.96	22.10	21-73	21.55	21.37	20.27	20.51	21.21	21.98	22.73	23.46	23.98	15
16	22.95	22.05	21.70	21.58	21-41	20-30	20.55	21.22	22.00	22.75	23.49	23.98	16
17	23-01	22.05	21.69	21.56	21.12	20.31	20.57	21.23	22.02	22.77	23.50	24.00	17
18	23.03	22.07	21.69	21.53	20.78	20.34	20.59	21.24	22.04	22.81	23.51	24.01	18
19	23.01	22.04	21.68	21.54	20.61	20.35	20.60	21.28	22.07	22.83	23.54	24.04	19
20	23.00	22.09	21.72	21.52	20.46	20.25	20.64	21.30	22.10	22.86	23.54	24.06	20
21	22.97	22.12	21.68	21.49	20.35	20-17	20.65	21.32	22.12	22.89	23.56	24.08	21
22	22.98	22.04	21.69	21+46	20.26	20.18	20.67	21.34	22.15	22.91	23.61	24.10	22
23	22.92	21.93	21.70	21.45	20.20	20.22	20.69	21.36	22.19	22.92	23.62	24.12	23
24	22.84	21.89	21.71	21.50	20.15	20.21	20.72	21.39	22.20	22.94	23.62	24.14	24
25	22.79	21.87	21.73	21.50	20.13	20.24	20.76	21.41	22.22	22-96	23.65	24.15	25
26	22.75	21.87	21.69	21.48	20.12	20.23	20.77	21.43	22.25	22.99	23.67	24.18	26
27	22.66	21.88	21.72	21.48	20.10	20.26	20.80	21-44	22.27	23.01	23.67	24.19	27
28	22-48	21.86	21.73	21.46	20.10	20-26	20.81	21.49	22.29	23.05	23.67	24.20	28
29	22.42		21.69	21.45	20.06	20.24	20.81	21.50	22.30	23.07	23.70	24.22	29
30	22.37		21.64	21.47	20.07	20.24	20.84	21-53	22.34	23.11	23.72	24.24	30
31	22.32		21.69		20.06		20.87	21.57		23.12		24.27	31
					~MO!	NTHLY SUMM	ARY-						
MEAN		22.06	21.74	21.56	20.91	20.22	20.56	21.21	21.98	22.75	23.45	23.99	MEAN
INST		21.84	21.63	21.43	20.04	20.08	20.24	20.89	21.58	22.36	23.13	23.72	INST
MAX		(28)	(30)	(23)	(31)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	MAX
MAX		1201	1 307	1631	1317								
INST		22.32	21.91	21.73	21.54	20.38	20.89	21.58	22.36	23.14	23.74	24.27	INST
MIN		1 1)	(1)	(3)	(10)	(19)	(31)	(31)	(30)	(31)	(30)	(31)	MIN
MIN		3 11	(1)	3 31	(10)	(19)	(31)	(311	1301	1311	1307	1311	

ENVIRONMENT ONTARIO TORONTO SIMCOE COUNTY

FEB

11.70 11.66 11.64 11.62 11.61 11.60 11.59 11.58 11.57 11.56 11.55 11.54 11.55

11.52 11.51 11.54 11.58 11.58 11.58 11.54 11.46

DBSERVATION WELL 007

TOWNSHIP OF ESSA

WELL PEC #: UTM CO-ORD: LOT 30 LAT & LONG: 5708713 Z-17 E589850 N4907950 44-19NDRTH 79-52 WEST

REC METHOD: A35 RECORDER
REC COMMCC: JUN & 1950
MEASURE PT: 1.5 FEET ABOVE GROUND SURFACE
GND ELEV: 626 FEET ABOVE SEA LEVEL
MELL TYPE: DUG
MELL LOG: OVERBURDEN 20.

JAN

11.88

11.88 11.88 11.87 11.87 11.87 11.88 11.88

11.88 11.88 11.88 11.89 11.91 11.93 11.95 11.96 11.98

DAY

123456789

DIAMETER OF WELL: 36 INCHES LENGTH OF CASING: 20 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 20 FEET

N.A. N.A. OVERBURDEN FRESH SPFC. CAP: AQUIFER : QUALITY :

			1974					read and the	
	DATLY MEAN	WATER	LEVELS REFE	RRED TO	DISTANCE IN	FEET BELOW	GROUND S	URFACE	
MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
11.41	10.72	9.72	8.53	9.68	10.59	11.25	11.97	12.42	12.49
11.41	10.71	9.69	8.56	9.71	10.61	11.27	11.99	12.43	12.48
11.41	10.65	9.64	8.59	9.76	10.64	11.29	12.00	12-44	12.48
11.39	10.59	9.62	8.62	9.73	10.66	11.31	12.02	12.45	12.49
11.33	10.54	9.59	8.66	9.69	10.67	11.33	12.04	12.46	12.50
11.22	10.49	9.56	8.70	9.72	10.69	11.35	12.05	12.47	12.51
11.10	10.44	9.54	8.74	9.77	10.72	11.38	12.07	12.49	12.52
10.99	10.41	9.50	8.78	9.81	10.74	11.40	12.09	12.50	12.52
10.99	10.37	9.46	8.82	9.82	10.76	11.43	12.10	12.51	12.53
10.90	10.35	9.42	8.85	9.83	10.78	11.46	12.12	12.51	12.54
10.80	10.33	9.37	8.94	9-90	10.81	11.50	12.14	12.52	12.55
10.77	10.30	9.30	9.02	9.95	10.83	11.53	12.15	12.53	12.56
10.74	10.30	9.26	9.10	10.00	10.85	11.56	12.17	12.54	12.57
10.72	10.26	9.20	9.16	10.04	10.88	11.59	12-18	12.54	12.58
10.72	10.23	9.13	9.19	10.09	10.90	11.62	12.20	12.54	12.58
10.68	10.21	9.08	9.21	10.14	10.91	11.65	12.20	12.55	12.59
10.67	10.19	9.00	9.23	10.17	10.93	11.68	12.22	12.55	12.60
10.66	10.17	8.93	9.25	10.19	10.96	11.70	12-23	12.55	12.60
10.65	10.15	8.84	9.27	10.22		11.73	12.25	12.55	12.61
10.65	10.13	8.76	9.29	10.26		11.75	12.26	12.56	12.61
10.65	10.15	8.68	9.31	10.29		11.78	12.27	12.55	12.62
10.64	10.03	8.62	9.36	10.31	11.07	11.80	12.29	12.53	12.62
10.64	9.99	8.57	9.41	10.34		11.82	12.30	12.52	12.63
10.65	9.96	8.55	9.46	10.37		11.84	12.31	12.50	12.63
10.67	9.91	8.53	9.49	10.39		11.65	12.33	12.49	12.64
10.66	9.86	8.51	9.54	10.42		11.87	12.34	12.49	12.64
	9.87	8.51	9.58	10.44		11.89	12.35	12.49	12-65
10.67	9.82	8.50	9.62	10.48		11.91	12.37	12.49	12.66
	9.79	8.48	9.65	10.50		11.93	12.38	12.48	12.66
10.69	9.75	8.47	9.67	10.53		11.95	12.39	12.49	12.67
	3.13	8.48		10.56		*	12.41		12.68
10.69		0.40							

10	11.98	11.51	10.65	10.13	0.07						12 64	12.61	20
20		11.54	10.65	10.13	8.76	9.29	10.26	11.01	11.75	12.26	12.56		
20	12.00			10.08	8.68	9.31	10.29	11.04	11.78	12.27	12.55	12.62	21
21	12.01	11.58	10.64		8.62	9.36	10.31	11.07	11.80	12.29	12.53	12.62	22
22 23 24	12.03	11.58	10.64	10.03			10.34	11.09	11.82	12.30	12.52	12.63	23 24
23	12.03	11.58	10.64	9.99	8.57	9.41				12.31	12.50	12.63	24
2.	12.05	11.54	10.65	9.96	8.55	9.46	10.37	11.11	11.84				25
24		11.46	10.67	9.91	8.53	9.49	10.39	11.14	11.65	12.33	12.49	12.64	
25	12.05		10.66	9.86	8.51	9.54	10.42	11.16	11.87	12.34	12.49	12.64	26
26	12.05	11.43			8.51	9.58	10.44	11.18	11.89	12.35	12.49	12.65	27
27	12.04	11.42	10.67	9.87		9.62	10.48	11.19	11.91	12.37	12.49	12.66	28
28	11.96	11.40	10.68	9.82	8.50			11.20	11.93	12.38	12.48	12.66	29
29	11.86		10.69	9.79	8.48	9.65	10.50			12.39	12.49	12.67	30
30	11.81		10.68	9.75	8.47	9.67	10.53	11.22	1).95		12.47		31
30			10.69		8.48		10.56	11.23		12.41		12.68	31
31	11.75		10.07										
					-MOR	THLY SUMM	ARY-						
					9. 05	9.12	10.10	10.92	11.61	12.20	12.50	12.58	MEAN
MEAN	11.92	11.55	10.85	10.22	7.05	7412	10.10		-3-11				
						100 100		10 57	11.24	11.96	12.41	12.48	INST
INST	11.73	11.40	10.64	9.73	8.46	8.50	9,68	10.57				(2)	MAX
		(28)	(22)	(30)	(30)	(1)	(1)	(1)	1 11	(1)	(1)	1 21	MAA
MAX	(31)	1201	1261	3/45/04									
		DUI BUY	11 45	10.73	9.73	9.68	10.57	11.24	11.96	12.41	12.56	12.68	INST
INST	12.06	11.73	11-42			(30)	(31)	(31)	(30)	(31)	(21)	(31)	MIN
MIN	(25)	1 11	(31	(2)	(1)	1507	1211	, 1		0.000			

ENVIRONMENT ONTARIO TORONTO SIMCOE COUNTY

CBSERVATION WELL 373

VILLAGE OF WASAGA BEACH

CONC. -LOT - WELL REC #: UTM CO-ORO: LAT & LONG:

5709214 Z-17 E578250 N4931025 44-32NORTH 80-01WEST

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 170 FEET LENGTH OF SCREEN: 24 FEET DEPTH OF WELL: 194 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : 450 IGPM 70.4 IGPM/FT SAND FRESH

REC METHOD: A35 RECORDER
REC COMMCD: OCT. 31 1972
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE
GND ELEV: 590 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LOG: FINE SAND 22; SAND AND GRAVEL
STOPPASS OF CLAY 130: CLAY AND DRILLEO
FINE SAND 22; SAND AND GRAVEL 30; GREY CLAY 87; FINE SAND 93; CLAY 96; FINE SAND 101; MEDIUM SAND 119; SAND WITH
STREAKS OF CLAY 130; CLAY AND SILT 168; FINE SAND 170; MEDIUM SAND 180; SAND AND GRAVEL 194; GREY CLAY 200.

1974

				DAILY ME	AN WATER L	EVELS REFE	RRED TO DI	STANCE IN	FEET BELOW	GROUND SU	RFACE		
YAG	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	OC T	NOV	DEC	DAY
		4.61	4.72	4.75	3.99	3.08	4.45	3.86	4.55	4.64	4.71	5.03	1
1			4.80	4.55	4.17	3,12	4.40	3.87	4.63	4.05	4.73	4.99	2
2		4.78	4.75	4.67	4.16	2.93	4.35	3.87	4.53	4.69	4 . 86	4.71	3
3		4.81	4.61	4.44	4.01	2.85	4.28	3.79	4.47	4.65	4.71	4.80	40
4	4.52	4.76		4.38	4.18	2.81	4.15	3.76	4.50	4.65	4.68	4.83	5
5	4.55	4.73	4.53	4.37	4.11	2.85	4.27	3.76	4.55	4.61	4.80	4.83	6
6	4.55	4.81	4.52	4.31	3.92	2.89	4.33	3.75	4.56	4.43	4.70	4.82	7 8 9
7	4.36	4.71	4-47		4.13	2.82	4.29	3.73	4.54	4.69	4.72	4.79	8
8	4.72	4.69	4.70	4-41	4.17	2.75	4.23	3.75	4.51	4.64	4.73	4.67	9
9	4.82	4.71	4.44	4.22	4.05	2.67	4.25	3.82	4.60	4.59	4.79	4.63	10
10	4.81	4.66	4.34	4.26	4.19	2.47	4.31	3.90	4.51	4.74	4.82	4.74	11
11	4.77	4.62	4.39	4.37	4.15	2.46	4.33	3.66	4.43	4.65	4.78	4.76	12
12	4.74	4.73	4.51	4.45	3.91	2.45	4.39	3.55	4.34	4.86	4.57	4.80	13
13	4.73	4.70	4.39	4-21		2.49	4.42	3.64	4.43	4.66	4.59	4.88	14
14	4.59	4.83	4.45	4.13	4.09	2.42	4.32	3.68	4.28	4.51	4.50	5.07	15
15	4.70	4.84	4.50	4.03	3.97	2.31	4.43	3.61	4.46	4.68	4.34	5.02	16
16	4.81	4.73	4.31	4-11	3.98		4.37	3.44	4.37	4.40	4.60	4-75	17
17	5.07	4-71	4.04	4.08	3.90	2.22	4.21	3.42	4.54	4.66	4.53	4.58	18
18	5.12	4.87	4.32	4.14	3.92	2.17			4.48	4.71	4-60	4.78	19
19	4.92	4.73	4.29	4.12	4.08	2.14	4.17	3.46	4.47	4.76	4.69	4.80	20
20	5.17	4.77	4-47	4.14	4.13	2.04	4.34	3.51		4.70	4.45	4.77	21
21	4.85	4.88	4-34	4.15	3.99	1.95	4.37	4.66	4.48	4.47	4.62	4.74	22
22	4.84	4-64	4.38	4.05	3.91	1.86	4.33	4.64	4.52	4.67	4.75	4.76	23
23	4.76	4.70	4.33	3.95	3.76	1.92	4.29	4.60	4-63	4.72	4.65	4.73	24
24	4.75	4.83	4.33	3.99	3.65	1.81	4-21	4.63	4.56	4.12		4.75	25
25	4.77	4.76	4.45	4.11	3.48	3.97	4.24	4.71	4.28		4.66	4.12	26
26	4.82	4.77	4.33	4.10	3.41	4.25	4.17	4.60	4.45	100 100 100			27
27	4.61	4.77	4.50	4.16	3-41	4.30	4.06	4 - 44	4.54	4.62	4.82		28
28	4.68	4.71	4.77	4.15	3-41	4.35	4.02	4.51	4.55	4.77	4.85		29
29	4.69		4.83	4.08	3.27	4.40	3.92	4-52	4.34	4.79	4.78		30
30	4.59		4.70	4.08	3.21	4.40	3.85	4.48	4.52	4.79	4.87		31
31	4.25		4.50		3.19		3.81	4.37		4.79			31
					-MO	NTHLY SUMM	ARY-				.1		
MEAN		4.74	4+48	4.23	3.87	2.84	4.24	4-00	4.49		4.69		MEAN
INST		4.16	3.93	3.84	2.92	1.75	3.76	3.38	3.96		4.24		INST
MAX		(22)	(17)	1241	(31)	1241	(31)	(17)	(29)		(16)		MAX
INST		5.01	4.99	5.10	4.70	4.51	4.61	4.91	4.71		4.99		INST
MIN		(18)	(3)	(1)	(12)	(30)	(14)	(26)	(20)		(12)		MIN
75 LIN		1701	100 200	5 92									

ENVIRONMENT UNIARIO TOHONTU VICTORIA COUNTY

(20)

LOG:

GESERVATION WELL 375

THENSHEP OF MARIPUSA

CONC. 15 LUT 6

WELL MEC M: UTM CU-OND: LAT & LONG:

640379J Z-17 E660200 N4917700 44-24NORTH 76-59WEST

40 IGPM 5.71 IGPM/FT LIMESTONE FRESH PUMP RATE: SPEC. CAP: AUDIFER : QUALITY :

DIAMETER UF WELL: B INCHES LENGTH OF CASING: 18 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 38 FEET REC METHOD: REC CUMMCD: MCASURE PT: GND ELEV: WELL TYPE: TE TYPE RECORDER NOV. 9 1-972 3-05 FELT ABOVE GROUND SURFACE 927 FEET ABOVE STA LEVEL BRILLED PACKED BROWN CLAY AND STUNES B; LOUSE BROWN GRAVEL 18; LIMESTONE 38. LOG:

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE JUN DEC DAY JAN FER MAK 7.83 7.77 7.95 8.26 8.06 8.04 8.04 8.93 8.90 8.40 8.19 8.01 8.10 8.13 8.16 8.18 8.67 8.46 8.45 8.69 8.69 8.67 8.03 9.44 9.40 9.38 9.21 9.37 9.32 9.38 9.19 9.17 9.15 9.02 9.06 9.09 8.71 8.72 7.96 7.22 7.45 7.33 7.35 7.36 7.55 7.39 7.55 7.39 7.28 7.59 7.37 6.97 6.97 6.97 7.03 8.83 8.82 9.06 8.83 8.88 8.98 8.97 9.22 9.09 9.33 9.18 9.17 7.49 7.71 7.59 7.65 7.73 7.78 8.73 9.00 8.86 7.98 7.98 5.19 8.12 5.65 5.74 8.18 7.82 7.47 1.03 7.00 1.05 8-16 5 6 7 8 9 10 6.07 8.25 8.11 8.01 8.8> 8.99 8.91 9.08 9.01 9.09 9.17 9.09 9.22 9.10 9.19 9.19 9.18 9.19 8.06 7.50 7.04 7.10 7.08 7.24 7.19 7.32 7.27 8.24 8.22 8.19 8.19 8.37 8.36 8.32 8.50 8.49 8.50 8.51 8.72 8.59 8.51 4.99 8.04 8.13 8.06 7.95 7.97 8.29 8.02 8.02 8.00 8.16 7.19 7.20 7.37 7.20 7.33 7.28 7.20 7.28 7.28 7.38 7.43 8.99 9.21 9.12 9.22 9.16 9.21 9.20 9.33 9.55 9.62 9.65 9.58 9.58 9.58 9.59 8.99 9.10 9.18 9.47 9.32 9.39 9.31 9.51 9.60 9.65 8.09 8.11 8.12 8.31 8.17 8.19 8.38 8.30 8.48 8.34 10 11 12 13 14 15 16 17 8.20 8.27 8.21 7.49 1.40 1.47 1.39 7.47 7.63 7.63 7.67 7.66 7.80 7.73 14 15 16 17 18 19 20 8.38 8.90 8.51 8.56 8.52 8.84 8.78 8.97 8.39 18 7.18 7.30 7.44 7.27 7.29 7.33 9.47 9.45 9.50 8.69 7.55 8.58 8.65 8.91 8.81 9.05 9.05 9.09 9.16 9.34 9.53 9.37 8.55 20 21 22 23 24 25 7.52 7.43 7.51 7.38 7.42 7.66 7.55 7.52 7.33 7.24 8.82 9.02 9.05 8.92 8.96 9.10 8.81 8.79 8.84 8.86 21 8.04 8.20 8.31 3.11 7.86 8.01 8.03 7.99 7.88 8.44 8.58 8.69 8.54 8.57 22 9.50 9.70 9.51 9.49 9.52 9.67 9.50 23 24 25 26 27 9.14 9.20 9.16 9.12 8.55 6.27 8.26 8.16 8.60 8.68 8.59 8.74 7.86 7.92 7.87 26 27 28 29 30 31 7.41 8.72 28 29 30 8.65 8.02 7.93 8.08 9.13 -MONTHLY SUMMARY-8.75 MEAN 8.62 9.20 MEAN 8. 44 8.37 7.68 INST 6.92 7.97 INST MAX 8.76 7.85 9.47 10.01 INST 9. 78 9.17 9.13

WELL REC #: UTM CO-ORD: LOT 121 LAT & LONG: 910968 Z-17 E6Z1475 N4889650 44-09NORTH 79-29WEST ENVIRONMENT ONTARIO DBSERVATION WELL 344 YORK COUNTY TOWNSHIP OF E. GWILLIMBURY DIAMETER OF WELL: 36 INCHES LENGTH OF CASING: 11 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 11 FEET PUMP RATE: SPEC. CAP: REC METHOD: A35 RECUMBER
REC COMMCO: MAY 26 1971
MEASURE PT: 0.0 FEET ABOVE GROUND SURFACE
GND ELEV: 723 FEET ABOVE SEA LEVEL
MELL TYPE: DUG N.A. AUUIFER QUALITY OVERBURDEN (SAND) 11.

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE APR MAY JUN JUL AUG SEP OCT NOV DEC DAY DAY FEB 6.84 6.93 6.98 7.02 7.05 7.09 5.70 5.63 5.58 5.57 5.61 5.67 5.73 7.33 7.34 7.26 6.99 6.76 5.72 5.70 5.68 5.59 5.48 1.95 1.96 2.00 2.22 2.39 0.28 1 2 3 4 5 0.28 0.30 0.30 0.30 0.30 0.30 0.30 0.28 0.28 0.29 0.29 5.27 5.27 5.15 6.55 2.43 67 8 9 10 11 12 13 14 15 16 17 18 19 5.80 5.89 5.98 6.07 6.21 6.07 6.03 6.02 1.72 1.21 1.58 1.84 1.54 1.09 1.03 1.12 1.09 0.85 0.28 0.30 0.30 0.30 0.31 0.31 10 11 12 13 14 15 16 17 18 19 20 21 22 0.28 6.15 6.28 6.35 6.43 6.50 6.03 6.03 6.03 5.92 5.78 5.68 0.28 5.18 5.29 5.42 0.28 0.85 6.63 6.70 6.77 6.83 6.90 6.97 5.39 0.94 5.56 5.69 5.81 5.91 5.99 6.09 6.19 6.28 6.39 6.52 6.63 6.73 5.52 5.52 5.49 5.47 5.49 5.51 5.54 5.58 5.61 5.67 5.70 1.06 1.11 1.08 0.89 0.89 1.10 1.31 1.40 1.33 1.30 21 22 23 23 24 25 20 27 28 24 25 26 27 28 29 30 31 1.19 7.09 7.15 7.22 7.26 7.26 1.52 1.68 1.77 1.88 29 30 31 0.29 0.28 -MONTHLY SUMMARY-7-06 6.39 6.02 3.47 1.42 MEAN ME AN 0.82 INST INST 2.46 7.32 7.34 5.73 INST 7.66

ENVIRONMENT ONTARIO TORONTO YORK COUNTY

TOWNSHIP OF KING

WELL REC #: 9610966 UTM CO-ORD: Z-17 E616150 N4874450 LAT & LONG: 79-33NORTH 44-01WEST

CONC. 3 LOT 29

REC METHOD: A35 RECORDER
REC COMMCO: MAY 26 1971
MEASURE PT: Q.O FEET ABOVE GROUND SURFACE
GND ELEV: 1033 FEET ABOVE SEA LEVEL
WELL TYPE: DUG
MELL LOG: TOPSDIL 4; TILL 56.

DIAMETER OF WELL: 48 INCHES LENGTH OF CASING: 56 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 56 FEET

PUMP RATE: N.A. SPEC. CAP: N.A. AQUIFER : TILL QUALITY : FRESH

			19								45.000.000.000
DAILY	MEAN	WATER	LEVELS	REFERRED	TC	DISTANCE	IN	FEET	BELOW	GROUND	SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
		42.89	40.87	38.49		34.63	33.70	35.42					1 2 3
2		42.85	40.86	38.45		34.89	33.74	35.45					2
1 2 3	43.06	42.76	40.81	38.46		34.83	33.63	35.48					3
4	43.06	42.72	40.70	38.44		34.72	33.72	35.51					4
5	43.05	42.72	40.38	38.42		34.38	33.77	35.65					4 5 6 7 8 9
	43.05	42.72	40.44	38.41		34.20	34.10	35.97					6
6	43.05	42.72	40.44	38.40		34.24	34.12	35.97					7
8	43.07	42.70	40.45	38.40	81	33.97	34.31						8
9	43.06	42.71	40.47	38.35		33.78	34.99						9
	43.05	42.69	40.39	38.32		33.57	34.54						10 11
10	43.04	42.68	40.30	38.27		33 .46	34.32						11
11	43.05	42.25	40.18	38.24		33.45	34.35						12
12		41.81	40.08	38.14		33.45	34.75						13
13	43.04		39.95	38.05		33.47	34.43						14
14	43.04	41.86	39.80	37.83		33.61	34.41						15
15	42.98	41.85	39.65	37.72		33.61	34.51						16
16	42.90	41.72		37.64		33.51	34.84						17
17	42.87	41.57	39.55			33.49	34.63						18
18	42.87	41.44	39.52	37.58		33.51	34.50						19
19	42.81	41.29	39-46	37.57		33.51	34.71						20
20	42.76	41.21	39.39	37.57		33.44	35.52						21
21	42.60	41.23	39.32	37.50			35.19						22
22	42.54	40.81	39.31			33.55	34.97						23
23	42.59	40.48	39.08			33.75	34.87						24
24	42.66	40.81	39.03			33.74							25
25	42.69	40.93	39.03			33.94	34.86			39.07			26
26	42.71	41.00	39.03			34.00	34.85			39.03			27
27	42.24	41.02	38.93			33.94	34-86			38.97			28
28	42.45	40.94	38.73			33.91	34.96			30.77			29
29	42.53		38.71			33.83	35.66		-4				30
30	42.72		38.63			33.73	35.46						31
31	42.82		38.49		34.68		35.42						
					-MO	NTHLY SUMM	ARY-						MEAN
MEAN		41.87	39.74			33.87	34.60						
INST		40.32	38.48			33.40	33.56						INST
MAX		(22)	(31)			(22)	(3)						MAX
INST		42.89	40.88			35.22	35.85						INST
MIN		(1)	(1)			(2)	(28)						MIN
LIT IA													

ENVIRONMENT ONTARIO TORONTO YORK COUNTY

OBSERVATION WELL 342

TOWNSHIP OF KING

OS 2

WELL REC #: 6902665 UTM CO-ORD: 2-17 E616574 N4884788 LOT 19 LAT & LONG: 44-07NORTH 79-33WEST

REC METHOD: A35 RECORDER DIAMETER OF WELL: 6 INCHES REC COMMCO: MAY 26 1971 LENGTH OF CASING: 299 FEET REASURE PT: 1.8 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: 3 FEET BOYE SEA LEVEL DEPTH OF WELL: 305 FEET WELL TYPE: ORILLED WELL TYPE: ORILLED WELL LOG: CLAY 40; LIGHT SAND AND CLAY 205; HEAVY RED SAND 297; QUICKSAND AND GRAVEL 305.

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 299 FEET LENGTH OF SCREEN: 3 FEET DEPTH OF WELL: 305 FEET

PUMP RATE: 75 IGPM SPEC. CAP: 0.68 IGPM/FT AQUIFER : SAND QUALITY : FRESH

				DAILY ME	AN WATER L	LEVELS REFE	RRED TO DI	ISTANCE IN	FEET BELOW	GROUND SU	IRFACE		
DAY	MAL	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1		29.80	28.84	28.69	28.84	28.42	22.33	28.00	27.57	27.51	27.74	27.12	1
		29.44	28.62	28.89	28.99	28.24	21.52	27.92	27.15	27.35	28.75	26.62	2
2	29.48	28.62	27.65	29.19	28.81	28.33	20.87	27.78	27.52	27.63	28.07	26.65	3
2 3 4	29.45	28.72	27.85	29.33	28.78	28.70	20.26	27.59	28.27	27.70	27.39	27.07	3 4 5 6
	29.60	29.13	28.12	49.77	27.78	28.89	21.01	27.05	28.49	28.17	27.53	27.33	5
2	29.00	29.18	28.19	29.87	27.63	29.15	23.66	27.31	26.18	27.44	27.79	27.18	6
5 6 7	28.93	29.15	28.71	28.98	28.28	29.39	24.90	27.66	28.25	27.10	28.89	28.10	7
8	28.49	49.28	28.88	28.97	28.56	29.46	25.49	28-03	27.73	27.04	28.99	27.25	8
9	28.86	29.05	20.86	29.11	28.43	28.89	26.30	28-14	27.76	27.63	28.94	26.61	9
10	29.21	28.49	27.35	29.42	28.39	28.91	26.04	28.45	27.81	27.92	27.97	26.76	10
	29.39	28.66	27.75	29.42	28.19	29.37	26.79	28.28	28.02	28.02	28.53	26.65	11
11	29.26	28.86	28.32	29.25	27.16	29.54	27.02	28.31	28.96	28.02	29.49	26.81	12
12	28.74	29.06	28.46	28.70	27.28	29.74	28.67	28.63	28.70	27.68	28.98	27.09	13
	28.76	29.37	28.60	28.38	27.82	29.78	27.54	28.00	28.79	27.15	28.82	27.27	14
14	29.14	29.30	28.75	28.23	28.24	29.56	28.43	26.44	28.42	27.08	29.76	26.73	15
15		29.02	28.70	28.83	28.29	28.34	26.83	28.07	28.13	27.67	29.82	26.15	16
16	29.26	28.33	27.84	29.18	28.33	28.36	26-41	28.37	28.42	27.20	28.56	20.49	1.7
17	29.55 29.49	28-44	27.90	29.29	28.54	28.92	26.41	28.16	28.62	27.11	28.50	26.82	18
18	29.55	28.58	28.28	29.40	27.42	29.20	26.63	28.37	28.46	27.47	29.30	26.58	19
19	28.77	28.84	28.51	29.44	27.01	29.32	26.87	28.87	28.45	27.24	28.48	27.32	20
20	28.68	29.10	28.64	28.70	27.20	29.54	27.02	29.51	28.46	47.24	29.33	27.56	21
21	29.22	29.00	28.85	28.22	27.86	29.79	27.19	29.89	28-14	27-10	29.72	27.00	22
22	29.36	28.87	28.81	28.82	28.14	29.38	27.79	29.74	28.00	27.22	29.06	25.96	23
23	29.54	28.31	28.08	28.85	28.49	29.42	28.04	27.26	27.79	27.72	28.48	25.68	24
24	29.56	28.36	28.21	29.05	28.30	29.71	27-94	25.01	21.37	27.56	28.04	25.47	25
25	29.44	28.67	28.61	29.12	27.46	30.06	28.22	24.82	27.43	27.51	27.83	24.99	26
26	28.70	28.73	28.83	29.08	27.49	30.50	27.97	26.74	27.71	26.82	27.92	24.89	27
27	28.70	28.87	29.23	28.40	28.02	30.11	27.52	27.62	27.67	27.31	27.70	25.30	28
28	29.47	20.01	29.06	28.36	28.01	26.14	27.62	27.74	27.40	27.17	27.59	25.06	29
30	29.55		29.01	28.75	28.39	23.77	27-61	28 - 13	27.82	27.13	27.28	25.00	30
31	29.57		28.43	20.15	28.58	576778	27.72	28.31		27.59		25.39	31
31	29.31		204 73		20000								
					-40	NTHLY SUMM							
MEAN		28.90	28.39	28.99	28.09	28.96	26.08	27.88	28.04	27.44	28.51	26.48	MEAN
INST		27.24	25.4C	26.95	25.78	22.97	19.70	23.21	25.65	25.50	26.21	23.55	INST
MAX		1251	(9)	(29)	(13)	(30)	(5)	(26)	(2)	(15)	(30)	(27)	MAX
INST		30.55	29.95	30.54	29.76	31.20	29.88	30.36	29.42	28.77	30.04	28.42	INST
MIN		(1)	(28)	(6)	(1)	(27)	(13)	1231	(14)	(13)	(16)	(8)	MIN
		4. 4.											

CESERVATION WELL 343

ENVIRONMENT UNTARIU TORONTO YORK COUNTY TOWNSHIP OF KING

CUNC. 3 LUT 9

WELL REC #: 6910967 UTM CU-ORD: Z-17 E615075 N4880425 LAT & LONG: 44-04NORTH 79-34WEST

REC METHOD: A35 RECORDER
REC COMMCD: MAY 26 1971
MEASURE PT: 2.5 FEET ABOVE GROUND SURFACE
GND ELEV: 720 FEET ABOVE SEA LEVEL
WELL TYPE: DUG
WELL LOG: PEAT (MUCK) 11.5.

DIAMETER OF WELL: 36 INCHES LENGTH OF CASING: 11.5 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 11.5 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. PEAT FRESH

				DAILY ME	AN WATER L	1974 EVELS REFE	RRED TO DI	STANCE IN	FEET BELOW	GROUND SU	RFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
4		2.78	2.21	2.81	3.40	3.87	4.61	4.97	5.16	5.52	5.55	4.33	I.
2		2.57	2.19	2.84	3.41	3.95	4.61	4.97	5.17	5.50	5.55	4.34	2
1 2 3 4	4.16	2.52	2.18	2.89	3.46	4.01	4.52	4.95	5.18	5.48	5.54	4.37	3
2	4.18	2.48	2.23	3.08	3.49	4.06	4.29	4.90	5.19	5.45	5.52	4.40	4
	4.21	2.42	2.94	3.29	3.53	4.09	3.99	4.88	5.21	5.43	5.48	4.42	5
5 6	4-24	2.36	3.24	3.33	3.57	4.13	3.94	4.88	5.22	5.43	5.45	4.46	6
7	4.28	2.29	3.14	3.33	3.59	4.23	3.93	4.89	5.25	5.43	5.41	4.49	7
	4.23	2.21	3.08	3.32	3.59	4.26	3.94	4.90	5.26	5.43	5.37	4.50	8
8	4.38	2.15	3.01	3.31	3.56	4.31	3.92	4.94	5.29	5.44	5.34	4.50	9
10	4.42	2.08	2.94	3.29	3.53	4.34	3.98	4.96	5.32	5.44	5.33	4.52	10
	4.47	2.03	2.87	3.26	3.50	4.37	4.05	5.00	5.35	5.47	5.32	4.51	11
11	4.52	1.97	2.81	3.23	3.46	4-44	4-12	5.02	5.36	5.49	5.28	4.51	12
12	4.56	1.92	2.75	3.24	3.39	4.43	4.15	4.99	5.37	5.50	5.20	4.50	13
13	4.61	1.88	2.70	3.26	3.31	4.49	4.19	4.97	5.39	5.47	5.11	4.49	14
14	4.64	1.83	2.66	3.30	3.33	4.54	4.22	4.95	5.41	5.45	5.04	4.48	15
15	4.67	1.80	2.64	3.34	3.34	4.51	4.31	4.94	2.43	5.42	4.99	4.46	16
16		1.78	2.64	3.37	2.68	4.43	4.38	4.96	5.45	5.40	4.94	4.44	17
1.7	4.71	1.76	2.64	3.31	2.87	4-44	4.43	4.98	5.46	5.38	4.93	4.42	18
18	4. 75		2.65		3.10	4.43	4.48	5.02	5.47	5.41	4.91	4.41	19
19	4.77	1.74	2.66		3.20	4.42	4.53	5.05	5.49	5.41	4.88	4.40	20
20	4-80	1.74	2.67		3.29	4.40	4.58	5.10	5.50	5.43	4.75	4.41	21
21	4.80	1.74	2.65		3.32	4.41	4.62	5.14	5.52	5.45	4.59	4-41	22
22	4.74	1.79	2.71		3.40	4.44	4.68	5.17	5.54	5.47	4.47	4.40	23
23	4.70	1.97	2.73	3.37	3.48	4-48	4.72	5.19	5.57	5.48	4.37	4.41	24
24	4.67	2.09	2.75	3.33	3.53	4.52	4.75	5.23	5.57	5.48	4.30	4.40	25
25	4.04	2.19	2.76	3.33	3.66	4.55	4.78	5.27	5.58	5.50	4.26	4.41	26
26	4.62	2.21	2.77	3.34	3.71	4.58	4.80	5.27	5.59	5.51	4.23	4.41	27
27	4.41		2.77	3.37	3.77	4.57	4.83	5.20	5.59	5.51	4-23	4.42	28
28	3.99	2.21	2.78	3.40	3.81	4.60	4.86	5.17	3.57	5.54	4-26	4.42	29
29	3.81		2.79	3.41	3.85	4.63	4.88	5-16	5.53	5.56	4.30	4.43	30
30	3.64		2.81	3.44	3.85		4.90	5-15		5.54		4.45	31
31	3.08		2.01										
						NTHLY SUMM	ARY-	4.50	2 7 8	U. J. W		4.44	MEAN
MEAN		2.09	2.72		3.45	4.36	4.42	5.04	5.40	5.47	4.96	4.44	HEAN
INST		1.73	2.18		2.54	3.83	3.89	4.87	5.15	5.38	4.22	4.32	INST
MAX		(21)	(3)		(17)	(1)	(5)	(6)	(1)	(18)	(27)	(1)	MAX
INST		2.95	3.32		3.89	4.67	4.93	5.29	5.60	5.57	5.55	4.54	INST
MIN		(1)	(6)		(30)	(30)	(31)	(27)	(27)	(30)	(2)	(10)	MIN
53.624		M (2.5	9 (85.5										

ENVIRONMENT CNTARIC TORUNTO YORK COUNTY WFLL REC #: 6911674 UTM CO-ORD: Z-17 E632292 N4854345 LAT & LONG: 43-50NDRTH 79-21WEST OBSERVATION WELL 106 TOWNSHIP OF MARKHAM CONC. 3 PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : SAND AND GRAVEL
QUALITY : FRESH REC METHOD: 1F' TYPE RECGRUER DIAMETER OF WELL: 8 INCHES PUMP RATE: N.A.
REC COMMCD: SER 15 1963 LENGTH OF CASING: 86.5 FEET SPEC. CAP: N.A.
MEASURE PT: 1.0 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: 17.5 FEET QUIFER: SAND AND GRAVEL
GND ELV: 605 FEET ABOVE SEA LEVEL DEPTH OF WELL: 104 FEET QUALITY: FRESH
MELL 1YPE: DRILLED
WELL LOG: SANDY CLAY, GRAVEL 40; DIRTY SILT 50; DIRTY SAND AND GRAVEL 60; SAND AND GRAVEL 70; SAND, GRAVEL AND BOULDERS
85; FINE SAND 99; HARD PACKED SAND, GRAVEL 104. DIAMETER OF WELL: 8 INCHES LENGTH OF CASING: 86.5 FEET LENGTH OF SCREEN: 17.5 FEET DEPTH OF WELL: 104 FEET

				DAILY ME	AN WATER	LEVELS REFE	RRED TO D	ISTANCE IN	PEET BELO	M GROUND SI	UKFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1.		02.77	62.70	63.51	61.12	61.44							1
Ĵ		62.32	62.67	63.65	61.36	60.95							2 3 4 5 6 7 8 9
۷ غ		52.05	62.50	63.80	61.52	60.64							3
4	64.23	61.83	02.59	63.78	61.44	60.91							4
5	64.46	61.68	62.94	62.92	60.83	61.45							5
6	64.40	61.49	63.34	62.24	60.59	62.03							6
7	64.49		63.94	61.80	60.96	62.58							7
8	0.101	61.42	63.95	61.57	60.64	62.97							8
9		01.40	03.60	62.04	60.36	63.21							. 9
1ó		61.33	63.41	62.39	60.97	62.92							10
11	65.01	61.44	63.27		60.59	63.31							11
12	65.10	61.55	03.20	63.01	60.24	63.40							12
13	65.04	01.49	63.19	62.98	60.14	63.62							13
14	64.52		63.28	62.56	60.05	63.25							14
15	64.35	61.39	03.64	62.55	60.63	63.04							15
16	64.20	61.15	63.76	62.73	61.38	62.64							16
17	0.020	61.68	63.85	61.97	61.31	62.59							17
18	64.20	61.02	03.95		61.43	62.67							18
19	64.12	60.68	63.97	61.75	61.44	62.62							19
20	04.09	61.10	63.65	61.36	61.48							4	20
21	64.03		63.35	61.08	61.75								21
22	64.05	01.73	63.09	61.31	62.02								22
23	63.98	62.14	62.44	61.45	62.24								23
24	85.4	62.36	62.02	61.55	62.19								24
25	62.57	62.50	61.74	61.59	61.90	**							25
26	62.93	62.56	61.51	61.54	61.85								26
27	62.85	62.61	61.92	61.08	62.03								27
20	62.64			60.73	62.49								28
29	62.84		62.10	60.58	62.57								29
30	04.71		03.01	60.96	62.59								30
31			63.27		62.08								31
					-MC	ONTHLY SUMM	ARY-						diam'r.
MEAN					61.36								MEAN
INST					59.94								INST
MAX					(14)								MAX
INST					62.02								INST
MIN					(30)			15.					MIN
0.000													

ENVIRONMENT ONTARIO

DBSERVATION WELL 305

TOWNSHIP OF MARKHAM

WELL PEC #: 6910969 UTM CD-0RD: Z-17 E642160 N486630C CONC. 9 LOT 26 LAT & LONG: 43-56M0PTH 79-14WEST

REC MFTHOD: 'F' TYPE RECORDER

REC COMMCD: JUNE 1970

MEASURE PT: 0.5 FEFT ABOVE GROUND SURFACE
GNC ELEV: 778 FFET ABOVE SEA LEVEL

WELL TYPE: DUG

WELL LOG: OVERRURDEN TILL 20.

TORONTO YORK COUNTY

DIAMETER OF WELL: 48 INCHES LENGTH OF CASING: 20 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 20 FEET

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : TILL
QUALITY : FRESH

	1974							COLUMN DIRECT	
DATLY MEAN WATER	LEVELS REFER	RED TO	DISTANCE	IN	FEET	BELOW	GR DUND	SURFACE	

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
	2271 1611					3.45	3.33	4.56	5.11	5.19	5.07	4.53	1
1	3.44	2.90				3.54	3.46	4.59	5.12	5-20	5.08	4.60	2
2	3.46	3.04				3.62	2.96	4.61	5.13	5.22	5.07	4.64	3
3	3.50	3.26				3.71	2.87	4.62	5.13	5.23	5.05	4.68	4
4	3.51	3.67				3.77	3.04	4.65	5.13	5.22	5.04	4.73	5 6
5	3.53	3.94				3.84	3.22	4.69	5-15	5.22	5.01	4.74	6
6	3.60	4.02				3.91	3.41	4.73	5.16	5.24	5.00	4.73	7
7	3.64	4.02				3.97	3.54	4.75	5.18	5.24	4.99	4.67	8 9
8	3.86	4.03			*	3.99	3.65	4.76	5.20	5.24	4.99	4.46	9
9	4.14	4.13				4.03	3.73	4.79	5.21	5.23	5-00	4.37	10
10	4.24	4.13				4.09	3.82	4.83	5.22	5.23	5.00	4.37	10
11	4.25	4.16				4.13	3.91	4.83	5.23	5.22	4.97	4.34	12
12	4.25	4.19				4.14	4.01	4.83	5.24	5.21	4.87	4.21	13
13	4.25	4.19				4.16	4.08	4.85	5.25	5.14	4.84	4.13	14
14	4.24	4.18				4.06	4.12	4.87	5.26	5.10	4.82	4.08	15
15	4.29	4.20				3.65	4.19	4.89	5.26	5.10	4.82	4.07	16
16	4.33	4.23				3.55	4.25	4.91	5.28	5.10	4.83	3.99	17
17	4.35	4.24				3.57	4.26	4.91	5.29	5.10	4.85	3.95	18
18	4.37	4.20					4.28	4.94	5.29	5.11	4.87	3.94	19
19	4.38	3.92				3.54	4.33	4.97	5.30	5.12	4.82	3.95	20
20	4.39	3.98				3.31		4.99	5.31	5.11	4.06	3.94	21
21	4.32	4.01				3.33	4.39	5.02	5.32	5-12	3.49	3.93	22
22	4.03	4.02				3.44	4.42	5.06	.5.33	5.10	3.53	3.92	23
23	3.87	4.02				3.57	4.43	5.05	5.33	5.09	3.57	3.87	24
24	3.79	4.07				3.66	4.43	5.05	5.33	5.09	3.65	3.84	25
25	3.74					3.43	4.46	5.06	5.32	5.10	3.86	3.83	26
26	3.70					3.04		5.07	5.32	5.10	4.03	3.82	27
27	3.19					3.21	4-48	5.07	5.32	5.10	4.18	3.81	28
28	2.86					3.35	4.50	5.08	5.31	5.09	4.29	3.81	29
29	2.92					3.33	4.53	5.09	5.25	5.08	4.43	3.84	30
30	2.95					3.22	4.52		3.23	5.07		3.88	31
31	2.86						4.54	5.10		5.07		3.00	
					-MC	ONTHLY SUMM	ARY-	100 34440	4.40			4.18	MEAN
MEAN	3.81					3.65	3.99	4.88	5.24	5.15	4.60	4.18	MEAN
7 NC 7	2.85					2.98	2.69	4.55	5.10	5.06	3.44	3.80	INST
I NS T	(28)					(26)	(3)	(1)	(1)	(31)	(22)	(29)	MAX
MAK	1201						ol sever			E 24	5.08	4.75	INST
INST	4.39					4.17	4.55	5.10	5.34	5.24	(2)	(5)	MIN
MIN	(23)					(14)	(31)	(31)	(24)	(7)	1 21	1 2)	

ENVIRONMENT GNTARIO TURONTO YURK COUNTY

OBSERVATION WELL 398

MELL REC #: 911718 UTM CO-ORD: 2-17 E635300 N4858600 CONC. 5 LOT 14 LAT & LONG: 43-52NORTH 79-19MEST

TOWNSHIP OF MARKHAM

DIAMETER OF WELL: 5 INCHES LENGTH OF CASING: 69 FEET LENGTH OF SCREEN: 4 FEET DEPTH OF WELL: 73 FEET

PUMP RATE: N.A.
SPEC. CAP: N.A.
ADUIFER : SAND AND GRAVEL
QUALITY : FRESH

REC METHOD: "F' TYPE RECORDER DIAMETER DF WELL: 5 INCHES PUMP RATE: N.A.

REC COMMCD: SEP, 30 1973 LENGTH DF CASING: 69 FEET SPEC. CAP: N.A.

MEASURE PT: 2-6 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: 4 FEET ADULFER: SAND AND GRAVEL

GND ELEV: 580 FEET ABOVE SEA LEVEL DEPTH OF WELL: 73 FEET QUALITY: FRESH

WELL LUG: GROWN TOPSOIL 1; BROWN SAND 15; BLUE SANDY CLAY 47; BLUECLAY, SAND AND GRAVEL 67; GREY SAND AND GRAVEL 73.

				DAILY MI	EAN WATER I	LEVELS REFE	ERRED TO D	ISTANCE IN	FEET BELUK	W GROUND SE	DRIACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	17.31	17.15	17.86	18.34		18.58	17.57	18.31	18.36		18.10	18.40	1
2	17.38	17.36	17.70	18.22	18.50	18.59	17.75	18.31	18.35		18.57	18.47	2
3	17.33	17.59	17.77	10000000	18.50	18.58	17.49	18.26	18.31	18.10	18.58		3
4	17.35	17.79	17.01		18.69	18.58	17.49	18.24	18.28	18.15	18.49		4
5	17.38	17.96	15.47		18.68	18.69	17.63	18.30	18.33	18.11	18.52	18.52	5
6	17.38	18.03	16.22		18.51	18.67	17.68	18.33	18.37	18.13	18.47	18.50	6
7	17.40	18.14	16.30		18.58	18.66	17.85	18.44	18.34	18.17	18.45	18.55	7
B	17.55	18-19	16.68		18.66	18.82	17.96	18.45	18.39	18.15	18.51	18.65	8
9	17.52	18.31	17.30		18.31	18.71	18.02	18.42	18.42	18.14	18-49	18.60	9
10	17.53	18.42	17.57		18.18	18.67	18.09	18.53	18.47	18.13	18.49	18.67	10
11	17.52	18.42	17.69		18.35	18.71	18.11	18.61	18.49	18.13	18.51	18.72	11
12	17.00	18.51	17.79		17.45	18.62	18.12	18.57	18.44	18.12	18.41	18.68	12
13	17.67	18.45	17.85		17.08	18.56	18.16	18.53	18.40	18.14	18.30	18.68	13
14	17.54	18.60	17.95		17.49	18.51	18.29	18.57	18.38	17.93	18.32	18.66	14
15	17.54	18.61	18.00		17.63	18.14	18.31	18.58	18.46	17.99	18.31	18.77	15
16	17.56	18.59	17.99		17.73	17.77	18.36	18.62	18.40	18.05	18.41	18.74	16
17	17.70	18.59	18.07		16.97	17.79	18.39	18.59	18.34	18.07	18.46	18.80	17
18	17.61	16.67	18.20		17.40	17.81	18.34	18.75	18.28	18.18	18.45	18.90	18
19	17.67	16.56	18-09		17.82	17.74	18.41	18.74	18.22	18.16	18.45	19.02	19
20	17.04	18.67	18-22		18.15	17.45	18.43	18.75	18.29	18.19	18.37	19.22	20
	17.46	18.67	18.19		18.21	17.54	18-44	18.72	18.25	18.15	17.98	19.27	21
21	17.42	18.20	18.21		18.30	17.67	18.40	18.82	18.30	18.14	18.15	19.35	22
23	17.50	17.66	18.27		18.43	17.84	18.38	18.70	18.35	18.09	18.22	19.42	23
24	17.64	17.85	18-29		18.55	17.94	18.39	18.53	18.26	18.09	18.20	19.41	24
25	17.92	17.91	18.41		18.62	17.67	18.46	18.49	18.12	18.08	18.25	19.44	25
	17.89	15.12	18.40		18.77	17.47	18.38	18.46	18.15	18.17	18.28	19.50	26
26	16.73	18.22	18.35		18.72	17.56	18.32	18.38	18.19	18.22	18.33	19.49	27
	10.47	18.16	18.32		18.70	17.67	18.38	18.34	18.11	18.23	18.31	19.51	28
28	16.88	10.10	18.35		18.49	17.56	70,70	18.38	18.02	18.23	18.29	19.55	29
25 30	17.07		18.25		18.40	17.45		18.35	18.06	15.17	18.32	19.58	30
	16.95		18.22		18.57		18.30	18.31		18.13		19.60	31
-1	10.45		10.022										
					-MC	NTHLY SUMM	ARY-	10.50	18.30		18.37		MEAN
MEAN	17.43	18.19	17.70			18.13		18.50	18.30		10.31		incan.
INST	16.21	17.03	14.98			17.37		18.16	17.97		17.88		INST
MAX	(27)	(1)	1 51			(20)		(5)	(29)		(21)		MAX
1NST	18.01	18.72	18.50			19.04		18.94	18.61		18.68		INST
MIN	(26)	(20)	(25)			(8)		(22)	(11)		(11)		MIN
MAIN	1201	1201	1,50										

ENVIRONMENT CNTARIO TORONTO YORK COUNTY OBSERVATION WELL 090 BOROUGH OF NORTH YORK

LOT -

WELL REC #: 6905098 UTM CO-ORD: Z-17 E626320 N4845890 LAT & LONG: 43-46NORTH 79-26WEST

REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG:

DIAMETER OF WELL: 16 INCHES LENGTH OF CASING: 131 FEET LENGTH OF SCREEN: 15 FEET DEPTH OF WELL: 146 FEET

PUMP RATE: 1085 IGPM SPEC. CAP: 21.7 IGPM/FT AQUIFER : SAND AND GRAVEL QUALITY : FRESH

A35 RECORDER

OIAMETER OF WELL: 16 INCHES

PUMP RATE: 1085 IGPM

APR, 7 1961

5.0 FEET ABOVE GROUND SURFACE

LENGTH OF CASING: 131 FEET

SPEC. CAP: 21.7 IGPM/FT

5.0 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 16 FEET

QUALITY: FRESH

ORILLED

SOIL AND SAND 3: SAND AND GRAVEL 13: SAND, GRAVEL AND SDME CLAY 40: PACKED SAND, CLAY 56: SAND, GRAVEL AND CLAY 59: CONGLOMERATE, SDME CLAY 72: CEMENTED GRAVEL 75: CEMENTED GRAVEL, CLAY 83: SAND, GRAVEL AND CLAY 127: SAND, GRAVEL AND SOME CLAY 132: SAND AND GRAVEL 150.

			19	14							
DAILY	MEAN	WATER	LEVELS	REFERRED	TC	DISTANCE	IN	FEET	BELOW	GROUND	SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1		0.23	-0.14	-0.03	0.21	-0.07	200	0.06	0.03	0.08	0.22	0.47	1
		0.20	-0.08	-0.28	0.22			0.03	0.13	0.29	0.42	0.02	2
2	0.64	0.20	-0.13	0.05	-0.35			-0.03	0.08	0.53	0.26	0.05	3
4	0.51	0.26	0.07	0.47	0.26			-0.07	0.16	0.42	0.08	0.46	4
5	0.46	0.38	0.22	0.25	-0.12			0.0	0.36	0.31	0.06	0.54	5 6
6	0.24	0.32	0.09	0.06	-0.63			0.19	0.38	0.23	0.24	0.54	
7	0.18	0.10	0.02	-0.08	-0.07			0.25	0.26	0.17	0.43	0.30	7
8	0.59	0.08	-0.36	0.19	0.09			0.21	0.16	0.25	0.46	-0.05	8
9	0.45	0.05	-0.15	0.02	-0.32			0.20	0.15	0.10	0.51	0.06	9
10	0.49	0.07	0.26	-0.16	0.07			0.24	0.11	0.11	0.43	0.16	10
11	0.30	0.0	0.30	-0.31	-0.13			0.20	0.06	0.30	0.13	0.23	11
12	0.54	0.0	0.22	-0.09	-0.97			0.06	-0.06	0.22	-0.10	0.19	12
13	0.77	-0.11	0.24	0.17	-0.42			0.02	-0.09	0.43	-0.14	0.42	13
14	0.37	0.40	0.25	0.38	-0.60			0.18	0.13	0.02	-0.02	0.53	14
15	0.02	0.52	0.16	0.41	-0.47			0.28	0.04	0.06	0.12	0.46	15
16	0.0	0.34	-0.24	0.05	-0.10			0.16	0.15	0.12	0.34	0.08	16
17	0.62	0.04	-0.36	0.01	-0.31		0.17	-0.09	0.01	-0.15	0.35	-0.08	17
18	0.56	-0.12	-0.22	0.13	0.08		0.01	-0.06	0.08	0.20	0.27	0.06	18
19	0.46	0.32	-0.27	0.55	0.39		-0.08	0.03	0.15	0.25	0.18	0.09	19
20	0.43	0.01	0.08	0.72	0.35		0.12	0.19	0.12	0.33	-0.23	0.28	20
21	0.10	-0.39	-0.23	0.19	-0.13		0.12	0.27	0.12		-0.38	0.20	21
22	0.34	0.42	-0.06	-0.51	-0.69		0.06	0.22	0.16		0.25	0.29	22
23	0.20	0.01	-0.03	-0.59	-0.77		0.03	0.10	0.40		0.32	0.33	23
24	0.49	-0.42	0.14	0.19	-0.53		0.06	0.14	0.41		0.08	0.36	24
25	0.47	-0.30	0.45	0.43	-0.38		0.11	0.21	-0.03		0.29	0.21	25
26	0.34	-0.38	0.01	0.38	-0.30		0.08	0.09	-0.16	0.35	0.57	0.54	26
27	-0.15	-0.30	-0.33	0.38	-0.19		-0-02	-0.06	-0.09	0.33	0.40	0.38	27
28	0.08	-0.02	-0.31	-0.01	-0.30		-0.09	0.03	-0.07	0.38	0.17	0.43	28
29	0.17		-0.07	-0.12	-0.75		-0.23	-0.01	-0.31	0.41	0.51	0.33	29
30	0.02		0.38	-0.17	-0.51		-0.15	-0.05	-0.04	0.43	0.73	0.37	30
31	-0.19		0.34		-0.60		-0.01	-0.12		0.32		0.51	31
						NTHLY SUMM	ARY-						
MEAN		0.07	0.01	0.09	-0.26			0.09	0.09		0.23	0.28	MEAN
INST		-0.48	-0.43	-0.74	-1.10			-0.15	-0.47		-0.57	-0.15	INST
MAX		(21)	(19)	(23)	(12)			(31)	(29)		(21)	(8)	MAX
INST		0.69	0.55	0.85	0.54			0.33	0.47		0.78	0.64	INST
MIN		(22)	(25)	(20)	(1)			(15)	(24)		(30)	(1)	MIN

ENVIRONMENT ONTARIO **OBSERVATION WELL 340** TOWNSHIP OF WHITCHURCH CONC. 6 YORK COUNTY

WELL REC #: 6910965 UTM CO-ORO: Z-17 E632050 N4878700 LOT 27 LAT & LONG: 44-04NORTH 79-21WEST

REC METHOD: 'F' TYPE RECORDER
REC COMMCD: MAY 26 1971
MEASURE PT: 2.0 FEET ABOVE GROUND SURFACE
GND ELEV: 975 FEET ABOVE SEA LEVEL
WELL TYPE: DUG
WELL LOG: TOPSOIL 4: SANO 29.

OIAMETER OF WELL: 48 INCHES LENGTH OF CASING: 29 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 29 FEET

PUMP RATE: N.A. SPEC. CAP! N.A. AQUIFER : SAND QUALITY : FRESH

				DATE! NO	All HATEN	erces here							
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	21.07	17.11			17.14		19.47	20.51	20.98		21.54		1
2	21.06	17.14			17.13		19.51	20.58	21.00		21.51		2
3	21.04	17.23		18.19	17.05		19.43	20.60	21.02	21.68	21.48		3
4	21.00	17.45		18.16	17.24		18.97	20.64	21.07	21.68	21.45		4
5	20.96	17.53		17.88	17.33		18.37	20.67	21.11	21.66	21.43	20.70	5
6	20.92	17.58		17.78	17.29		18.03	20.74	21.12	21.64	21.44	20.70	6
7	20.89	17.86		17.69	17.36		17.88	20.80	21.13	21.62	21.45	20.70	7
8	20.89	18.31		17.72	17.43		17.89	20.84	21.15	21.61	21.47	20.70	8
9	20.89	18.50		17.69	17.36		17.94	20.88	21.16	21.58	21.49	20.63	9
10	20.88	18.71		17.72	17.26		18.12	20.93	21.19	21.58	21.50	20.58	10
11	20.87	18.90		17.80	17.11		18.34	20.96	21.21	21.57	21.50	20.55	11
12	20.86	19.10		17.75	16.83		18.58	20.97	21.23	21.58	21.47		12
13	20.87	19.26		17.66	16.26		18.74	20.91	21.26	21.58			13
14	20.87	19.44		17.56	15.88		18.85	20.77	21.29	21.55			14
15	20.87	19.64		17.41	15.86		18.99		21.33	21.55			15
16	20.88	19.67		17.35	15.66		19.17	20.57	21.35	21.53			16
17	20.90	19.68		17.24	13.70		19.33	20.48	21.38	21.52			17
18	20.91	19.77		17.17	13.91		19.45	20.44	21.41	21.52			18
19	20.92	19.80		17.24	14.43		19.52	20.45	21.45	21.53			19
20	20.92	19.89		17.29	14.83		19.64	20.49	21.47	21.54			20
21	20.92	20.05		17.26	15.12		19.74	20.57	21.50	21.54			21
22	20.93	19.63		17.20	15.40		19.84	20.63	21.54	21.54			22
23	20.93	18.68		17.14	15.67		19.92	20.67	21.58	21.53			23
24	20.92	19.10		17-10	15.89		20.00	20.72	21.59	21.53			24
25	20.90	19.28		17.00	16.08		20.09	20.76	21.59	21.55			25
26	20.84	19.43		16.94	16.23		20.14	20.80	21.60	21.54			26
27	20.20	19.51		16.94	16.38		20.18	20.84	21.62	21.55			27
28	18.42	19.24		16.97	16.52		20.22	20.85	21.63	21.55			28
29	17.44			17.07	16.64	19.52	20.26	20.88	21.64	21.55			29
30				17.10		19.47		20.88		21.55			30
31	17.05						20.43	20.92		21.55			31
					-MO	NTHLY SUMM.	ARY-						
MEAN		18.84						20.72					MEAN
INST		17.08						20.43					INST
MAX		(1)						(18)					MAX
INST		20.10						20.98					INST
MIN		(22)						(12)					MIN

Southeastern Region










OBSERVATION WELL DATA

REGIONAL OFFICE KINGSTON 133 Dalton St. 613-549-4000

DISTRICT OFFICES Belleville 15 Victoria Ave. 613 - 962 - 9208 Cornwall 408 Pitt St. 613-933-7402 Ottawa 2378 Holly Lane 613 - 521 - 3450 Pembroke 1000 MacKay St. P.O. Box 67 613-732-3643



OBSERVATION WELL DISTRIBUTION

OBSERVATION WELL 210

THWISHIP OF MADOC

CONC. 10 LOT 1

WELL REC #: 2901109 UTM C"-ORD: Z-18 E309070 N4932360 LAT & LONG: 44-31NORTH 77-24WEST

KEC METHUD: A35 RECORDER
REC COMMCD: NOV. 28 1967
MEASURE PT: 3.0 FFFT ABOVE GROUND SURFACE
GND ELEV: 555 FFFT ABOVE SFA LEVEL
HELL TYPE: ORILLED
WELL LOG: TOPSOIL 4; DOLOMITE 19; CHERT 21.

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 4 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 21 FEET

PUMP RATE: N.A. SPEC. CAP: N.A. AQUIFER : CHERT QUALITY : FRESH

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	YAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	DAY
1	13.65	10.26			8.56	9.90	12.97		16.19				1
2	13.61	10.11			8.22	10.22	12.99	15.14	16.21				
3	13.64	10.14			8.06	10.46	13.02	15.16	10.25				2 3 4 5
4	13.71				8.08	10.75	13.07	15.19	10.27				4
5	13.82		11.15	5.70	8.14	11.00	13.13	15.22	16.30				5
6	13.68		8.87	5.77	8.17	11.23	13.19	15.26	16.35				6
7	13.97		7.55	5.98	8.19	11.44	13.24	15.30	16.38		16.73		7
8	14.05		6.60	6.17	8.21	11.62	13.32	15.32	16.43		16.73		7 8 9
9	14-11		6.39	6.38	8.16	11.82	13.44	15.34	16.46		16.73		9
10	14.19		6.69	6.68	7.60	12.02	13.53	15.38	16.48		16.73		10
1.1	14.27		7.07	6.96		12.17	13.63	15.43	16.51		16.73		11
12	14.36		7.51	7.23		12.37	13.74	15.47	16.54		16.73		12
13	14.43		7.84	7.38		12.55	13.84	15.51	16.56		16.72		13
14	14.51		8.09	7.53		12.71	13.95	15.58	16.56				14
15	14.60		8.48	7.17		12.80	14.06	15.63	16.60				15
16	14.67		8.79	6.88		12.90	14.16	15.68	16.64				16
17	14.74		9.12	6.87		13.00	14.26	15.72	16.68	16.78			17
18	14.83		9.39	6.97		13.05	14.36	15.74	16.71	16.77			18
19	14.91		9.62	7.17		13.13	14.45	15.79	16.75	16.73			19
20	14.99		9.83	7.35		13.19	14.53	15.83	16.79	16.71			20
21	15.03		10.03	7.53		13.27	14.59	15.85	16.79	16.70			21
22	14.92			7.69		13.36	14.65	15.91	16.80	16.68			22
23	14.86			7.79		13.47	14.72	15.95	16.82	16.67			23
24	14.83			7.92		13.58	14.75	16.00	16.82	16.65			24
25	14.78			8.05		13.66	14.78	16.06		16.63			25
26	14.76			8.20		13.72	14.82	16.09					26
27	14.09			8.36		13.81	14.87	16.11					27
28	12.02			8.53		13.47		16.11					28
29	11.07			8.69		12.95		16.12	*				29
30	10.09			8.73		12.97		16.14					30
31	10.48							16.17					31
					-40	NTHLY SUMM	ARY-						
ME AN	13.95					12.42							MEAN
INST	10.39					9.80							INST
MAX	(31)					(1)							MAX
INST	15.07					13.92	r.						INST
MIN	(21)					(28)							MIN

ENVIRONMENT ONTARIO TORONTO MASTING COUNTY

OBSERVATION WELL 230 TOWNSHIP OF MADOC

CONC . 5

WELL REC *: 2901104 UTM CO-ORD: 2-18 E297580 N4946220 LOT 28 LAT & LONG: 44-43NORTH 97-73WEST

REC METHOD: 'F' TYPE RECORDER
REC COMMCD: JUN. 24 1969
MEASURE PI: 3.0 FEET ABOVE GPOUND SUPFACE
CND FLFV: 825 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LUG: STONES AND CLAY 10; RED GRANITE 40.

DIAMETER OF WELL: 6.0 INCHES LENGTH OF CASING: 10 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 40 FEET

PUMP RATE: 30 IGPM SPEC. CAP: 1.36 IGPM/FT ADUIFER : RED GRANITE QUALITY : FRESH

DAY	JAN	PEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1	6.38	5.55		6.76	6.40	7.07	7.44		8.31	7.04	6.90	6.48	1
2	6.39	5.56		6.55	6.39	7.15	7.28	8.10	8.30	7.04	6.87	6.53	2
3	6.41	5.60		6.31	6.43	7.21	7.27	7.86	8.29	7.04	6.84	6.56	3
4	6.45	5.59		5.69	6.50	7.26	7.37	7.81	8.30	7.06	6.79	6.59	4
5	6.52	5.66	6.01	5.33	6.57	7.34	7.48	7.98	8.31	7.09	6.73	6.62	5
6	6.55	5.73	5.71	5.17	6.58	7.42	7.56	8.06	8.32	7.11	6.71	6.65	6
7	6.03	5.80	5.43	5.25	6.53	7.46	7.63	8.02	8.31	7.14	6.71	6.69	7
6	6.67	5.79	5.28	5.37	6.48	7.53	7.70	8.03	8.31	7.15	5.64	6.65	8
9	6.72	5.85	5.34	5.57	6.27	7.59	7.76	8.03	8.40	7.20	6.54	6.54	9
10	6.76	5.93	5.47	5.73	6.13	7.65	7.79	8.04	8.08	7.19	6.61	6.51	10
11	6.79	6.04	5.62	5.83	6.13	7.69	7.80	8.14	7.87	7.21	6.69	6.52	11
12	6.84	6.11	5.80	5.85	5.88	7.73	7.80	8.31	7.84	7.23	6.75	6.53	12
13	0.89	6.15	5.95	5.83	5.50	7.75	7.80	8.32	7.58	7.24	6.67	6.55	13
14	6.92	6.17	6.10	5.64	5.40	7.73	7.81	8.37	7.42	7.12	6.61	6.55	14
15	6.97	6.20	6.21	4.99	5.45	7.42	7.83	8.42	7.47	6.84	6.55	6.54	15
16	6.49	0.21	6.32	4.74	5.57	7.14	7.87	8.43	7.54	6.78	6.54	6.57	16
17	7.01	6.24	6.39	4.80	5.67	7.06	7.90	8.43	7.62	6.75	6.52	6.57	17
18	7.04	6.26	6.45	5.07	5.82	7.04	7.95	8.41	7.59	6.75	6 - 48	6.59	18
19	7.06	6.27	6.52	5.35	6.00	7.04	8.00	8.41	7.60	6.74	6.48	6.61	19
20	7.08	6.28	6.56	5.61	6.16	7.11	8.04	8.41	7.61	6.76	6.46	6.62	20
21	7.07	6.27	6.61	5.85	6.29	7.17	8.09	8.42	7.62	6.79	6.28	6.65	21
22	6.99	6.24	6.60	6.02	6.42	7.22	8.16	8.43	7.68	6.81	6.19	6.64	22
23	6.93	5.15	6.73	6.11	6.53	7.29	8.20	8.44	7.71	6.83	6.17	6.64	23
24	6.89	6.12	6.77	6.17	6.62	7.35	8.20	8.44	7.68	6.86	6.18	6.64	24
25	6.87	6.09	6.78	6.26	6.71	7.41	8.20	8.45	7.67	6.87	6.17	6.64	25
26	6.84		6.81	6.36	6.81	7.48	8.19	8.45	7.63	6.87	6.19	6.64	26
27	6.29		6.85	6.46	6.88	7.54	8.21	8.33	7.64	5.85	5.24	6.64	27
20	5.94		6.90	6.55	6.92	7.53	8.22	8.28	7.60	6.88	6.20	6.65	28
29	5.92		6.90	6.58	6.95	7.46	8.20	8.23	7.25	6.89	6.35	6.68	29
30	5.86		6.90	6.48	5.98	7.43	8.18	8.31	7.07	6.93	6.42	6.70	3.0
31	5.80		6.88		7.03			8.31		6.01		6.71	31
					-MOI	NTHLY SUMMA	ARY-						
MEAN	6.66			5.81	6.32	7.38			7.82	6.07	6.52	6.50	MEAN.
1NST	5.66			4.71	5.38	7.03			7.04	6.74	6.17	6.45	INST
MAX	(31)			(17)	(14)	(18)			(30)	(50)	(23)	(1)	XAM
INST	7.09	N		6.85	7.04	7.75			8.41	7.25	6.90	6.72	
MIN	(21)			(1)	(31)	(13)		*	(9)	(13)	(1)	(31)	MI.

CBSFRVATION WELL 400

WFLL FFC #: 2906088 UTM (0-FRD: Z-18 E291640 N4896980 LAT & LONG: 44-12NORTH 77-37WEST ENVIRONMENT ONTARIO TORONTO HASTING COUNTY TOWNSHIP OF SIDNEY CONC. 5 LOT 1 PUMP RATE: 140 IGPM
SPEC. CAP: 98.6 IGPM/FT
AQUIFER : SAND AND GRAVEL
QUALITY : FRESH REC METHOD: A 35 KECORDER

DIAMETER OF WELL: 7 INCHES

REC COMMCD: JAN- 1974

MEASURE PT: 3.4 FEET ABOVE GROUND SURFACE

LENGTH OF CASING: 50 FEET

SPEC. CAP: 98.6 16PM/FT

LENGTH OF CASING: 50 FEET

AQUIFER: SAND AND GRAVEL

LENGTH OF WELL: 60 FEET

DILLED

WELL TYPE:

WELL TYPE:

WELL TYPE:

MELL LOG: BLACK TOPSGIL 1; BROWN SAND 3: LOOSE BROWN SAND AND FINE GRAVEL 7; PROWN SAND AND COARSE GRAVEL 50; BROWN SAND

AND GRAVEL EDULDERS 60; GREY LIMESTONE 65.

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET PELOW GROUND SURFACE

													1275100
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	רכם	NOV	DEC	DAY
3		+5.16	44.67	43.97								46.00	1
1 2 3 4		45.04	44.06	43.85				43.46				45.98	2
3		44.95	44.61	43.73				43.46				45.96	3
4		44.85	44.57	43.57				43.47				45.96	5 6
5		44.78	44.61	43.39				43.48				45.96	5
6		44.73	44.69	43.22				43.49				45.94	
7		44.68	44.78	43.09				43.51				45.93	7
Â		44.64	44.76	43.00				43.52				45.96	8
6		44.62	44.62					43.55					5
10	46.02	44.60	44.52					43.57					10
11	46.00	44.57	44.46	42.80				43.61					11
12	46.01	44.55	44.43	42.76				43.64					12
13	46.03	44.55	44.40	42.71				43.67					13
14	46.04	44.55	44.37	42.66				43.70					14
15	46.06	44.56	44.37	42.50				43.72					15
16	46.05	44.56	44.32	42.55				43.75					16
17	46.05	44.54	44.26	42.47				43.76					:17
18	46.05	44.54	44.23	42.42									18
19	46.04	44.54	44.22	42.35									19
20	46.05	44.60	44.19	42.31									20
21	46.02	44.64	44.16	42.28									21
22	46.03	44.66	44.16	42.23									22
23	46.00	44.69	44.15	42.20									23
24	45.98	44.67	44.13	42.18									24
25	45.96	44.62	44.12	42.18									27
26	45.92	44.59	44.10	42.16							Service and		26
27	45.83	44.01	44.09	42.13							46.04		27
28	45.70	44.65	44.08	42.12							46.02		28 29
29	45.58		44.06	42.11							46.01		30
30	45.43		44.03								46.01		31
31	45.27		44.01										21
					- MI	ONTHLY SUM	MARY-						DF 111
MEAN		44.67	44.35										MEAN
INST		44.53	44.00										INST
MAX		(17)	(31)										MAX
INST		45.21	44.81										INST
MIN		(1)	(7)										DOLLIN:

ENVIRONMENT ONTARIC TORONTO HASTINGS COUNTY

OBSERVATION WELL 122

TOWNSHIP OF THURLOW

WFLL RFC #: 2905483 UTM CO-DRD: Z-18 E312800 N4904950 LOT 22 LAT & LONG: 44-17NORTH 77-21WEST

REC METHOD: 'F' TYPE RECCRUER
REC COMMCD: FEB, 2 1965
MEASURE PT: 2.0 FEET ABOVE GROUND SURFACE
GND ELEV: 375 FEET ABOVE SEA LEVEL
WELL TYPE: DUG
WELL LOG: STONY CLAY 30.3. DIAMETER OF WELL: 48 INCHES LENGTH OF CASING: 30.3 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 30.3 FEET PUMP RATE: N.A. SPEC. CAP: N.A. AQUIFER : CLAY QUALITY : FRESH

DAY	NAL	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	0.00	NOV	DEC	DAY
1	2.48	0.89			2.71	3.68	6.38		10.12	11.60	12.52		1
2	2.54	0.73			2.80	3.80	6.42	8.67	10.17	11.64	12.54		2
3	2.57	0.58			2.85	3.93	6.48	8.72	10.22	11.67	12.57	10.17	3
4	2.61	0.42			2.94	4.06	6.52	8.76	10.27	11.72	12.58	10.10	4
5	2.67	0.47	1.39	1.79	3.04	4.20	6.57	8.82	10.32	11.76	12.59	10.06	5
	2.71	1.51	1.58	2.10	2.93	4.35	6.64	8.87	10.37	11.81		9.99	t
6	2.77		1.69	2.15	2.71	4.49	6.70	8.92	10.42	11.85		9.92	7
Ř	2.87		1.96	2.25	2.79	4.62	6.78	8.97	10.46	11.68		9.82	6
8 9	2.94		2.11	2.30	2.40	4.73	6.85	9.02	10.51	11.92		9.70	9
10	3.01		2.21	2.35	2.14	4.85	6.93	9.07	10.53	11.96		9.50	10
11	3.05		2.26	2.38	2.30	4.96	7.02	9.12	10.60	12.01		9.22	11
12	3.10		2.27	2.37	1.84	5.08	7.10	9.18	10.66	12.06		8.96	12
13	3.19		2.27	2.37	1.83	5.21	7.17	9.23	10.71	12.09		8.65	13
14	3.24		2.27	2.19	2.17	5.33	7.25	9.28	10.76	12.13		8.25	14
15	3.28		2.28	2.09	2.27	5.43	7.33	9.33	10.80	12.15		7.77	15
16	3.31		2.31	2.28	2.29	5.52	7.43	9.38	10.85	12.19		7.27	16
17	3.37		2.40	2.36	2.03	5.60	7.52	9.42	10.90	12.21		6.83	17
18	3.42		2.44	2.41	2.30	5.67	7.60	9.47	10.96	12.24		6.52	18
19	3.44		2.56	2.46	2.42	5.74	7.68	9.52	11.01	12.25		6.27	19
20	3.49		2.53	2.50	2.51	5.77	7.77	9.57	11.06	12.27		6.02	20
21	3.16		2.43	2.53	2.61	5.77	7.86	9.61	11.11	12.28		5.78	21
22	2.47		2.45	2.44	2.73	5.81	7.94	9.65	11.16	12.30		5.56	22
23	2.30		2.47	2.35	2.85	5.88	8.04	9.70	11.22	12.31		5.39	23
24	2.26		2.54	2.44	2.99	5.96	8.13	9.74	11.27	12.33		5.20	24
25	2.31		2.54	2.50	3.15	6.05	8.22	9.78	11.32	12.35		5.02	25
26	2.17		2.55	2.59	3.28	6.13	8.29	9.83	11.38	12.37		4.87	26
27	1.22		2.55	2.68	3.41	6.20	8.38	9.87	11.42	12.39	3	4.76	27
28	1.22		1.58	2.75	3.53	6.28	8.47	9.92	11.44	12.41		4.59	28
29	1.36		1.53	2.78	3.50	6.33	8.55	9.97	11.51	12.44		4.51	29
	1.30		1.51	2.77	3.51	6.35	0 800	10.02	11.55	12.47		4.46	30
30 31	1.05		1.69	2011	3.64	0.00		10.07		12.49		4.44	31
31	1.05		1.69					1000.					
						NTHLY SUMM	ARY-		10.84	12.11			MEAN
MEAN	2.61				2.72	5.26			10.84	12.11			
INST	0.86				1.36	3.66			10.10	11.57			INST
MAX	(31)				(12)	(1)			(1)	(1)			MAX
INST	3.50				3.68	6.36			11.57	12.51			INST
MIN	(20)				(31)	(30)			(30)	(31)			MIN
LITIM	1201												

ENVIRONMENT ONTARIO TORONTO HASTING COUNTY

OBSERVATION WELL 256

TOWNSHIP OF THURLOW

LOT 22 CONC . 6

WELL REC #: UTM CO-ORD: LAT & LONG: 2904367 Z-18 E313250 N4905130 44-17NORTH 77-20WFST

REC METHOD: REC COMMCO: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG: A35 RECORDER

DIAMETER OF WELL: 6.0 INCHES LENGTH OF CASING: 45 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 190 FEET

PUMP RATE: 2 IGPM SPEC. CAP: 0.07 IGPM/FT AQUIFER : LIMESTONE OUALITY : N.A.

ASS RECORDER
JUN. 22 1970
LENGTH OF CASING: 45 FEET
SPEC. CAP: 0.07 IGPM/FT
J.0 FEET ABOVE GROUND SURFACE
LENGTH OF SCREEN: NONE
AQUIFER: LIMESTONE
375 FEET ABOVE SEA LEVEL
DEPTH OF WELL: 190 FEET
OUALITY: N.A.
DRILLED
BRUWN TOPSUIL 1: BROWN CLAY AND BOULDERS 3: (DENSE) BROWN SANDY CLAY, BROKEN GRAVEL, POULDERS 45; HARD LIMESTONE
188; RED GRANITE 190.

				5171 V W	TAN WATER I	1974		STANCE IN	FEET BELOW	GROUND SL	RFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ест	NOV	DEC	DAY
DAT	JAN			161.11			PE			17.25	17.25	17.09	1
1		15.49	15.78		15.55	15.56	15.88			17.20	17.31	1100	1 2
2		15.54	15.75		15.56	15.57	15.89			17.20	17.32		2
3		15.63	15.73		15.58	15.60	15.89			17.23	17.20		3 4
4		15.68	15.51		15.60	15.62	15.89			17.26	17.23		5
5		15.72	15.22	14.97	15.61	15.63	15.96			17.29	17.27		6
6		15.74	15.25	15.07	15.61	15.65	15.99			17.31	17.29		7
7		15.75	15.25	15.13	15.59	15.68	16.03			17.21	17.31		8
8		15.77	15.30	15.18	15.59	15.68	16.07			17.32	17.31		9
9		15.77		15.20	15.55	15.69	16.11			17.35	17.32		10
10		15.78		15.24	15.47	15.71	16.10			17.35			11
11		15.79		15.27	15.47	15.74	16.14			17.35	17.33		
12		15.79		15.27	15.36	15.75	16.18			17.37	17.26		12
13		15.79		15.29	15.17	15.76	16.23			17.37	16.95		13
14		15.80		15.29	15.21	15.77	16.27			17.13	16.90		14
15		15.79		15.21	15.28	15.78	16.30			16.99	16.94		15 16
16		15.79		15.25	15.31	15.78	16.34			17.10	17.04		17
17		15.80		15.28	15.23	15.77	16.37			17.15	17.06		
18		15.81		15.32	15.26	15.77	16.41			17.18	17.06		18
19		15.80		15.35	15.30	15.78	16.44			17.21	17.09		
20		15.80		15.38	15.35	15.76	16.48		Name of the	17.26	16.96		20
21		15.82		15.40	15.37	15.77	16.51		17.39	17.28	16.73		21
22		15.78		15.41	15.40	15.80	16.55		17.39	17.29	16.77		22
23		15.74		15.40	15.43	15.84	16.53		17.38	17.30	16.84	4	23
24		15.74		15.41	15.45	15.86	16.40		17.41	17.31	16.82	16.69	24
25		15.74		15.44	15.49	15.87	16.41		17.39	17.30	16.82	16.74	25
26	16.00	15.77		15.46	15.51	15.88	16.43		17.29	17.31	16.88	16.80	26
27	15.66	15.78		15.49	15.52	15.90	16.42		17.32	17.34	16.94	16.85	27
28	15.40	15.78		15.50	15.54	15.93	16.43		17.27	17.37	16.99	16.90	28
29	15.40			15.53	15.54	15.91	16.40		17.18	17.38	17.05	16.94	29
30	15.45			15.54	15.54	15.88	16.30		17.20	17.35	17.08	16.99	30
31	15.47				15.55					17.23		17.04	31
						NTHLY SUMM	ARY-			12.02	17.08		MEAN
MEAN		15.75			15.45	15.76				17.27			
INST		15.47			15.16	15.55				16.92	16.69		INST
MAX		(1)			(13)	(1)				(15)	(21)		MAX
MAA										17.38	17.34		INST
INST		15.82			15.62	15.96				(29)	(12)		MIN
MIN		(21)			(6)	(29)				1271	(12)		

ENVIRONMENT ONTARIO TORONTO HASTING COUNTY

OBSERVATION WELL 123

TOWNSHIP OF TYENDINAGA

LOT 7 CONC . 6

WELL REC #: Z-18 E317400 N4911425 UTM CO-ORD: LAT & LONG: 44-20NORTH

REC METHOD: 'F' TYPE RECORDER

REC COMMCO: FEB. 2 1965

MEASURE PT: 2-5 FEET ABOVE GROUND SURFACE
GND ELEV: 475 FEET ABOVE SEA LEVEL

WELL TYPE: DRILLED

WELL LOG: CVERBURDEN (CLAY AND STONES) 3:

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 35 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 72 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. LIMESTONE FRESH

CVERBURDEN (CLAY AND STONES) 35: LIMESTONE 72.

DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE DEC DAY AUG JUL APR MAY JUN FEB DAY 21.73 22.36 22.98 23.52 23.84 17.00 18.74 19.61 20.89 21.78 22.43 22.43 22.40 21.23 20.65 15.63 15.64 14.80 14.82 14.98 15.37 16.14 16.39 16.56 15.67 16.14 16.30 16.56 17.16 16.30 16 28.87 26.30 26.41 26.48 26.52 26.63 26.77 26.78 26.80 26.80 26.92 27.03 13.75 27.37 27.04 27.18 27.60 27.57 27.56 27.39 27.11 27.00 28.89 28.89 28.89 28.88 28.88 28.88 28.88 29.07 28.93 17.20 16.25 14.97 14.51 14.32 14.29 14.29 14.49 14.49 14.89 14.89 14.89 14.89 15.08 15.08 15.08 28.93 28.93 28.87 28.89 28.90 28.90 28.90 14.04 29.05 29.06 29.06 28.99 28.99 28.90 14.04 14.32 14.61 14.84 15.14 15.36 15.68 16.39 16.10 15.89 15.69 15.51 15.38 15.37 15.49 15.64 15.95 16.03 16.13 16.41 16.67 16.80 17.29 19.24 21.02 21.35 22.26 24 ± 10 24 ± 39 24 ± 49 24 ± 47 24 ± 75 24 ± 77 25 ± 16 25 ± 18 25 ± 57 25 ± 57 25 ± 57 25 ± 57 25 ± 57 25 ± 63 25 ± 63 25 ± 82 25 ± 99 26 ± 18 26 ± 18 26 ± 18 28.02 28-04 28.04 28.05 28.11 28.18 28.20 28.20 28.22 28.37 28.88 28.88 28.87 28.87 28.88 28.89 28.90 28.90 28.92 28.92 15.87 15.98 16.11 16.28 16.36 28.90 10 27.03 27.21 27.24 27.22 27.33 27.54 27.64 27.67 28.56 28.57 28.75 28.73 12 13 14 15 12 13 16.51 28.44 28.40 28.37 28.47 28.58 28.70 16.51 16.71 16.76 16.60 16.65 16.68 16.79 16.91 28.81 16 17 28.55 28.48 28.11 28.18 18 19 20 21 22 23 18 27.62 27.79 27.84 27.89 27.92 27.95 27.99 28.04 28.07 28.09 28.10 28.92 28.93 28.97 29.05 29.05 28.94 28.91 28.91 28.95 28.92 20 21 22 23 24 25 26 27 28 29 30 31 28.70 28.70 28.70 28.79 28.84 28.82 28.82 28.55 28.21 17.16 17.15 17.58 27.82 27.80 27.85 27.56 27.64 27.64 24 16.02 16.17 16.33 16.44 16.57 26 27 28 29 12.65 12.65 12.61 12.77 13.01 13.28 13.55 28.87 28.85 28.87 28.83 22.94 27.68 30 31 -MONTHLY SUMMARY-0 24.93 28.98 28.46 MEAN 28.91 18.10 MEAN INST 27.38 28.89 14.57 21.32 28.84 INST 14.28 28.95 (1) INST MIN 21.75 23.20 26.23 INST (28)

ENVIRONMENT ONTARIO

WELL REC #: UTM CO-ORD: LOT 14 LAT & LONG: 3701191 L-18 .E355480 N4902559 44-16NORTH 76-49WEST DBSERVATION WELL 474 CONC . 5

TOWNSHIP OF ERNESTOWN LENNOX AND ADDINGTON COUNTY

6 INCHES 8 FEET NONE DIAMETER OF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: 23 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : 2 IGPM 0.25 IGPM/FT LIMESTONE FRESH

REC METHOD: A35 RECORDER REC COMMCD: JAN- 18 1968 MEASURE PT: 3-0 FEET ABGV GND LEEV: 350 FEET ABGV WELL TYPE: DKILLED A35 RECORDER
JAN. 18 1968
3.0 FEET ABGVE GREUND SURFACE
350 FEET ABGVE SEA LEVEL
DRILLED
CLAY 3; LIMESTONE Z3. LOG:

TURONTO

						1974							
				DAILY ME	AN WATER	LEVELS REFE	ERRED TO D	ISTANCE IN	FEET BELOW	GROUND SU	RFACE		
DAY	JAN	FEB	MAR	AFR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
**************************************	. 10	5.76	7.75	6.44	6.80	7.31	10.73	6.53	6.14	6.63	0.17	6.29	1
1	6.19		7.28	6.17	6.97	7.58	10.95	6.54	6.15	6.50	6.17	6.27	2
2	6.23	5.96	7.64	5.94	7.15	7.85	11.06	6.52	6.23	6.48	6.23	6.27	3
2 3 4	6.35	5.19	6.48	5.17	7.28	7.93	11.20	6.52	6.38	6.51	6.38	6.25	3
4	6.41	6.39	5.91	5.29	7.42	8.02	11.33	6.52	6.41	6.52	6.37	6.24	5
5	6.46	7.20	5.86	5.78	7.05	8.19	11.42	6.50	6.34	6.52	6.36	0.19	6
7	6.50			6.04	6.57	8.49	11.50	6.40	11.66	6.53	5.66	6.12	7
1	6.55	7.78	5.89	6.14	6.52	8.84	12.06	6.39	13.60	6.52	3.23	6.92	8
8	6.58	8.08			6.27	9.06	12.10	6.30	13.33	6.53	3.51	5.89	9
9	6.58	8.39	6.35	6.49	5.88	9.26	12.05	6.32	12.79	6.52	4.32	6.58	10
10	6.58	8.76	6.43	6.62	5.93	9.49	11.96	6.32	12.04	6.51	5.28	6.36	11
11	6.60	8.98	0.71	6.73	5.66	9.58	12.06	6.32	10.83	6.51	5.84	6.22	12
12	6.72	9.15	7-35	6.71	5.25	9.69	12.13	6.31	10.07	6.51	6.31	6.13	13
13	7.28	9.18	7.60	6.64	5.45	9.80	11.92	6.31	9.46	6.30	6.29	6.03	14
14	7.55	9.38	7.66		5.67	9.79	11.31	6.31	9.47	6.23	6.30	5.92	15
15	8.22	9.51	8.13	6.39	5.85	9.10	11.16	6.31	10.03	6.27	6.35	5.79	16
10	8-54	9.50	8.50	6.42		9.69	10.84	6.31	10.90	6.27	6.50	5.68	17
17	8.84	9.68	8.77	6.50	5.77	10.12	10.05	6.31	10.95	6.26	6.49	5.60	18
18	8.82		9.08	6.61	5.91		9.18	6.08	10.54	6.25	6.40	5.54	19
19	9.02		6.97	6.79	6.07	10.13	8.68	3.06	10.25	6.23	6.55	5.47	20
20	9.13		6.69	7.20	6.21	9.61	7.94	4.89	9.17	6.22	6.95	5.41	21
21	8.14		8.67	7.45	6.31	9.99		6.15	8.77	6.21	6.77	5.34	22
22	6.35		6.80	7.36	6.43	9.92	7 - 21	6.11	8.86	6.20	6.58	5.27	23
23	0.29		9.07	6.47	6.44	10.21	6.71		9.03	6.17	6.61	5.22	24
24	6.23		8.79	6.49	6.49	10.53	6.62	6.15	8.92	6.16	6.62	5.19	25
25	b. 33		8.70	6.52	6.58	10.58	6.57	6.17	8.47	6.18	6.54	5.16	26
26	6.34	8.37	8.92	6.62	6.63	10.73	6.56	6.16	7.37	6.19	6.46	5.07	27
27	5.50	8.67	9.09	6.81	6.60	10.90	6.57	6.20	6.91	6.20	6.38	4.98	26
28	5.44	8.80	9.15	7.17	6.55	10.92	6.56	6.18		6.20	6.35	4.90	29
29	5.42		9.32	7.34	6.55	10.64	6.57	6.17	6.61	6.21	6.32	4.84	30
30	5.61		9.22	7.44	6.65	10.55	6.55	6.03	6.70		0.52	4.78	31
31	5.62		7.60		7.52		6.52	6.08		6.22		7010	31
						NTHLY SUMM			0.02	21.22		e 77	MEAN
MEAN	6.85		7.90	6.54	6.40	9.48	9.62	6.14	9.15	6.35	6.08	5.77	MEAN
INST	5.22		5.67	4.98	5.21	7.23	6.52	2.77	6.11	6.07	3.10	4.75	INST
MAX	(28)		(5)	(4)	(13)	(1)	(31)	(20)	(1)	(14)	(8)	(31)	MAX
INST	9.17		9.70	7.68	7.91	11.04	12.53	6.55	13.66	6.91	7.03	7.11	INST
MIN	(20)		(29)	(22)	(31)	(27)	(9)	(2)	(7)	(1)	(21)	(8)	MIN

ENVIRONMENT ONTARIO LENNOX AND ADDINGTON COUNTY

INST MIN

6.35

10.17

7.06

DRSERVATION WELL 478

TOWNSHIP OF ERNESTOWN

LOT 14 CONC . 4

WELL REC #: UTM CO-ORD: LAT & LONG: 3700988 Z-18 E355900 N4901600 44-15NORTH 76-48WEST

REC METHOD: A35 RECORDER
REC COMMCO: JAN, 18 1968
MEASURE PT: 2.0 FEET ABOVE GROUND SURFACE
GND ELEV: 350 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LOG: CLAY 6: LIMESTGNE 104.

DIAMETER OF WELL: 6 INCHES
LENGTH OF CASING: 9.5 FEET
LENGTH OF SCREEN: NONE
DEPTH OF WELL: 103 FEET

PUMP RATE: 1 IGPM SPEC. CAP: AQUIFER : QUALITY : N.A. LIMESTONE FRESH

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE DEC DAY AUG SEP DCT NOV JUN MAY DAY JAN FEB MAR APR 16.86 17.02 17.06 16.94 16.66 15.92 14.61 13.51 13.22 13.22 13.36 17.74 17.79 17.85 17.90 17.95 18.00 18.04 18.10 18.75 18.77 18.79 18.80 18.76 18.73 18.71 18.70 18.69 18.53 18.37 18.10 17.78 17.63 17.54 17.56 17.65 17.71 17.84 17.98 18.02 6.78 6.49 6.57 5.04 3.16 7.07 7.19 7.48 7.80 8.20 8.68 9.13 9.58 9.97 10.74 11.01 11.26 11.49 11.61 11.55 10.89 10.89 10.89 10.97 11.168 11.75 10.89 10.89 10.97 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.168 11.83 11.99 12.16 12.49 13.02 13.57 14.05 15.26 15.60 15.85 16.04 16.57 16.77 16.77 17.02 17.13 17.23 17.32 17.41 17.52 17.56 17.56 17.56 17.56 17.56 17.56 4.13 3.01 2.53 1.82 1.88 2.13 2.22 0.90 0.73 0.41 0.23 0.31 0.32 0.34 0.99 3.07 3.14 2.32 2.51 2.27 2.29 2.25 3.16 4.51 4.51 4.51 4.51 6.72 6.73 6.74 7.74 7.75 6.77 7.75 2.30 6.24 6.62 6.81 7.03 7.30 7.38 3.90 2.17 2.56 3.04 3.18 2.60 2.89 3.17 3.39 3.79 4.12 4.43 4.69 4.95 5.22 3.02 2.76 2.93 3.93 4.40 4.79 5.24 5.57 5.78 5.78 5.78 5.76 5.78 5.78 5.78 5.78 5.78 5.78 5.78 2.20 2.63 2.83 2.69 2.77 2.77 2.87 3.31 3.20 2.87 2.52 2.13 1.86 1.64 18.69 18.70 18.71 18.72 18.74 18.77 18.78 18.78 18.80 18.86 18.85 18.85 18.85 18.85 18.73 18.71 18.71 18.71 18.22 18.27 18.29 18.34 18.44 18.54 18.57 18.61 18.73 18.73 18.73 18.73 18.73 18.73 18.73 10 11 13.60 5.46 5.59 5.70 5.86 6.01 6.12 18.02 18.09 18.06 16.40 14.26 13.85 13.66 13.29 12 13 14 15 16 17 18 19 20 21 22 23 9.69 6.63 6.19 5.43 5.23 5.09 3.76 3.75 3.74 3.40 3.60 3.60 4.29 4.29 5.35 3.13 13 14 15 16 17 16 19 20 21 22 23 24 25 26 27 28 29 30 31 2.82 2.48 2.14 1.94 6.23 6.31 6.34 6.14 4.15 3.46 2.70 2.67 1.78 1.58 1.73 1.82 1.78 13.23 13.54 14.06 14.66 15.14 15.45 15.73 15.99 16.20 16.45 16.63 16.75 1.68 1.67 1.62 1.57 1.88 2.13 2.13 2.05 1.93 1.91 1.92 1.61 2.22 2.18 1.94 1.63 1.35 1.08 0.87 0.82 24 25 26 27 28 29 30 31 5.65 5.70 5.71 5.73 5.60 7.23 11.70 -MONTHLY SUM 18.75 16.33 9.06 3.29 MEAN 3.16 18.40 2.26 5-14 MEAN 4-06 6.96 13.14 (20) 3.35 INST 18.59 0.13 (5) 0.77 11.75 17.71 INST 1.52 1.69 7.04 7.40 (8) 17.07 18.86 18.59 (1) 18.74

CBSERVATION WELL 479

TOWNSHIP OF ERNESTOWN

ENVIKONMENT ONTARTO TORGNTO LENNOX AND ADDINGTON COUNTY

WELL REC #: 3701192 UTM CO-QRD: Z-18 E355459 N4902602 LOT 14 LAT & LONG: 44-16NCRIH 76-49WEST CONC. 5

REC METHOD: A35 RECORDER
REC COMMCD: JAN. 18 1968
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE
GND ELEV: 350 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LGG: LIMESTONE 44.

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 8 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 44 FEET

PUMP RATE: 2 IGPM SPEC. CAP: 0.06 IGPM/FT ADUIFFR : LIMESTONE QUALITY : FRESH

	1974							
DAILY MEAN WATER	LEVELS REFERRED	TO	DISTANCE	IN	FEET	BELDW	GROUND	SURFACE

UAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
*	1.25	0.36	3.07	1.84	3.42	4.18	4.48	5.45	6.33	4.79			1
1	1.66	0.76	2.72	1.18	3.45	4.23	4.68	5.55	6.32	4.50			2
2	1.99	1.39	3.03	0.78	3.53	4.40	4.79	5.62	5.90	4.69			3
3		1.99	1.98	-0.04	3.64	4.53	4.86	5.61	5.46	4.88			4
4	2.26	2.64	0.62	-0.13	3.75	4.65	4.87	5.11	5.68	5.16			5
5	2.52	3.26	0.39	0.42	3.67	4.71	5.01	5.39	6.07	5.41			6
	2.74	3.20	0.55	0.89	3.51	4.75	5.17	5.66	6.22	5.39			
7	2.96		0.90	1.11	3.52	4.84	5.16	5.75	6.34	5.34			8
8	3.10		1.41	1.44	3.25	4.85	5.15	5.77	6.35	5.28			9
9	3.17			1.81	2.15	4.84	4.81	5.88	6.35	5.40			10
10	3.22		1.63		1.89	4.91	4.92	6.00	6.35	5.48			11
11	3.26		2.11	2.07	1.65	4.96	5.23	6.02	6.27	5.51			12
12	3.33		2.60	2.21		4.97	5.38	6.03	5.69	5.56			13
13	3.40		2.96	2.27	0.68	5.08	5.47	6.09	5.86	5.14			14
14	3.46		3.22	2.24	0.77	5.08	5.44	6.13	6.08	4.42			15
15	3.53		3.44	1.94	1.19		5.44	6.16	6.16	4.49			16
16	3.62		3.61	1.88	1.68	4.63	5.52	6.14	6.18	4.52			17
17	3.71		3.74	2.06	1.74	4.57		6.08	5.73	4.49			18
18	3.73		3.83	2.32	1.93	4.62	5.56	6.14	5.77	4.66			19
19	3.73		3.87	2.59	2.32	4.78	5.60		5.78	4.89			20
20	3.73		3.77	2.94	2.75	4.54	5.73	6.19	5.46	5.07			21
21	3.50		3.71	3.20	3.19	4.50	5.67	6.25	5.19	5.25			22
22	2.58		3.80	3.30	3.50	4.34	5.70	6.33		5.30			23
23	2.12		3.86	2.98	3.67	4.32	5.82	6.32	5.34	5.26			24
24	1.73		3.75	2.88	3.83	4.46	5.41	6.31	5.55	5.10			25
25	1.68		3.76	2.87	3.97	4.66	5.17	6.31	5.64	4.95			26
26	1.65	3.41	3.80	3.02	4.06	4.73	5.35	6.32	5.23	5.01		30	27
27	0.63	3.68	3.93	3.29	4.15	4.86	5.42	5.93	5.04				28
28	-0.46	3.68	3.98	3.46	4.21	5.01	5.49	5.66	4.98	5.21			29
29	-0.33		4.04	3.58	4.27	4.70	5.47	6.00	4.62	5.38			30
30	-0.01		4.01	3.61	4.32	4.45	4.97	6.15	4-57				31
31	0.24		3.01		4.33		5.13	6.31					31
					-MOI	NTHLY SUMM			an salah				MEAN
MEAN	2.38		2.94	2.13	3.03	4.67	5.25	5.96	5.75				
INST	-0.48		0.12	-0.37	0.56	4.17	4.45	5.07	4.52				INST
MAX	(28)		(5)	(4)	(13)	(1)	(1)	(5)	(29)				MAX
INST	3.75		4.09	3.62	4.39	5.26	5.91	6.36	6.36				INST
MIN	(21)		(29)	(30)	(31)	(14)	(23)	(31)	(1)				MIN

ENVIRONMENT GNTARIO TCRONTO
LENNOX AND ADDINGTON COUNTY OBSFRVATION WELL 484

TOWNSHIP OF ERNESTOWN

CONC . 5

WELL REC #: 3701190 UTM CO-ORD: Z-18 F355378 N4903167 LOT 14 LAT & LONG: 44-16NORTH 76-49MEST

REC METHOD: A35 RECORDER
REC COMMCD: JAN. 18 1968
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE
GND ELEV: 400 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LOG: CLAY 1; LIMESTONE 78.

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 9.5 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 78 FEET

PUMP RATE: 50 IGPM SPEC. CAP: 7.69 IGPM/FT AQUIFFR : LIMESTONE QUALITY : FRESH

				DAILY M	EAN WATER	LEVELS REFE	RRED TO DI	STANCE IN	FEET BELUK	GROUND SC	JKFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
							50.68	53.71	54.56	54.83	54.22		1
1 2 3							50.68	53.75	54.61	54.82	54.22		2
2							50.78	53.77	54.72	54.83	54.23		3
3							50.89	53.80	54.84	54.84	54.24		4
4							50.99	53.85	54.90	54.83	54.25		5
5	33.21					47.50	51.14	53.83	54.90	54.79	54.20		2 3 4 5 6 7
6	34.01					47.95	51.32	53.81	54.91	54.77	54.12		7
7	34.76					48.33	51.48	53.84	54.92	54.77	54.00		В
8	35.53					48.63	51.63	53.86	54.94	54.76	53.90		9
.9	36.31					48.86	51.76	53.89	54.95	54.75			10
10	37.69					49.09	51.89	53.93	54.95	54.75			11
11	37.74					49.33	52.07	53.97	54.93	54.76			12
12	38.38					49.57	52.23	53.99	54.95	54.80			13
13	39.02					49.75	52.34	54.03	54.98	54.76			14
14	39.63					49.88	52.44	54.08	55.01	54.64			15
15	40.12					49.94	52.56	54.13	55.03	54.52			16
16	40.53					49.98	52.74	54.13	55.12	54.44			17
17	40.90					50.03	52.84	54.15	55.16	54.43			18
18	41.20					50.10	52.91	54.19	55.16	54.43			19
19	41.42					50.08	53.05	54.27	55.15	54.40			20
20	41.71					49.97	53.19	54.34	55.14	54.38			21
21	37.50					49.57	53.30	54.39	55.14	54.37			22
22	33.05					49.04	53.38	54.42	55.15	54.35			23
23 24 25	33002					49.32	53.42	54.44	55.17	54.30			24
24						49.68	53.46	54.46	55.16	54.27			25
26						49.93	53.50	54.52	55.16	54.24			26
27						50.50	53.54	54.53	55.16	54.22			27
28						50.69	53.58	54.53	55.17	54.22			28
29						50.76	53.62	54.52	55.05	54.22			29
30						50.73	53.64	54.51		54.22			30
31							53.66	54.52		54.22			31
					_0	ONTHLY SUMM	ARY-						
MCAN						DITTIET SOM	52.41	54.13		54.55			MEAN
MEAN										54.22			INST
INST							50.67	53.68		(27)			MAX
MAX							(1)	(1)		(21)			
INST	- 1						53.68	54.53		54.84			INST
							(31)	(26)		(4)	77 (4.06)		MIN
MIN							gave y first						

ARSERVATION WELL 241

ENVIRONMENT ONTAFIC TOPONTO PRESCOTT COUNTY

VILLAGE OF L'ORIGINAL

LOT -

WFLL REC 4: 5200776 UTM C1-000: Z-18 5523760 N5051250 LAT & LONG: 45-37NORTH 74-42WEST

CONC. -

REC METHOD: A35 PECPARER
REC COMMC9: MAY L 1969
MEASURE PT: L.1 FFET ABOVE GROUND SUPFACE
GND GEV: 15A FFET ABOVE SEA LEVEL
WELL TYPE: DRILLED

DIAMFTER OF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: WFLL: 10 INCHES ASING: 36 FEET CREEN: NONE WELL: 76 FEET PIJMP RATE: SPEC. CAP: AQUIFER : QUALITY :

49 IGPM N.A. SHALE AND LIMESTONE FRESH

SANDY L'AM 5: BROWN (LAY 15: GREY CLAY 24: SAND AND BOULDERS 27: CDARSE SAND 36: GREY SHALE 42: GREY LIMESTONE 76.

LDG:

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	FEH	MAR	APR	MAY	NUL	JUL	AUG	SFP	DCT	NOV	DEC	DAY
1	14.05	12.84	14.75	14.89	13.53	15.04	16.33	17.97	19.14				1
2	14.04	12.95	14.85	14.60	13.84	15.13	16.52	17.88	19.10				2
3	13.93	13.10	14.89	14.42	14.07	15.24	17.04	17.81	19.15				
4	13.97	13.35	14.73	13.00	14.09	15-22	16.87	17.76	19.18				4 5 6
-	14.01	13.52	13.72	11.55	14.31	15.27	16.91	17.77	19.23				5
5	14.06	13.74	12.96	11.52	14.43	15.31	17.09	17.76	19.28				
7	14.19	13.93	11.69	12.31	14.31	15.35	17.05	17.80	19.29				7
8	14.30	14.06	11.70	12.92	14.44	15.40	16.98	17.75	19.30				8
q	14.37	14.21	11.94	13.19	14.26	15.45	16.83	17.85	19.34				9
10	14.34	14.30	12.72	13.56	13.09	15.57	16.88	17.90	19.32				10
11	14.35	14.46	13.26	13-42	13.43	15.58	17.15	17.93	19.35				11
12	14.48	14.55	13.60	12.88	13.55	15.69	17.39	18.08	19.37				12
13	14.53	14.63	13.71	12.53	12.85	15.78	17.52	18.15	19.37				13
14	14.54	14.71	13.87	11.95	13.55	15.85	17.52	18.30					14
15	14.64	14.69	14.09	11.35	13.95	15.88	17.47	18.35					15
16	14.72	14.70	14.20	11.75	14.12	15.81	17.55	18.41					16
17	14.77	14.68	14.22	12.42	14.27	15.76	17.87	18.47					17
18	14.78	14.80	14.49	12.73	14.49	15.83	18.02	18.51					18
19	14.81	14.81	14.59	13.22	14.50	15.89	18.09	18.65					19
20	14.87	14.83	14.73	13.62	14.47	15.94	18.18	18.74					20
21	14.83	14.94	14.71	13.71	14.44	16.04	18.16	18.84					21
22	14.47	14.78	14.77	13.77	14.46	15.92	18.25	18.91					22
23	14.25	14.63	14.85	13.72	14.48	15.79	18.25	18.96					23
24	14.79	14.65	14.81	13.78	14.31	15.98	18.22	18.99					24
25	14.35	14.77	14.88	14.02	14.34	16.20	18.22	18.92					25 26
26	14.43	14.80	14.85	14.13	14.46	16.33	18.23	19.04					26
27	14.02	14.79	14.90	14.26	14.56	16.53	18.10	19.08					27
28	13.56	14.79	14.95	14.28	14.62	16.70	17.82	19.10					28
29	13.31		14.93	14.26	14.72	16.73	17.98	19.11					29
30	13.25		14.97	13.68	14.86	16.44	18-18	19.16					30
31	13.32		14.89		14.96	F	18.16	19.17	¥				31
					-MO	NTHLY SUMM							MEAN
MEAN	14.25	14.32	14.14	13.25	14.19	15.79	17.58	18.42					MEAN
TNST	13.05	12.58	11.23	11.10	12.50	14.81	16.15	17.58					INST
MAX	(30)	(1)	(7)	(15)	(13)	(1)	(2)	(5)					MAX
MAX	1 201			10.00 E 10.00	1. F. C. T. S.	00 MAI							
INST	14.97	15.04	15.09	15.15	15.05	16.95	18.45	19.43					INST
MIN	1211	(21)	(30)	(1)	(31)	(28)	(23)	(30)					MIN
6.18 1.8	15.11												

ENVIRONMENT ONTARIO TORONTO PRESCOTT CCUNTY

OBSERVATION WELL 257

TOWNSHIP OF PLANTAGENET

LOT 7

WELL REC #: 5200394 Z-18 E500550 N5041250 UTM CO-ORD: LAT & LONG: CO-ORD: 45-32NORTH

REC METHOD: REC COMMCD: MEASURE PT: GND FLEV: WELL TYPE: WELL LOG: A35 RECORDER NOV. 20 1969 DIAMETER OF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: 6 INCHES 34 FEET NONE 35 FEET PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : 75 IGPM 2.69 IGPM/FT GRAVEL FRESH

167 FFET ABOVE SEA LEVEL

DRILLED SILT 25; CCARSE SAND 30; GRAVEL 35.

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW MEASURING POINT OCT NOV APR MAY JUN JUL AUG SEP JAN FEB MAR DAY 10.76 10.64 10.43 10.29 123456789 7.36 7.48 7.72 7.63 7.50 7.55 7.55 7.49 7.87 7.87 7.87 7.87 7.27 9.87 12.25 13.01 13.44 14.02 14.27 14.56 14.60 15.02 15.04 14.60 15.02 14.60 13.03 12.54 15.06 15.24 13.81 12.73 12.21 11.75 11.40 11.03 10.90 10.62 10.38 10.12 7.17 7.39 7.20 7.06 7.10 6.27 6.38 6.11 6.34 6.38 6.20 6.29 6.37 6.20 5.88 6.76 7.38 7.53 7.31 7.16 6.68 6.25 5.82 5.97 5.68 5.84 6.03 6.11 6.09 6.29 6.55 6.46 6.46 6.67 6.68 6.68 7.12 6.81 7.48 7.45 7.01 7.34 7.35 7.75 7.75 7.47 7.48 7.48 6.22 6.20 5.54 5.51 5.60 5.64 5.98 5.79 10.25 10.15 9.94 9.81 9.73 9.71 9.56 9.56 9.48 9.51 9.31 9.35 10.46 12.10 10.68 10.36 11.39 12.54 7.02 7.23 7.45 7.45 7.42 7.18 7.63 7.15 7.22 7.52 7.67 7.67 7.67 7.63 7.15 7.29 7.29 10 11 12 13 14 15 16 17 16 19 20 21 22 23 24 25 26 27 28 29 10 11 12 13 14 15 16 17 18 19 20 6.00 5.87 5.66 5.55 5.95 6.07 6.31 6.14 5.98 6.31 6.54 6.54 6.54 6.53 6.31 6.49 6.53 6.31 6.49 6.53 5.48 5.57 5.70 5.75 6.08 9.88 9.71 9.73 9.60 9.33 9.20 9.24 9.35 9.26 11.94 13.30 13.94 11.68 11.38 11.68 6.44 6.17 5.88 6.54 6.64 6.69 6.57 6.87 7.06 6.62 6.62 6.67 7.00 5.96 6.28 6.41 6.43 6.32 6.20 21 22 23 24 25 26 27 6.30 6.26 6.24 6.06 6.07 5.98 6.14 6.13 10.63 10.34 9.84 9.75 6.72 6.76 6.62 6.44 6.47 28 6.88 30 -MONTHLY SUMMAR MEAN 10.79 11.29 10.18 6.07 7.24 7.07 6.56 MEAN INST 7.26 9.18 5.27 INST 6.13 6.41 5.45 5.29 6.22 INST MIM 13.00 7.63 7.41 (23) 6.53 (2) 11.68 (28) 15.41 (26) 9.77 (21) 15.39 INST 7.88 MIN

ENVIRONMENT ONTARIO PRESCOTT COUNTY

G8SERVATION WELL 183

TOWNSHIP OF W. HAWKESBURY

WELL REC #; UTM CO-ORD: LAT & LONG: CONC. 5 LOT 8

5200594 2-18 E528025 N5042000 32NORTH 74-39WEST

REC METHOD: REC COMMCD: MEASURE PT: GNO ELEV: WELL TYPE: A35 RECORDER
0CT-19 1966
2-8 FEET ABOVE GROUND SURFACE
275 FEET ABOVE SEA LEVEL DIAMETER OF WELL: 10 INCHES LENGTH OF CASING: 36 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 94 FEET PUMP RATE: SPEC. CAP: AQUIFER : QUALITY :

40 IGPM 3.81 IGPM/FT LIMESTONE FRESH ORILLED

GREY CLAY 10; GREY CLAY AND GRAVEL 12; HARDPAN 30; SDFT WEATHERED GREY LIMESTONF WITH SOMF GRAVEL 49; LIGHT BROWN LIMESTONE 59; DARK GREY LIMESTONE 94.

				to married this		1974		Linner on					
				DAILY ME	AN WATER L	EVELS REFE	RRED TO DI	ISTANCE IN	FEET BELOW	GROUND SU	JRFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1	1.51	1.49	5.30	5.02	2.89	4.22	7.27	8.96	7.87	7.38	7.43	3.75	1
2	1.45	1.56	5.36	4.32	2.95	4.41	7.39	8.91	7.98	7.07	6.81	3.96	2
2	1.45	1.62	5.41	3.88	3.05	4.59	7.49	8.88	8.08	7.01	5.98	4.85	3
4	2.55	1.89	5.19	1.79	2.99	4-69	7.25	7.85	8.03	6.93	5.82	5.21	1 2 3 4 5
5	3.11	2.15	2.08	1.28	3.21	4.84	6.35	6.56	9.34	7.03	6.81	5.37	
6	3.42	2.31	1.44	1.58	3.23	5.01	6.56	6.19	9.79	6.79	7.15	5.47	6
7	3.70	2.53	1.18	1.88	2.94	5.21	6.70	7.26	9.46	6.92	7.37	4.58	7
8	3.96	3.36	1.43	2.26	2003	5.38	6.80	7.67	8.03	7.60	7.44	3.37	8
4	3.69	3.83	1.87	2.49	2.86	5.52	6.95	7.89	7.99	B.00	6.31	2.70	9
10	3.24	4.10	2.22	2.77	2.04	5.71	7.15	8.01	8.35	7.99	5.87	2.83	10
11	2.69	4.33	2.59	2.52	2.21	5.79	7.35	7.13	8.52	7.32	6.89	2.28	11
12	2.50	4.52	2.88	2.18	2.13	5.85	7.52	7.33	8.58	6.99	7.36	2.59	12
13	2.53	4.62	3.19	1.85	1.97	5.95	7.68	8.13	8.69	6.90	7.00	2.82	13
14	2.86	4.30	3.53	1.67	2.20	6.03	7.82	8.57	8.32	6.82	6.48	3.24	14
15	2.82	3.31	3.78	1.49	2.36	6.19	7.53	8.84	7.92	6.79	6.39	2.62	15
16	2.66	3.05	3.93	1.93	2.51	6.34	7.88	9.02	7.92	7.66	6.47	3.45	16
17	2.77	2.78	4.07	1.76	2.71	6.17	8.13	8.75	8.17	8.21	6.52	3.87	17
18	2.72	3.14	3.79	2.13	2.97	6.01	8.28	8.37	7.81	8.35	6.54	4.07	18
19	2.79	4.25	3.99	2.56	3.27	6.08	8.39	7.84	7.79	7.30	6.48	4.26	19
20	2.82	4.58	4.42	2.78	2.92	6.11	8.50	8.89	7.77	8.20	5.01		20
21	3.06	4.80	4.54	2.88	3.51	5.99	8.63	9.32	7.28	8.58	5.26		21
22	2.46	4.80	4.34	2.93	3.79	5.97	8.75	9.55	7.02	8.74	5.03		22
23	2.59	4.81	4.61	2.74	3.58	5.97	8.89	9.71	7.37	8.83	4.31		23
24	2.52	4.85	4.60	2.88	3.63	6.12	9.00	9.84	8.27	8.93	3.92		24
25	2.48	4.87	4.56	3.05	3.61	6.27	9.01	9.86	8.70	8.97	3.80		25
26	2.50	4.95	4.81	3.23	3.67	6.45	9.05	8.79	8.61	8.85	3.77		26
27	1.92	5.08	4.94	3.41	3.57	6.67	9.09	8.50	7.99	7.62	3.67		27
28	1.48	5.21	5.07	3.55	3.74	6.96	9.16	8.28	7.81	7.34	3.67		28
29	1.69		5.13	3.60	3.85	6.75	9.26	8.41	7.46	8.40	3.69		29
30	1.46		5.17	3.28	3.94	7.15	9.32	8.20	7.16	8.77	3.63		30
31	1.72		5.22		4.12		9.38	8.09		8.26			31
						NTHLY SUMM							
MEAN	2.55	3.68	3.89	2.66	3.08	5.81	8.02	8.37	8.14	7.76	5.76	36	MEAN
INST	1.11	1.24	1.02	0.80	1.85	4.16	5.59	5.42	6.33	5.94	3.04		INST
MAX	(28)	(1)	(7)	(15)	(13)	(1)	(5)	(6)	(30)	(15)	(28)		MAX
INST	4.11	5.26	5.46	5.20	4.20	7.21	9.40	10.01	9.98	9.01	7.82		, INST
MIN	(9)	(28)	(4)	(1)	(31)	(30)	(31)	(25)	(7)	(26)	(1)		MIN

WELL REC #: UTM CD-ORD: LAT & LONG: 5300976 Z-18 E318640 N4873090 43-59NORTH 77-15WEST ENVIRONMENT ONTARIO OBSERVATION WELL 178 PRINCE EDWARD COUNTY TOWNSHIP OF HALLOWELL MT 2 LOT 2

REC METHOD: A35 RECORDER
REC COMMCD: JUL. 18 1966
MEASURE PT: 1.5 FEET ABOVE GROUND SURFACE
GND ELEV: 294 FEET ABOVE SEA LEVEL
WELL TYPE: DRILLED
WELL LCG: GRAVEL 10; LIMESTONE 100.


DIAMETER OF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: 6.0 INC 10 FEET NONE 100 FEET INCHES

5 IGPM N.A. LIMESTONE FRESH PUMP RATE: SPEC. CAP: AQUIFER : QUALITY :

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE DAY FEB MAR APR JUN JUL AUG OCT NOV DEC DAY 11.62 11.39 11.17 10.69 10.68 10.50 10.37 10.23 10.10 9.96 3.06 2.85 2.71 2.70 2.72 2.71 2.64 2.46 1.37 1.40 1.38 14.39 14.44 14.55 14.55 14.58 14.60 14.62 14.64 14.70 14.81 14.83 14.84 14.83 14.83 14.83 14.83 14.83 14.83 14.83 14.83 14.83 14.83 14.83 14.83 14.83 14.83 1.21 1.28 1.31 1.36 1.44 1.46 1.57 1.60 1.56 1.43 1.19 0.86 0.64 0.50 1.30 1.34 1.39 1.45 1.51 1.57 1.64 1.70 1.76 6.25 6.40 6.53 6.66 6.80 6.98 7.16 7.35 7.52 7.70 11.81 11.95 12.08 12.20 12.35 12.46 12.55 12.60 12.67 12.76 0.05 0.04 0.04 0.04 0.04 0.09 3 4 5 6 7 8 9 10 1.32 1.08 0.82 0.61 0.58 0.58 0.21 0.24 0.25 0.26 0.70 1.40 1.55 1.63 1.69 1.78 1.84 1.90 2.02 9.96 9.77 9.57 9.40 9.27 9.13 8.91 8.59 8.17 7.71 7.23 6.74 6.41 5.89 11 12 13 0.63 0.69 0.75 0.82 0.99 1.01 1.08 1.15 1.16 1.20 1.27 1.32 1.35 1.41 1.43 1.18 0.72 1.88 1.95 2.03 2.09 2.13 2.16 2.20 12.92 12.99 13.11 13.27 13.38 13.48 13.57 13.67 13.75 13.82 13.88 8.06 8.22 8.42 8.68 9.05 9.33 9.55 9.79 10.04 10.27 10.45 10.62 14 15 16 17 18 19 20 21 22 23 0.56 0.91 0.92 0.97 1.02 1.08 1.11 1.12 16 17 18 19 0.45 0.45 0.50 0.56 0.60 0.66 0.74 0.83 0.91 0.99 1.06 1.12 1.18 2.28 2.40 2.44 2.42 2.38 2.39 2.44 2.59 2.54 2.59 2.69 2.72 2.03 23 14.08 14.12 14.15 14.20 14.26 14.29 14.34 0.47 0.33 0.29 0.12 0.08 0.06 1.20 1.25 1.25 1.23 1.25 1.26 1.19 5.26 4.71 4.29 3.91 3.54 3.33 1.50 1.35 1.31 24 25 26 27 28 29 30 31 24 25 26 27 11.01 11.20 11.36 11.49 11.58 11.63 13.92 13.62 13.36 13.08 12.82 12.53 12.24 11.93 1.34 28 29 30 31 3.22 1.02 -MONTHLY SUMMAR 0.95 1.01 0.65 1.01 9.05 13.25 14.20 8.07 MEAN MEAN INST 0.57 0.44 6.18 11,75 11.77 3.14 INST 0.03 0.16 1.26 2.73 MAX (4) INST MIN 11.77 1.18 6.18 11.75 14.36 INST 1.61 2.73 14.84

Northeastern Region






OBSERVATION WELL DATA

REGIONAL OFFICE SUDBURY 469 Bouchard St. 705-522-8282

DISTRICT OFFICES

North Bay 1500 Fisher St. 705-476-1001 Sault Ste. Marie 445 Albert St. E. 705-949-4640 Timmins 83 Algonquin Blvd. W. 705-264-9474 Parry Sound 74 Church St. 705-746-2139



OBSERVATION WELL DISTRIBUTION

P 1 3.

ORSERVATION WELL 239

UNSURVEYED

WELL REC #1 1601461 UTM CO-ORD: 7-16 E703350 N5545050 LAT & LONG: 50-04NORTH 84-10HE8T

PUMP RATE: N.A. SPEC, CAP: N.A. AQUIFER : SAND AND GRAVEL GUALITY : FRESH

REC METHOD: BROTT RECORDER DIAMETER OF WELL: 2 INCHES PUMP RATE: N.A. LENGTH OF CABING: 109 FEET SPEC. CAP: N.A. LENGTH OF CABING: 109 FEET SPEC. CAP: N.A. ADUIFER: SAND AND MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: 11 FEET ADUIFER: SAND AND MEASURE STORM OF SCREEN: 120 FEET GUALITY: FRESH DELL TYPE: DFILLED DFILLED CLAY, SOME GRAVEL AND DDD BOULDERS 15; SAND AND SOME GRAVEL 25; COARSE GRAVEL, SAND, AND BOULDERS 120. NOWEC WELL NUMBER 43-05-003


						1974				. seeming is			
				DATLY ME	AN WATER L	EVELS REF	ERRED TO D	ISTANCE I	FEET BELO	GROUND SI	IRFACE		
	ø						JUL	AUG	SEP	OCT	NOV	DEC	DAY
DAY	JAN	FER	MAR	APR	MAY	JUN	JUL	*00	SEF		38831		-
1		80.52	80.94	81.38	81,58								1
Ş		80.53	80.95	81.39	81.54								2
ŝ		80.54	80.95	81.41	81,52								2
4		80.57	80.97	81.42	81.47								:
5		80.58	80.97	81,44	81,44								7
6		80.60	80.97	81,44	81,40								6
7		54.08	81.02	81.48	81,37								8
å		80.64	81.03	81.49	81.35								9
9		80.65	81.04	81,51	81,31								
10		80.67	81.06	61.53	81.29								10
11		80.67	81.08	81.54	81.24								10 11 12 13
12		80.69	81.09	81.56	81,21								12
13		80.70	81,11	81.58	81.16								14
14		80.72	81.11	81.59	81,11								12
15		80.73	81.14	81.60	81.06								15
16		80.74	81.14	81.61									17
17		80.76	81.15	81.65									18
18		80.76	81.17	81,65									19
19		80.78	81.19	81.66									17
20		80,81	81.20	81.66									20
21		80.80	81.20	81.67									21
55		80.81	81.24	81 70									2.5
53	80.40	80.84	61.26	81.71									23
24	80.40	80.84	81.28	81.70									24
25	80.41	80.87	81.28	81.73									25
59	80.43	80.87	81.30	81.73									26
27	80.45	80.90	81,32	81.70									27
28	80.48	80.92	81,32	81,66									20
29	80.47	44.	81,33	81,63									24 25 26 27 28 29
30	80.50		81.34	81,60									31
31	80.51		81.35										51
31	00.51		0										
					-40	NTHLY SUM	4ARY-						MEAN
MEAN		80.72	81.15	61.58									ac an
District Control			80.92	81.36									INST
INST		80.52		(1)									MAX
MAX		(1)	(1)	. 17									
INST		80.94	81.36	81.74									INST
MIN		(85)	(31)	(25)									u.T.u.
			200										



Ministry of the Environment







Lake Superior

87 0 | 00 W


OBSERVATION WELL DATA

REGIONAL OFFICE THUNDER BAY 435 James St. S. P.O. Box 5000 807-475-1205

DISTRICT OFFICE Kenora 203 First St. S. 807-468-5578

LEGEND

Regional Office



Recording Observation Well

Number of Recording Wells in same location





OBSERVATION WELL DISTRIBUTION

93° | 00° W

45

90° 00' W

ENVIRONMENT ONTARTO TORNATO DISTRICT OF KENGRA

ORSERVATION WELL POR

WELL REC #1 3100714 UTM CO-ORD1 7-16 E321100 N5747350 LAT K LONG1 51-5100RTH 89-36WEST CON -

HPOIT PECONDEP

DIAMETER OF WELL: 2.5 INCHES
PLIP RATE: N.A.

10. FEFT ABOVE GROWND SURFACE
LENGTH OF SCREEN: NONE
1130 FEFT ABOVE SEA LEVEL
DEFTH OF WELL: 86.5 FFFT
ORIGINIC MATERIAL O.51 STLT. TRACE OF CLAY 25; CLAY AND SILT WITH FEW PERBLES AND MIXED SAND 40; SILT WITH SOME
CLAY 44: STLTY GREY CLAY WITH STIT LAVER 50; STLT. FINE SAND, MEDIUM SAND LAVERS 55; STLT AND SOME CLAY 60; GREY
CLAY 44: STLTY, VERY FINE SAND MITH SOME STLT AND CLAY LAYERS 75; SANDY STLT 797 MIXED SAND AND SILT 87;
REDROCK 103.1. NOWES WELL NUMBER 44-05-001

N.A. N.A. FINE SAND AND SILT FRESH

HASHRVEVED

	1974					
DATLY MEAN WATER	I FVFLS REFFREED	TO DISTANCE	TN FFFT	RELOW	GROUND	SHRFACE

DAY	JAN	FER	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1							40.84	43.70	43.35	42.74			1
ż							40.95	43.69	45.05	42.78			2
3							41.06	43.67	42.74	42.81			3
ú							41,18	43.65	42.48	42.85			4
5							41.29	43.62	47.78	42.89			5
6							41,41	43.60	42.17	42.94			6
7							41,33	43.58	42.10	42.98			7
							41.64	43.58	42.04	43,02			8
0							41.74	43.57	42.04	43.06			Q
10							41,85	43.58	42.03	43.08			1.0
11							41,97	43.59	42.03	43.11			1.0
12							42,05	43.62	42.03	43.14			12
13							42,13	43.63	42.05	43.16			13
14							42.23	43.66	42.05	43.16			14
15							42,35	43.70	42,06	43.16			15
16							42,45	43.73	42.09	43.17			16
17							42,57	43,76	42.12	43.18			17
18							42.66	43.81	42.15	43.20			18
19						40.61	42.75	43.86	42.19	43.23			19
50						40.57	42,88	43.91	42.24	43.25			50
21						40.55	42,99	43.97	42.28	43.26			20 21 22 23 24
25						40.56	43.06	44.01	42.34	43.27			5.5
53						40.54	43,15	44.04	42,39	43,29			23
24						40.55	43,25	44.04	42.43	43.31			24
25						40.55	43,34	44.02	42.47				25
26						40.57	43.43	44.01	42,50				26
27						40.60	43.51	44.00	42.55				26 27 28
28						40.65	43.58	43.97	42.60				28
20						40.67	43.44	43.94	42.65				29
30						40.75	43.68	43.89	42.69				30
31							43.69	43.65					29 30 31
					•H(NTHLY SUNN	ARY-						
MEAN					0.00	norme o Agua	42.01	43.78	42.34				MEAN
THST							40.79	43,51	42.02				INST
MAX							cir	(31)	(10)				MAX
TRRT							43.70	44.05	43.51				INST
MIN							(31)	(23)	(1)				MIN

ENVIRONMENT ONTARIO TORONTO DISTRICT OF KENORA

DBSERVATION WELL 310

UNSURVEYED

LOT -

WELL REC #: 3100662 UTM CO-DRD: Z-15 E575600 N5908200 LAT & LONG: 53-21NORTH 90-50WFST

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFFR : SCHIST
QUALITY : N.A.

REC METHOD: BROTT RECORDER

REC COMMCD: JUL 31 1970

MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE

REC COMMCD: JUL 31 1970

MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE

REASURE PT: 3.0 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 134.2 FEET

DEPTH OF WELL: 134.2 FEET

REC METHOD: SPEC. CAP: N.A.

AQUIFR: SCHIST

QUALITY: N.A.

REASURE PT: 3.0 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 134.2 FEET

REC METHOD: SPEC. CAP: N.A.

ROUNE

REC METHOD: SPEC. CAP: N.A.

AQUIFR: SPEC. CAP: N.A.

ROUNE

AQUIFR: SCHIST

QUALITY: N.A.

ROUNE

REC METHOD: SPEC. CAP: N.A.

ROUNE

RES METHOD: SPEC. CAP: N.A.

ROUNE

REC METHOD: SPEC. CAP: N.A.

ROUNE

ROUNE

RES TRUE METHOD: SPEC. CAP: N.A.

ROUNE

ROUNE

RES TRUE METHOD: SPEC. CAP: N.A.

ROUNE

RO

1974

				DAILY M	EAN WATER	LEVELS REF	ERRED TO DE	STANCE IN	FEET BELO	M GOOUND SI	URFACE		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ect	NOV	DEC	DAY
1								8.01					1
ž								8.13					2
5								8.21					3
2								8.31					4
2							10.68	8.42					5
ž							10.75	8.50					5 6 7
3							10.79	8.68					7
							10.84	8.80					8
6							10.94	8.85					8
							10.95	8.87					10
10							10.90	8.90					10 11
11							10.91	8.06					12
12							10.96	7.20					12 13
13							11.14	6.97					14
14							11.14	6.73					15
6 9 10 11 12 13 14 15 16							11.11	6.64					16
10							11.10	6.45					17
17							11.14	6.49					18
18							11.16	6.54					19
19 20 21 22 23							11.05	6.81					20
20							10.88	6.98					21
21							10.69	7.16					22 23
22							10.60	7.31					23
23							10.51	7.31					24
24							10.50	7.17					25 26
25							10.43	6.80					26
26							9.68	6.85					27
21							8.39	6.81					27 28
28							8.03	6.67					29
24							7.96						30
24 25 26 27 28 29 30							7.98						30 31
31													
					-M	ONTHLY SUMM	ARY-						
MEAN													MEAN
INST													INST
MAX													MAX

55

ENVIRONMENT ONTARIO TORONTO DISTRICT OF KENORA

UN SUR VE YED

OBSERVATION WELL 361

WELL REC #: 3100571 UTM CO-ORD: Z-15 E694200 N5704050 LAT & LONG: 51-27NORTH 90-13WEST CONC. -LOT -

DIAMETER OF WELL: 2 INCHES LENGTH OF CASING: 69 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 69 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY :

N.A. N.A. COARSE SAND & GRAVEL FRESH

REC METHOD:
REC COMMCD:
REC CO

1974
DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

				DATE	-								
DAY	JAN	FEB	MAR	APR	Y AM	JUN	JUL	AUG	SEP	CCT	NCV	DEC	DAY
			28 28	47.65	47.48	46.99	47.06	47.02	46.82				1
1		47.24	47.43			47.00	47.06	47.01	46.80				2
2		47.24	47.44	47-66	47.47	47.02	47.08	47.01	46.79				3
3		47.25	47.45	47.67	47.47	47.02	47.08	47.00	46.78				4
4		47.26	47.46	47.68		47.03	47.08	47.00	46.75				5
5		47.28	47.47	47.67	47.45	47.05	47.08	47.00	46.77				6
6		47.29	47.47	47.68	47.44	47.07	47.08	47.00	46.79				7
7		47.30	47.48	47.69	47.43	47.07	47.09	47.01	46.79				8
8		47.31	47.49	47.69	47.43		47.09	47.00	46.81				9
9		47.32	47.50	47.70	47.42	47.05	47.10	46.99	46.80				10
10		47.33	47.51	47.70	47.41	47.03		47.00	46.81				11
11		47.33	47.52	47.72	47.39	47.02	47.08		46.81				12
12		47.32	47.53	47.73	47.36	47.02	47.09	47.01	46.82				13
13		47.33	47.52	47.73	47.34	47.02	47.09	47.00					14
14		47.35	47.53	47.73	47.31	47.03	47.09	47.00	46.82				15
15		47.36	47.55	47.74	47.27	47.04	47.09	47.00					16
16		47.37	47.55	47.74	47.23	47.04	47-10	46.99	46.83				17
17		47.37	47.55	47.74	47.21	47.04	47.11	46.98	46.84				18
18		47.37	47.56	47.73	47.17	47.04	47.12	46.98	46.84				19
		47.38	47.57	47.71	47.13	47.03	47.12	46.98	46.86				20
19		47.38	47.55	47.69	47.09	47.03	47.12	46.98	46.B6				21
20	267	47.39	47.55	47.67	47.06	47.04	47.13	46.97	46.89				22
21		47.38	47.57	47.65	47.03	47.05	47.13	46.95	46.90				23
2.2		47.39	47.58	47.62	47.01	47.05	47-12	46.92	46.90				24
23			47.59	47.62	46.97	47.04	47.13	46.89	46.90				25
24		47.41	47.60	47.59	46.95	47.04	47.13	46.86	46.91				26
25		47.41	47.60	47.57	46.95	47.03	47-11	46.85	46.91				
5.6	OTHER VIEWS	47.41		47.54	46.93	47.03	47.13	46.86					27
2.7	47.21	47.42	47.60	47.53	46.94	47.03	47.11	46.86					28
28	47.23	47.42	47.62	47.51	46.94	47.05	47.07	46.86					29
29	47.23		47.64		46.95	47.05	47.06	46.85					30
30	47.22		47.64	47-48	46.98	41.00	47.04	46.84					31
31	47.23		47.64		40.70		100.00	200-201-20					
					-80	NTHLY SUMM	ARY-						MEAN
0.000			47.54	47.66	47.22	47.03	47.10	46.96					MEAN
MEAN		47.34	41.54	41.00									INST
			47.43	47.48	46.93	46.98	47.03	46.83					
INST		47.24		(30)	(27)	(1)	(31)	(31)					MAX
MAX		(1)	(1)	(30)	1617	18.	2000000	411					
		12.00		47.74	47.48	47.08	47.15	47.04					INST
INST		47-43	47.65		(1)	(8)	(27)	(1)					MIN
MIN		(28)	(30)	(17)	, .,	. 93	A. #1.51/51	W 5500					

FNVIRGNAF IT HOTARIC TOROUTO DISTRICT HE AFTHRA

DASERVATION WELL 365

TOWNSHIP OF PONSFORD

CONC. -

WELL REC #1 3100573 HTM CO-ORDE 2-15 F695600 N5707050 LAT # LONG: 51-29-007H 90-11#FST

REC METHON: MENTE MECHANER

DIAMETER OF WELL: 1.5 INCHES LENGTH OF CASING: 9.8 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 9.8 FEET REC COMMON! AND A 1971 LEMGTH OF CASING! 9.4 FEET MEASURE PTI 220 FEET ARRY SEA LEVEL DEPTH OF MELL! 9.4 FEET MONE CON FIET ARRY SEA LEVEL DEPTH OF MELL! 9.4 FEET WELL TYPE: WE

PUMP RATE: N.A.
SPEC. (AP: N.A.
ADUJERS : FINE SAND AND SILT
DIALITY : FPESH

NOWRC WELL WIMHER 44-05-037

1974

				APR	MAY	LEVELS RFPE Jun	JUL	AUG	SEP	OCT	MOV	DEL	DAY
DAY	14.0	***	~ 4 4 4	Vbb	MAY	3174	301						,
Ś.							4.42	4.41	4.18	4.60			è
t							4.41	4.53	4.31	4.50			2
5							4.51	4.65	4.45	4.57			3 4
5							4.48	4.75	4.52	4.61			5
4							4.53	4.83	4.63	4.49			
5							4.59	4.90	4.70	4.47			6
7							4.65	4.98	4.72	4.46			7
7							4.61	5.06	4.73	4.41			6
8							4.69	5.15	4.80	4.19			9
Q							4.78	5.19	4.80	4.12			10
10							4.84	5.20	4.55	4.17			11
11							4.90	5.16	4.40	0.25			12
12							4.97	5.18	4.55	4.21			1 3
13							5.03	5 (Ma) 5/ 5h	4.58	4.74			14
1 4							5.08		4.64	45.0			15
15							5.19		4.67	4.32			16
10							5.13	70	4.71	4.37			1.7
17							5.09		4.65	4.37			18
18						3,53	5.21		4.72	4.39			19
19						3.67	5.23		8.74	4. 36			50
50						3.76	5.00		0.76	4.29			21
21						3.84	4.69		4.76	4.27			27
55						3,90	4.44		4.75	4.29			23
23						3.96	4.93		4.57	4.22			24 25
54						4.04	4.69		4.48				25
25						4,12	4.64		4.46				24
56						4.20	4.50		4.56				27 28
27						4.30	4.12	5.14	4.41				28
85						4.33	4.22	4.60	4.62				20
5.0						4.37	4.21	4.32	4.60				30
30						~	4.41	4.11					51
31								5.00					
					M	ANTHLY SHAM	ARY-		3. 317				HEAN
MEAN							4.72		0.61				
							4.07		4.15				1.81
INST							(28)		(1)				HAX
M.A.							5.26		SA, u				TNST
TRST								86	(9)				MTN
44.7.44							(201						

ENVIRONMENT ONTARIG OBSERVATION WELL 315 TORONTO
DISTRICT OF THUNDER BAY

TOWNSHIP OF EXTON CONC. -

WELL REC #: UTM CO-ORD: LAT & LONG: 6100795 Z-16 E511400 N5556100 50-10N3RTH 86-51WEST LOT -

REC METHOD: BROTT RECORDER

REC COMMCD:

REC COMMCD:

JULY 15 1970

MEASURE PT:

2.88 FEET ABOVE GROUND SURFACE

GND ELEV:

LOS:

LENGTH OF CASING:

LENGTH OF SCREEN:

LENGTH OF SCREEN:

LENGTH OF WELL:

LOS:

LENGTH OF WELL:

LOS:

LENGTH OF SCREEN:

LENGTH OF WELL:

LOS:

LENGTH OF CASING:

LENG

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. SAND FRESH

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1							3.88 E	3.93 E	4.41 E				1
2							3.88 E	3.93 E	4.42 F				2
1 2 3							3.88 E	3.92 E	4.39 E 4.38 E 4.36 E				2
							3.85 E	3.92 €	4.38 E				4
5							3.73 E	3.92 E	4.36 E				5
í							3.72 E	3.91 E	4.30 E				5 6 7
7				4			3.71 E	3.91 E	4.30 E				7
							3.69 E	3.91 E	4.30 E				8
9							3.51 E	3.91 E	4.29 F				9
10							3.51 E	3.91 E	4.27 E				10
11							3.50 E	3.93 E	4.27 E				11
11 12 13 14							3.50 E	3.96 E	4.27 E 4.27 E 4.27 E 4.27 E				12
13						3.67 E	3.50 E	3.96 E	4.27 E				13
16						3.67 E	3.50 E	3.96 E	4-27 E				14
15						3.68 E	3.51 E	3.96 E	4.27 E				15
16						3.67 E	3.63 E	3.96 E	4.27 E				16
17						3.67 E	3.72 E		4.27 E				17
18						3.66 E	3.73 E		4.27 E 4.27 E 4.27 E 4.27 E 4.27 E				18
						3.67 E	3.74 E		4.20 E				8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
19 20 21 22 23 24 25						3.67 E	3.84 E		4.26 E				20
21						3.67 E	3.92 E						21
22						3.67 E	3.93 E						22
23						3.67 E	3.92 E	4.27 E					23
24						3.67 E	3.92 E	4.27 E					24
25						3.80 E	3.93 E	4.28 E					25
26						3.89 E	3.93 E	4.38 E					26
26 27 28 29						3.88 E	3.93 E	4.38 E 4.40 E					23 24 25 26 27 28 29 30
28						3.88 E	3.93 E	4.40 E	(2)				28
29						3.88 E	3.92 E	4.40 E					29
30						3.88 E	3.92 E	4.40 E					30
31							3.93 E	4.41 E					31
					-40	NTHLY SUMMA	RY-						
MEAN							3.76						MEAN
INST							3.50						INST
MAX							(14)						MAX
INST							3.93						INST
MIN							(27)						MIN
171.14													

ENVIRONMENT ONTARIO ICRUNTO DISTRICT OF THUNDER BAY

OBSERVATION WELL 319

CONC . -

WELL REC #: 6100803 UTM CO-ORD: Z-16 E511610 N5557000 LAT & LCNG: 50-10NORTH 86-51WEST

TOWNSHIP OF EXTON

REC METHOD: BRUIT RECGRDER DIAMETER OF MELL: 2 INCHES PUMP RATE: N.A.

REC COMMCD: JUL 15 1970 LENGTH OF CASING: 68 FEET SPEC. CAP: N.A.

MASUKE P1: 3.41 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: NONE AQUIFFR: SAND AND GRAVE

GROUND ELEV: 1105 FEET ABOVE SEA LEVEL DEPTH OF WELL: 68.3 FEET QUALITY: FRESH

MELL 1YPE: DRILLED

MELL LGG: BROWN FINE SAND 1; GREY MIXED SAND, GRAVEL, SILT 35; GREY MIXED SAND 40; VERY FINE GREY SAND 54; BLUE CLAYEY

SILT 55; BLUE CLAY 56.3; HARD GREY SAND, BOULDERS 68.5. NOWRC MELL NUMBER 43-05-016 DIAMETER OF WELL: 2 INCHES LENGTH OF CASING: 68 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 68-3 FEET

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : SAND AND GRAVEL
QUALITY : FRESH

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	34.67	35.12	35.36	35.64	35.68	34.20	34.15						1
2	34.71	35.14	35.31	35.67	35.66	34.18	34.18						2
3	34.77	35.16	35.35	35.68	35.70	34.12	34.15						3
4	34.78	35.18	35.39	35.71	35.72	34.06	34.17						4
5	34.79	35.20	35.44	35.72	35.72	34.06	34.18						5 6 7
6	34.79	35.18	35.51	35.74	35.72	34.03	34.18						6
7	34.61	35.18	35.50	35.76	35.72	33.98	34.22						
ь	34.64	35.17	35.50	35.75	35.71	33.94	34.23						8 9 10 11 12
9	34.67	35.17	35.52	35.75	35.70	33.94	34.30						9
10	34.69	35.19	35.54	35.78	35.69	33.90	34.31						10
11	34.89	35.24	35.55	35.76	35.62	33.87	34.35						11
12	34.90	35.27	25.55	35.73	35.59	33.86	34.39						12
13	34.51	35.30	35.51	35.74	35.59	33.87	34.45						13
14	34.87	35.24	35.52	35.76	35.55	33.87	34.48						14
15	34.89	35.24	35453	35.77	35.52	33.87	34.51						15
10	34.93	35.24	35.52	35.79	35.50	33.91	34.51	*					16
17	34.98	35.24	35.50	35.82	35.47	33.95	34.53						17
10	34.99	35.27	35.52	35.84	35.42	33.97	34.55						18
19	34.99	35.30	35.54	35.82	35.35	33.97	34.50						19
20	35.00	35.32	35.54	35.78	35.18	33.99	34.51						20
21	35.01	15.33	35.50	35.74	35.02	34.00	34.50						21
22	35.03	35.37	35.58	35.76	34.89	34.02	34.52						22
23	35.03	35.30	35.01	35.80	34.78	33.99	34.52						23
24	35.01	35.36	35.62	35.78	34.71	33.99	34.50						24
25	35.04	35.33	35.04	35.78	34.63	34.03	34.50						25
40	35.02	35.33	35.00	35.75	34.55	34.05	34.52						26
27	35.00	35.37	35.67	35.72	34.46	34.08	34.52						27
28	35.01	35.38	35.62	35.71	34.37	34.10	34.53						28
29	35.03	B000 B B000	35.00	35.71	34.30	34.14	34.53						29
30	35.03		35.63	25.72	34.26	34.17	34.52						30
31	35.06		35.66		34.20		34.51						31
						NTHLY SUMM							
MEAN	34.42	35.20	35.53	35.75	35.23	34.00	34.40						MEAN
INST	34.66	35.10	35.30	35.64	34.19	33.84	34.12						INST
MAX	(1)	(1)	(2)	(1)	(31)	(12)	(1)						XAM
INST	35.10	35.38	35.07	35.85	35.75	34.20	34.57						INST
MIN	(31)	(28)	(27)	(18)	(1)	(1)	(18)	-2					MIN

CBSFRVATION WELL 385

ENVIRONMENT ONTARIO TORONTO DISTRICT OF THUNDER BAY TOWNSHIP OF NAKINA

WELL REC #: 6100952 UTM CN-DRD: Z-16 E519025 N5560800 LAT & LONG: 51-12NORTH 86-45WEST CONC . -

REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: WELL TYPE: WELL LOG:

DIAMETER OF WELL: 2 INCHES LENGTH OF CASING: 46 FEET LENGTH OF SCREEN: 2 FEET DEPTH OF WELL: 48 FEET

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : SAND AND GRAVEL
QUALITY : FRESH

BROTT RECCRDER

DIAMETER OF WELL: 2 INCHES

PUMP RATE: N.A.

LENGTH OF CASING: 46 FEET

SPEC. CAP: N.A.

SAND AND GRAVEL

DOUBLIED

BROWN FINE SAND, PYRITE 3; BROWN SILT 4; BROWN HARDPAN 5; BROWN SILT 8; BROWN MEDIUM TO COARSE

SAND AND GRAVEL 11; BROWN MEDIUM SAND, SILT 15; BROWN MEDIUM SAND 18; GREY FINE SAND, STONES 26; BROWN FINE TO

MEDIUM SAND, CLAY 35; GREY MEDIUM SAND 48.

NOWER MELL NUMBER 43-05-024

1974 DAILY MEAN WATER LEVELS REFERRED TO DISTANCE IN FEET BELOW GROUND SURFACE

				0712	ent mental a	THE THE MISSINGS							
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
DA.	2				19.91	19.31	19.59	19.96					1 2 3 4 5 6 7 8 9 10
1					19.91	19.31	19.61	19.97					2
1 2 3 4						19.31	19.64	19.99					3
3					19.91	19.31	19.64	20.00					4
4					19.89	19.31	19.62	20.02			19		5
5					19.88	19.30	19.62	20.03					6
6					19.87		19.62	20.06					7
7					19.86	19.30	19.64	20.09					8
8				į.	19.85	19.30	19.64	20.10					9
9					19.82	19.28		20.13					10
10					19.78	19.26	19.64	20.13					11
10					19.73	19.27	19.65	20.14					12
12					19.73	19.29	19-65						13 14 15 16
13					19.69	19.31	19.67	20.18					14
14					19.64	19.33	19.70	20.20					15
15					19.63	19.34	19.73	20.20					16
1.5				20.11	19.60	19.36	19.74	20.20					17
16 17				20-11	19.58	19.36	19.75	20.22					18
18				20.10	19.54	19.37	19.79	20.25					19
16				20.09	19.49	19.38	19.81	20.27					
19				20.08	19.44	19.39	19.83	20,28					20 21 22 23 24
20 21 22				20.07	19.41	19.41	19.83	20.25					22
21				20.09	19.37	19.44	19.85	20.24					23
22				20.08	19.35	19-47	19.89	20.26					24
23 24 25	10.44			20.07	19.34	19.48	19.89						25
24	19.64			20.06	19.34	19.49	19.89						26
25	19.63			20.02	19.33	19.49	19.90						27
26	19.61			19.98	19.33	19.51	19.91						28
27	19.63			19.96	19.31	19.53	19.91						29
28	19.63			19.94	19.30	19.54	19.92						30
29	19.62			19.96	19.30	19.54	19.93						31
30	19.64			17.70	19.31		19.96						21
31													
						INTHLY SUMM	ARY-						MEAN
MEAN					19.59	19.38	19.76						
30.00					10.20	19.26	19.57						INST
INS1					19.30		(1)						MAX
MAX					(30)	(11)							21,522
					19.94	19.57	19.96						INST
INST					19694	(30)	(31)						MIN
MIN					(1)	(30)	1521						
100000000000000000000000000000000000000													

ENVIRONMENT ONTARIO TORONTO DISTRICT OF THUNDER BAY OBSERVATION WELL 235

WELL REC #: 6100599 UTM CO-ORD: Z-16 E494200 N5576450 LAT & LONG: 50-20NORTH 87-05WEST LOT -TOWNSHIP OF RUPERT

DIAMETER OF WELL: 2 INCHES LENGTH OF CASING: 49 FEET LENGTH OF SCREEN: 11 FEET DEPTH OF WELL: 60 FEET

PUMP RATE: SPEC. CAP: AQUIFER : QUALITY : N.A. N.A. SILT AND GRAVEL FRESH

REC METHOD: BROTT RECURDER

REC COMMCD:

REC COMMCD:

JUN 20 1969

MEASURE PT:

GND ELEV:

1090 FLET ABOVE SEA LEVEL

MELL TYPE:

MELL LOG: DIATY SANO 3; BROWN CLAY 15; SILT 24; SILT AND ODD BIT DF CLAY 40; SILTY CLAY 60.

NOWRC MELL NUMBER 43-05-001-1R

I DAME - A SAN		684	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
DAY	JAN	FEB	MAK	Arn					05.00	25.87	26.35	26.48	1
1	26.99	47.25	27.51	27.73	27.83	26.38	25.49	25.63	25.92		26.35	26.49	2
2	27.00	27.28	27.53	27.75	27.82	26.31	25.47	25.70	25.92	26.05	26.37	26.48	3
3	27.00	27.30	27.50	27.74	27.81	26.24	25.49	25.79	25.91	26.26	26.38	26.49	4
4	27.01	47.31	27.46	27.74	27.73	26.19	25.47	25.82	25.91	26.20	26.40	26.51	5
	27.01	27.32	27.51	27.77	27.72	26.14	25.45	25.84	25.91		26.40	26.51	6
>	27.01	27.34	27.52	27.79	27.72	26.07	25.43	25.86	25.89	26.19	26.41	26.52	7
6	27.01	27.32	27.55	27.80	27.71	26.03	25.41	25.90	25.89	26.18	26.41	26.50	8
a	27.02	27.32	27.59	27.81	27.70	25.98	25.42	25.93	25.88		26.41	26.52	9
	27.04	27.32	27.62	27.83	27.67	25.93	25.42	25.95	25.89	26.17	26.42	26.53	10
9	27.05	27.32	27.60	27.83	27.66	25.87	25.43	25.96	25.89	26.18		20023	11
10		47.34	27.61	27.84	27.62	25.84	25.46	25.97	25.85	26.20	26.45		12
11	27.07	27.34	27.64	27.86	27.61	25.84	25.46	25.96	25.84	26.19	26.51		13
14	27.09		27.65	27.86	27.55	25.83	25.45	26.00	25.84	26.18	26.54		14
13	27.10	27.37	27.06	27.84	27.46	25.80	25.46	26.06	25.84	26.22	26.54		15
14	27.08	Z7.40	27.65	27.83	27.41	25.75	25.48	26.07	25.84	26.25	26.55		16
15	27.09	27.42	27.63	27.85	27.37	25.72	25.49	26.06	25.85	26.25	26.53		17
16	27.14	27.39		27.86	27.30	25.68	25.49	26.08	25.84	26.27	26.56		18
17	27.14	27.38	27.04	27.86	27.27	25.65	25.48	26.12	25.83	26.25	26.54		
18	27.16	27.40	27.65	27.89	27.23	25.65	25.53	26.11	25.81	26.27	26.52		19
19	27.17	27.38	27.64	27.91	27.18	25.64	25.57	26.09	25.83	26.24	26.54		20
20	27.17	270	27.65	27.91	27.11	25.63	25.57	26.07	25.85	26.28	26.54		21
21	27.18	27.44	27.68		27.04	25.62	25.59	26.06	25.85	26.28	26.57		22
22	27.18	27.47	27.06	27.89	26.93	25.61	25.61	26.06	25.86	26.28	20.57		23
23	27.19	27.47	27.69	27.85	26.83	25 .60	25.64	26.07	25.85	26.31	26.56		24 25
24	27.19	27.50	27.70	27.84	26.73	25.58	25.64	26.05	25.83	26.31	26.54		25
25	27.19	27.50	27.73	27.88		25.57	25.63	26.00	25.79	26.33	26.55		26
26	27.18	27.49	27.73	27.88	26.69	25.58	25.62	25.99	25.81	26.32	26.54		27
27	27.17	27.48	27.73	27.89		25.58	25.62	25.99	25.86	26.33	26.55		28
28	27-19	27.49	27.75	27.89	26.60	25.55	25.64	25.98	25.86	26.34	26.53		29
29	27.20		27.76	27.85	26.55		25.63	25.93	25.80	26.34	26.54		30
30	27.48		27.73	27.82	26.49	25.52	25.63	25.89	2,000	26.36			31
31	27.21		27.72		26.44		23.63	25007		B.E.E.E.S			
						NTHLY SUMM	IARY-				26.49		MEAN
MEAN	27.11	27.38	27.63	27.84	27.27	25.81	25.52	25.97	25.86		2007		
				(1.00%) (2.00)	19/91 19/9	20.00	25.40	25.63	25.78		26.34		INST
INST	26.99	27.22	27.45	27.71	26.41	25.49		(1)	(27)		1 21		MAX
MAX	(1)	(1)	(4)	(1)	(31)	(30)	(7)	1 11	1217		N = 1		
	15.15.1				WINDS SERVE	SOUL YEAR		26.12	25.95		26.59		INST
INST	27.22	27.51	27.77	27.92	27.84	26.41	25.65		(2)		(23)		MIN
MIN	129)	(24)	1291	121)	(1)	(1)	(29)	(18)			-7-5-7-07-2		



MOE/WRB/GWS/2-101

	14 3 15		
	Date	Due	
			12.5
4.25			
THE EVENT			
We start			
1000		77.50	

MOE/WRB/GWS/2-101
Ontario Ministry of the En
Data for observation
wells in Ontario 1974 aopy
c.1 a aa

PRINTED IN CANADA